

2017 SALES HANDBOOK



Sea Ray

2017 Sales Handbook

Sport Boats

Sport Cruisers

Sport Yachts / Yachts

L-Class

General Information

International Boats

Printed in the U.S.A., February 2017

Revision 03202017

©Sea Ray Boats

Information in this publication is based on the latest product specifications available at press time. Some photos may show optional equipment. Sea Ray reserves the right to make changes at any time, without notice, in the colors, equipment, specifications, materials, and price of any model, or to discontinue models. Sea Ray is not obligated to make similar changes or modifications to models sold prior to the date of such changes.

Sport Boats

SPX 190	
---------	--

SPX 190	OUTBOARD
---------	----------

SPX 210	
---------	--

SPX 210	OUTBOARD
---------	----------

SDX 220	
---------	--

SDX 220	OUTBOARD
---------	----------

SLX 230	
---------	--

SLX-W 230	NEW
-----------	-----

SDX 240	
---------	--

SDX 240	OUTBOARD
---------	----------

SLX 250	
---------	--

SDX 270	
---------	--

SDX 270	OUTBOARD
---------	----------

SLX 280	
---------	--

SDX 290	
---------	--


SDX 290	OUTBOARD
---------	----------

SLX 310	
---------	--

SLX 310	OUTBOARD	NEW
---------	----------	-----

SLX 350	
---------	--

SLX 350	OUTBOARD	NEW
---------	----------	-----



SPECIFICATIONS

Overall length w/integral swim platform	19'6" (5.94 m)
Beam	8'4" (2.54 m)
Draft (sterndrive down)	35" (89 cm)
Draft (sterndrive up)	18" (46 cm)
Dry weight	2,675 lb (1,213 kg)
Fuel capacity	30 gal (113 L)
Max persons/weight	11/1,550 lbs (703 kg)
(MWC) max weight persons/gear	1,650 lbs (748 kg)
Deadrise	19°

HEIGHT DIMENSIONS

Waterline to top of windshield	3'4" (1.18 m)
Keel to top of windshield	5'2" (1.57 m)
Overall height from waterline to top of optional tower	6'9" (2.06 m)
Overall height from keel to top of optional tower	8'2" (2.49 m)

TOWER/TRAILER INFO

Ground to windshield on trailer	6'7" (2.00 m)
Ground to tower (folded down) on trailer	7'0" (1.83 m)
Overall length w/trailer*	21'6" (6.55 m)
Beam on trailer	8'6" (2.59 m)
Trailer weight	705 lbs (320 kg)

*Folded swing tongue reduces length by 24 inches.

**Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Thru-Bolted - Stainless Steel (6)
Deck Fuel Fill Plate, Stainless Steel
Drain Plug, Brass, Threaded - Garboard
Gel Coat, Arctic White
Light, Stern - Removable
Lights, Navigation
Resin, High-Performance Vinylester
Rub Rail, Black PVC w/Vinyl Insert
Ski Tow Eye, Stainless Steel
Stringer System, Fiberglass
Swim Platform, Integral w/Stainless Steel, Four-Step Swim Ladder
Thru-Hull Fittings
Vent System, Engine Compartment - Integral
Windshield w/Matte Black Frame, Tempered/Tinted Glass & Walk-Thru

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders
Cockpit Vinyl Color - White/Charcoal or White/Cognac
Dash, Fiberglass
Floor, Finished Fiberglass
Glove Box, Lockable
Grab Handles, Plastic
Outlet, 12V Accessory
Stereo, 12V AM/FM w/Wireless Bluetooth™ & Weatherproof Speakers (2)
Storage, Ski/Wakeboard w/Matting & Gas-Assisted Fiberglass Lid
Sun Pad w/Port Transom Walkthrough
Vinyl, Marine Grade w/Mildew & UV Protection

SEATING:

Bow: Seats w/Cushions & Storage Below, Port & Stbd Bolsters & Center Section Facing Aft
Cockpit: Aft Bench Seat w/Sunpad & Insulated Cooler
Companion Seat: Bench Seat w/Stowable Forward Seat Cushion & Removable Aft Bolster
Helm: Bucket w/Swivel and Slider & Flip-Up Bolster

HELM:

Alarms, Engine - Oil & Water (Audible)
Horn
Instrumentation, Custom Sea Ray Backlit w/Glass Lenses & Low-Glare Night Lighting (Includes: Fuel, Oil Pressure, Speedometer, Tachometer w/LCD Hour Meter, Trim & Water Temperature)
Shift & Throttle Lever w/Trim Switch & Lanyard Stop Switch
Steering, Power-Assisted
Steering, Tilt Wheel, Custom Padded
Switch Panel w/Weatherproof Lighted Chrome Toggle Switches
Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery Tray w/Mount
Fuse Block
Wiring, Color-Coded w/Chafe Protection

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic
Blower, 12V Bilge
Fire Extinguisher Discharge Port
Insulated Engine Compartment

FUEL SYSTEMS:

Evaporative Emissions Fuel System
Fuel Lines, USCG - Type A-1
Fuel Tank w/Anti-Siphon Valve & Electric Sending Unit

TRAILER:

Single Axle, 3,100# Capacity - Painted
Bearing Protection
Brakes, Free-Backing Hydraulic Surge Disc
Lights, Submersible LED
Safety Chains
Straps, Transom Tie-Down
Tongue, Swing Away
Tongue Jack, Swivel
Winch Stand, Adjustable w/Nylon Strap & Hook

STANDARD PROPULSION

MerCruiser® 4.5L MPI ECT* Alpha® I Sterndrive
(200 hp - 149 kW)
Propeller, Aluminum

*Non-catalyzed engines available for select international markets.

Top speed at top RPM. 50-52 MPH @ 4800 RPM
Speed at Cruise RPM. 30-32 MPH @ 3500 RPM
Gallons per hour at cruise speed 8.4 GPH @ 3500 RPM
Propeller 14.2x18 Enertia

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

CANVAS OPTIONS

CANVAS ENCLOSURE PACKAGE:

Bimini Top w/Boot w/Stainless Steel Ball & Socket Hardware
Aft, Front & Side Curtains
Cockpit & Tonneau Covers
Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Canvas Colors: Black (Std); Toast Tweed; Pacific Blue or Marine Midnight Blue
(Only Available w/Sea Ray Blue Hull Color)
Canvas Bimini Top w/Boot w/Stainless-Steel Ball & Socket Hardware
Canvas Cockpit Cover/Tonneau Cover w/Canvas Storage Bag
Canvas Mooring Cover (Black Only)

TRIM PACKAGES

ALL SPORT PACKAGE:

Battery Charger
Casting Chairs (2) - Bow & Cockpit, w/Dedicated Storage
Livewell w/Aerator
Trolling Motor

ELEVATION PACKAGE:

Premium Ski Mirror
Tower, Water Sports - Forward Facing & Folding Aluminum w/Integral Bimini
Top & Anchor Light
Wakeboard Racks, Swivel

SELECT PACKAGE (SAHARA OR COGNAC):

Upholstery Upgrade
LED Lighting
Premium Dash
Stainless Steel Component Upgrade
Wood Grain Steering Wheel

STAINLESS STEEL COMPONENT UPGRADE:

Rubrail Inserts
Drink Holders
Latches & Grab Handles

INDIVIDUAL OPTIONS

Battery On/Off Switch

Depth Finder

Chartplotter/Fishfinder, Raymarine® a67 w/Sonar & Wi-Fi

Fire Suppression System (FM200) Automatic

Flooring, Carpet Liner, Snap-In

Flooring, Cockpit Upgrade, Infinity Woven (Sahara, Cognac, White/Cognac or White/Charcoal)

Flooring, Seadek® Swim Platform Matting

Gel Coat, Colored Hull Sides w/White Bottom: Onyx; Fathom Blue; Mojave Tan; Rally Red or Sea Ray Blue

Gel Coat, Bottom Color & Colored Hull Sides Match: Onyx; Fathom Blue; Mojave Tan; Rally Red or Sea Ray Blue

Gel Coat, White Hull w/Onyx Bottom Color

Graphics, Sport (Red or Grey)

Mirror, Premium Ski

Speed Control, PerfectPass®

Stereo, Premier Upgrade w/Rockford Fosgate® Amplifier, Subwoofer & Additional Pair of Speakers (4 Total)

Stereo Remote Control - Additional Unit on Transom

Tower, Water Sports - Forward Facing & Folding Aluminum w/Integral Bimini Top & Anchor Light

Wakeboard Racks, Swivel

CE Option

TRAILER OPTIONS:

Galvanized 3,100# Cap Single Axle Trailer w/Single Disc Brakes

Painted 3,400# Cap Single Axle Trailer w/Single Disc Brakes

Galvanized 3,400# Cap Single Axle Trailer w/Single Disc Brakes

Painted 5,000# Cap Dual Axle Trailer w/Single Disc Brakes

Galvanized 5,000# Cap Dual Axle Trailer w/Single Disc Brakes

Painted 5,000# Cap Dual Axle Trailer w/Dual Disc Brakes

Galvanized 5,000# Cap Dual Axle Trailer w/Dual Disc Brakes

Painted Premium 5,000# Cap Dual Axle Trailer w/Single Disc Brakes


Painted Premium 5,000# Cap Dual Axle Trailer w/Dual Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature, and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
SternDrive	MerCruiser 4.5L MPI ECT		200	Alpha 1	14.2x18 Enerzia	1.62:1	46-48	4400-4800

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/integral swim platform	19'6" (5.94 m)
Overall length including outboard engine	21'9" (6.63 m)
Beam	8'4" (2.54 m)
Draft (outboard down)	31" (79 cm)
Draft (outboard up)	18" (46 cm)
Dry weight	2,754 lb (1,249 kg)
Fuel capacity	30 gal (113 L)
Max persons/weight	11/1,477 lb (670 kg)
(MWC) max weight persons/gear	2,239 lb (1,016 kg)
Deadrise	19°

HEIGHT DIMENSIONS

Waterline to top of windshield	3'4" (1.18 m)
Keel to top of windshield	5'2" (1.57 m)
Overall height from waterline to top of optional tower	6'9" (2.06 m)
Overall height from keel to top of optional tower	8'2" (2.49 m)

TOWER/TRAILER INFO

Ground to windshield on trailer	6'7" (2.00 m)
Ground to tower (folded down) on trailer	7'0" (1.83 m)
Overall length w/trailer*	21'6" (6.55 m)
Beam on trailer	8'6" (2.59 m)
Trailer weight	705 lbs (320 kg))

*Folded swing tongue reduces length by 24 inches.

**Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Thru-Bolted - Stainless Steel (6)
Deck Fuel Fill Plate, Stainless Steel
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Light, Stern - Removable
Lights, Navigation
Resin, High-Performance Vinylester
Rub Rail, Black PVC w/Vinyl Insert
Ski Tow Pylon
Stringer System, Fiberglass
Swim Platform, Integral w/Stainless Steel, Four-Step Swim Ladder
Thru-Hull Fittings
Windshield w/Matte Black Frame, Tempered/Tinted Glass & Walk-Thru

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders
Cockpit Vinyl Color - White/Charcoal or White/Cognac
Dash, Fiberglass
Floor, Finished Fiberglass
Glove Box, Lockable
Grab Handles, Plastic
Outlet, 12V Accessory
Stereo, 12V AM/FM w/Wireless Bluetooth™ & Weatherproof Speakers (2)
Storage, Ski/Wakeboard w/Matting & Gas-Assisted Fiberglass Lid
Sun Pad w/Port Transom Walkthrough
Vinyl, Marine Grade w/Mildew & UV Protection

SEATING:

Bow: Seats w/Cushions & Storage Below, Port & Stbd Bolsters & Center Section Facing Aft
Cockpit: Aft Bench Seat w/Sunpad & Insulated Cooler
Companion Seat: Bench Seat w/Stowable Forward Seat Cushion & Removable Aft Bolster
Helm: Bucket w/Swivel and Slider & Flip-Up Bolster

HELM:

Alarms, Engine - Oil & Water (Audible)
Horn
Instrumentation, Custom Sea Ray Backlit w/Glass Lenses & Low-Glare Night Lighting (Includes: Fuel, Oil Pressure, Speedometer, Tachometer w/LCD Hour Meter, Trim & Water Temperature)
Shift & Throttle Lever w/Trim Switch & Lanyard Stop Switch
Steering, Power-Assisted
Steering, Tilt Wheel, Custom Padded
Switch Panel w/Weatherproof Lighted Chrome Toggle Switches
Tilt & Trim, Power

BILGE:

Bilge Pump, 12V Automatic
Gel-Coated Compartment

ELECTRICAL SYSTEMS:

Battery Tray w/Mount
Fuse Block
Wiring, Color-Coded w/Chafe Protection

FUEL SYSTEMS:

Evaporative Emissions Fuel System
Fuel Lines, USCG - Type A-1
Fuel Tank w/Anti-Siphon Valve & Electric Sending Unit

TRAILER:

Single Axle, 3,100# Capacity - Painted
Bearing Protection
Brakes, Free-Backing Hydraulic Surge Disc
Lights, Submersible LED
Safety Chains
Straps, Transom Tie-Down
Tongue, Swing Away
Tongue Jack, Swivel
Winch Stand, Adjustable w/Nylon Strap & Hook

STANDARD PROPULSION

Mercury® 115 Pro XS FourStroke Inline 4 Outboard Engine
(115 hp - 86 kW)
Propeller, Aluminum

Top speed at top RPM40-42 MPH @ 5800 RPM
Gallons per hour at cruise speed 2.4 GPH @ 3000 RPM
Propeller 14.5 x 19 Black Max

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

Mercury® 150 EFI FourStroke Inline 4 Outboard Engine
(150 hp - 110 kW)
Propeller, Aluminum

CANVAS OPTIONS

CANVAS ENCLOSURE PACKAGE:

Bimini Top w/Boot w/Stainless Steel Ball & Socket Hardware
Aft, Front & Side Curtains
Cockpit & Tonneau Covers
Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Canvas Colors: Black (Std); Toast Tweed; Pacific Blue or Marine Midnight Blue (Only Available w/Sea Ray Blue Hull Color)
Canvas Bimini Top w/Boot w/Stainless-Steel Ball & Socket Hardware
Canvas Cockpit Cover/Tonneau Cover w/Canvas Storage Bag
Canvas Mooring Cover (Black Only)

TRIM PACKAGES

ALL SPORT PACKAGE:

Battery Charger
Casting Chairs (2) - Bow & Cockpit, w/Dedicated Storage
Livewell w/Aerator
Trolling Motor

ELEVATION PACKAGE:

Premium Ski Mirror
Tower, Water Sports - Forward Facing & Folding Aluminum w/Integral Bimini Top & Anchor Light
Wakeboard Racks, Swivel

SELECT PACKAGE (SAHARA OR COGNAC):

Upholstery Upgrade
LED Lighting
Premium Dash
Stainless Steel Component Upgrade
Wood Grain Steering Wheel

STAINLESS STEEL COMPONENT UPGRADE:

Rubrail Inserts
Drink Holders
Latches & Grab Handles

INDIVIDUAL OPTIONS

Battery On/Off Switch
Depth Finder
Chartplotter/Fishfinder, Raymarine® a67 w/Sonar & Wi-Fi
Flooring, Carpet Liner, Snap-In
Flooring, Cockpit Upgrade, Infinity Woven (Sahara, Cognac, White/Cognac or White/Charcoal)
Flooring, Seadek® Swim Platform Matting
Gel Coat, Colored Hull Sides w/White Bottom: Onyx; Fathom Blue; Mojave Tan; Rally Red or Sea Ray Blue
Gel Coat, Bottom Color & Colored Hull Sides Match: Onyx; Fathom Blue; Mojave Tan; Rally Red or Sea Ray Blue
Gel Coat, White Hull w/Onyx Bottom Color
Graphics, Sport (Red or Grey)
Livewell
Mirror, Premium Ski
Stereo, Premier Upgrade w/Rockford Fosgate® Amplifier, Subwoofer & Additional Pair of Speakers (4 Total)
Stereo Remote Control - Additional Unit on Transom
Tower, Water Sports - Forward Facing & Folding Aluminum w/Integral Bimini Top & Anchor Light
Wakeboard Racks, Swivel

CE Option

TRAILER OPTIONS:

Galvanized 3,100# Cap Single Axle Trailer w/Single Disc Brakes
Painted 3,400# Cap Single Axle Trailer w/Single Disc Brakes
Galvanized 3,400# Cap Single Axle Trailer w/Single Disc Brakes
Painted Premium 5,000# Cap Dual Axle Trailer w/Single Disc Brakes
Painted Premium 5,000# Cap Dual Axle Trailer w/Dual Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature, and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Outboard	Mercury 115 Pro XS		115			1.92:1	40-42	5000-5800
Outboard	Mercury 150 EFI		150		14.5 x 19	1.92:1	43-45	5000-5800

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/integral swim platform	21'6" (6.55 m)
Beam	8'6" (2.6 m)
Draft (sterndrive down)	36" (91 cm)
Draft (sterndrive up)	19" (48 cm)
Dry weight	3,334 lb (1,512 kg)
Fuel capacity	40 gal (151 L)
Max persons/weight	12/1,700 lb (771 kg)
(MWC) max weight persons/gear	1,850 lb (839 kg)
Deadrise	19°

HEIGHT DIMENSIONS

Waterline to top of windshield	3'8" (1.11 m)
Keel to top of windshield	5'3" (1.6 m)
Waterline to top of light on optional tower	8'4" (2.54 m)
Keel to top of light on optional tower	9'10" (3.0 m)

TOWER/TRAILER INFO

Ground to windshield on trailer	6'8" (2.03 m)
Ground to tower (folded down) on trailer	7'1" (2.16 m)
Overall length w/trailer*	25'0" (7.62 m)
Beam on trailer	8'6" (2.59 m)
Trailer weight	1,049 lbs (476 kg)

*Folded swing tongue reduces length by 24 inches.

**Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Thru-Bolted - Stainless Steel (6)
Deck Fuel Fill Plate, Stainless Steel
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Light, Stern - Removable
Lights, Navigation
Resin, High-Performance Vinylester
Rub Rail, Black PVC w/Vinyl Insert
Ski Tow Eye, Stainless Steel
Stringer System, Fiberglass
Swim Platform, Integral w/Stainless Steel, Four-Step Swim Ladder
Thru-Hull Fittings
Vent System, Engine Compartment - Integral
Windshield w/Matte Black Frame, Tempered/Tinted Glass & Walk-Thru

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders
Cockpit Vinyl Color - White/Charcoal or White/Cognac
Cooler w/Designated Storage
Dash, Fiberglass
Floor, Finished Fiberglass
Glove Box, Lockable
Grab Handles, Plastic
Outlet, 12V Accessory
Stereo, 12V AM/FM w/Wireless Bluetooth™ & Weatherproof Speakers (4)
Storage, Side Panels
Storage, Ski/Wakeboard w/Matting & Gas-Assisted Fiberglass Lid
Sunpad, Convertible Aft Facing Backrest w/Port Transom Walkthrough
Vinyl, Marine Grade w/Mildew & UV Protection

SEATING:

Bow: Seats w/Cushions & Storage Below, Port & Stbd Bolsters & Center Section Facing Aft
Cockpit: Stbd/Aft L-Shaped Bench Seat w/Insulated Cooler & Storage Tub Below, Sunpad/Convertible Transom Seat
Companion Seat: Bench Seat w/Stowable Forward Seat Cushion & Removable Aft Bolster
Helm: Bucket w/Swivel and Slider & Flip-Up Bolster

HELM:

Alarms, Engine - Oil & Water (Audible)
Horn
Instrumentation, Custom Sea Ray Backlit w/Glass Lenses & Low-Glare Night Lighting (Includes: Fuel, Oil Pressure, Speedometer, Tachometer w/LCD Hour Meter, Trim & Water Temperature)
Shift & Throttle Lever w/Trim Switch & Lanyard Stop Switch
Steering, Power-Assisted
Steering, Tilt Wheel, Custom Padded
Switch Panel w/Weatherproof Lighted Chrome Toggle Switches
Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery Tray w/Mount
Fuse Block
Wiring, Color-Coded w/Chafe Protection

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic
Blower, 12V Bilge
Fire Extinguisher Discharge Port
Insulated Engine Compartment

FUEL SYSTEMS:

Evaporative Emissions Fuel System
Fuel Lines, USCG - Type A-1
Fuel Tank w/Anti-Siphon Valve & Electric Sending Unit

TRAILER:

Dual Axle, 4,200# Capacity - Painted
Bearing Protection
Brakes, Single Axle, Free-Backing Hydraulic Surge Disc
Lights, Submersible LED
Safety Chains
Straps, Transom Tie-Down
Tongue, Swing Away
Tongue Jack, Swivel
Winch Stand, Adjustable w/Nylon Strap & Hook

STANDARD PROPULSION

MerCruiser® 4.5L MPI ECT* Alpha® I Sterndrive
(200 hp - 149 kW)
Propeller, Aluminum

*Non-catalyzed engines available for select international markets.

Top speed at top RPM 44-46 mph @ 4800 rpm
Gallons per hour at cruise speed 6.1 gph @ 3,000 rpm
Propeller 14.5x19 Black Max

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

MerCruiser 4.5L MPI ECT* Alpha I Sterndrive
(250 hp - 186 kW)

*Non-catalyzed engines available for select international markets.

CANVAS OPTIONS

CANVAS ENCLOSURE PACKAGE:

Bimini Top w/Boot w/Stainless Steel Ball & Socket Hardware
Aft, Front & Side Curtains
Cockpit & Tonneau Covers
Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Canvas Colors: Black (Std); Toast Tweed; Pacific Blue or Marine Midnight Blue (Only Available w/Sea Ray Blue Hull Color)
Canvas Bimini Top w/Boot w/Stainless-Steel Ball & Socket Hardware
Canvas Cockpit Cover/Tonneau Cover w/Canvas Storage Bag
Canvas Mooring Cover (Black Only)

TRIM PACKAGES

ALL SPORT PACKAGE:

Battery Charger
Casting Chairs (2) - Bow & Cockpit, w/Dedicated Storage
Livewell w/Aerator
Trolling Motor

ELEVATION PACKAGE:

Premium Ski Mirror
Tower, Water Sports - Forward Facing & Folding Aluminum w/Integral Bimini Top & Anchor Light
Wakeboard Racks, Swivel

SELECT PACKAGE (SAHARA OR COGNAC):

Upholstery Upgrade
LED Lighting
Premium Dash
Stainless Steel Component Upgrade
Wood Grain Steering Wheel

STAINLESS STEEL COMPONENT UPGRADE:

Rubrail Inserts
Drink Holders
Latches & Grab Handles

INDIVIDUAL OPTIONS

Battery On/Off Switch
Depth Finder
Chartplotter/Fishfinder, Raymarine® a67 w/Sonar & Wi-Fi
Fire Suppression System (FM200) Automatic
Flooring, Carpet Liner, Snap-In
Flooring, Cockpit Upgrade, Infinity Woven (Sahara, Cognac, White/Cognac or White/Charcoal)
Flooring, Seadek® Swim Platform Matting
Gel Coat, Colored Hull Sides w/White Bottom: Onyx; Fathom Blue; Mojave Tan; Rally Red or Sea Ray Blue
Gel Coat, White Hull w/Onyx Bottom Color
Gel Coat, Bottom Color & Colored Hull Sides Match: Onyx; Fathom Blue; Mojave Tan; Rally Red or Sea Ray Blue
Graphics, Sport (Red or Grey)
Mirror, Premium Ski
Stereo, Premier Upgrade w/ Rockford Fosgate® Amplifier & Subwoofer
Stereo Remote Control - Additional Unit on Transom
Tower, Water Sports - Forward Facing & Folding Aluminum w/Integral Bimini Top & Anchor Light
Wakeboard Racks, Swivel

CE Option

TRAILER OPTIONS:

Galvanized 4,200# Cap Dual Axle Trailer w/Single Disc Brakes
Painted 4,200# Cap Dual Axle Trailer w/Dual Disc Brakes
Galvanized 4,200# Cap Dual Axle Trailer w/Dual Disc Brakes
Painted Premium 4,200# Cap Dual Axle Trailer w/Single Disc Brakes
Painted Premium 4,200# Cap Dual Axle Trailer w/Dual Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature, and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	MerCruiser 4.5L MPI		200	Alpha 1	14.5x19 Black Max	1.62:1	44-46	4400-4800
Sterndrive	MerCruiser 4.5L MPI		250	Alpha 1	14.5x17 VEN	1.62:1	47-49	4800-5200

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/integral swim platform	21'6" (6.55 m)
Overall length including outboard engine	23'9" (7.24 m)
Beam	8'6" (2.6 m)
Draft (outboard down)	31" (79 cm)
Draft (outboard up)	17" (43 cm)
Dry weight	3,020 lb (1,370 kg)
Fuel capacity	40 gal (151 L)
Max persons/weight	12/1,700 lb (771 kg)
(MWC) max weight persons/gear	2,650 lb (1,202 kg)
Deadrise	19°

HEIGHT DIMENSIONS

Waterline to top of windshield	3'8" (1.11 m)
Keel to top of windshield	5'3" (1.6 m)
Waterline to top of light on optional tower	8'4" (2.54 m)
Keel to top of light on optional tower	9'10" (3.0 m)

TOWER/TRAILER INFO

Ground to windshield on trailer	6'8" (2.03 m)
Ground to tower (folded down) on trailer	7'1" (2.16 m)
Overall length w/trailer*	25'0" (7.62 m)
Beam on trailer	8'6" (2.59 m)
Trailer weight	1,049 lbs (476 kg)

*Folded swing tongue reduces length by 24 inches.

**Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Thru-Bolted - Stainless Steel (6)
Deck Fuel Fill Plate, Stainless Steel
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Light, Stern - Removable
Lights, Navigation
Resin, High-Performance Vinylester
Rub Rail, Black PVC w/Vinyl Insert
Ski Tow Pylon
Stringer System, Fiberglass
Swim Platform, Integral w/Stainless Steel, Four-Step Swim Ladder
Thru-Hull Fittings
Windshield w/Matte Black Frame, Tempered/Tinted Glass & Walk-Thru

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders
Cockpit Vinyl Color - White/Charcoal or White/Cognac
Cooler w/Designated Storage
Dash, Fiberglass
Floor, Finished Fiberglass
Glove Box, Lockable
Grab Handles, Plastic
Outlet, 12V Accessory
Stereo, 12V AM/FM w/Wireless Bluetooth™ & Weatherproof Speakers (4)
Storage, Side Panels
Storage, Ski/Wakeboard w/Matting & Gas-Assisted Fiberglass Lid
Sunpad, Convertible aft facing backrest w/Port Transom Walkthrough
Vinyl, Marine Grade w/Mildew & UV Protection

SEATING:

Bow: Seats w/Cushions & Storage Below, Port & Stbd Bolsters & Center Section Facing Aft
Cockpit: Stbd/Aft L-Shaped Bench Seat w/Insulated Cooler & Storage Tub Below, Sunpad/Convertible Transom Seat
Companion Seat: Bench Seat w/Stowable Forward Seat Cushion & Removable Aft Bolster w/Forward and Aft Mounting Locations
Helm: Bucket w/Swivel and Slider & Flip-Up Bolster

HELM:

Alarms, Engine - Oil & Water (Audible)
Horn
Instrumentation, Custom Sea Ray Backlit w/Glass Lenses & Low-Glare Night Lighting (Includes: Fuel, Oil Pressure, Speedometer, Tachometer w/LCD Hour Meter, Trim & Water Temperature)
Shift & Throttle Lever w/Trim Switch & Lanyard Stop Switch
Steering, Power-Assisted
Steering, Tilt Wheel, Custom Padded
Switch Panel w/Weatherproof Lighted Chrome Toggle Switches
Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery Tray w/Mount
Fuse Block
Wiring, Color-Coded w/Chafe Protection

BILGE:

Bilge Pump, 12V Automatic
Gel-Coated Compartment

FUEL SYSTEMS:

Evaporative Emissions Fuel System
Fuel Lines, USCG - Type A-1
Fuel Tank w/Anti-Siphon Valve & Electric Sending Unit

TRAILER:

Dual Axle, 4,200# Capacity - Painted
Bearing Protection
Brakes, Single Axle, Free-Backing Hydraulic Surge Disc
Lights, Submersible LED
Safety Chains
Straps, Transom Tie-Down
Tongue, Swing Away
Tongue Jack, Swivel
Winch Stand, Adjustable w/Nylon Strap & Hook

STANDARD PROPULSION

Mercury® 150 EFI FourStroke Inline 4 Outboard Engine
(150 hp - 110 kW)
Propeller, Aluminum

Top speed at top RPM	46-48 mph @ 5800 rpm
Gallons per hour at cruise speed	4.1 gph @ 3000 rpm
Propeller	14.5x19 Black Max

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

Mercury 200XL Verado® Pro FourStroke Outboard Engine
(200 hp - 149 kW)

CANVAS OPTIONS

CANVAS ENCLOSURE PACKAGE:

Bimini Top w/Boot w/Stainless Steel Ball & Socket Hardware
Aft, Front & Side Curtains
Cockpit & Tonneau Covers
Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Canvas Colors: Black (Std); Toast Tweed; Pacific Blue or Marine Midnight Blue (Only Available w/Sea Ray Blue Hull Color)
Canvas Bimini Top w/Boot w/Stainless-Steel Ball & Socket Hardware
Canvas Cockpit Cover/Tonneau Cover w/Canvas Storage Bag
Canvas Mooring Cover (Black Only)

TRIM PACKAGES

ALL SPORT PACKAGE:

Battery Charger
Casting Chairs (2) - Bow & Cockpit, w/Dedicated Storage
Livewell w/Aerator
Trolling Motor

ELEVATION PACKAGE:

Premium Ski Mirror
Tower, Water Sports - Forward Facing & Folding Aluminum w/Integral Bimini Top & Anchor Light
Wakeboard Racks, Swivel

SELECT PACKAGE (SAHARA OR COGNAC):

Upholstery Upgrade
LED Lighting
Premium Dash
Stainless Steel Component Upgrade
Wood Grain Steering Wheel

STAINLESS STEEL COMPONENT UPGRADE:

Rubrail Inserts
Drink Holders
Latches & Grab Handles

INDIVIDUAL OPTIONS

Battery On/Off Switch
Depth Finder
Chartplotter/Fishfinder, Raymarine® a67 w/Sonar & Wi-Fi
Flooring, Carpet Liner, Snap-In
Flooring, Cockpit Upgrade, Infinity Woven (Sahara, Cognac, White/Cognac or White/Charcoal)
Flooring, Seadek® Swim Platform Matting
Gel Coat, Colored Hull Sides w/White Bottom: Onyx; Fathom Blue; Mojave Tan; Rally Red or Sea Ray Blue
Gel Coat, Bottom Color & Colored Hull Sides Match: Onyx; Fathom Blue; Mojave Tan; Rally Red or Sea Ray Blue
Gel Coat, White Hull w/Onyx Bottom Color
Graphics, Sport (Red or Grey)
Livewell
Mirror, Premium Ski
Stereo, Premier Upgrade w/ Rockford Fosgate® Amplifier & Subwoofer
Stereo Remote Control - Additional Unit on Transom
Tower, Water Sports - Forward Facing & Folding Aluminum w/Integral Bimini Top & Anchor Light
Wakeboard Racks, Swivel

CE Option

TRAILER OPTIONS:


Galvanized 4,200# Cap Dual Axle Trailer w/Single Disc Brakes
Painted 4,200# Cap Dual Axle Trailer w/Dual Disc Brakes
Galvanized 4,200# Cap Dual Axle Trailer w/Dual Disc Brakes
Painted Premium 4,200# Cap Dual Axle Trailer w/Single Disc Brakes
Painted Premium 4,200# Cap Dual Axle Trailer w/Dual Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray' models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature, and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Outboard	Mercury 150 EFI		150		14.5x19 Black Max	1.92:1	46-48	5000-5800
Outboard	Mercury 200 Verado Pro		200		14.5x17 Eternia	1.85:1	53-55	5800-6400

Due to changes in Mercury' propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/std. extended swim platform	22' 6" (6.85 m)
Beam	8' 5" (2.56 m)
Draft (sterndrive down)	37" (94 cm)
Draft (sterndrive up)	20" (51 cm)
Dry weight	4,215 lbs (1,912 kg)
Fuel capacity	45 gal (170 L)
Water capacity (Opt)	5 gal (19 L)
Max persons/weight	12/1,725 lbs (782 kg)
(MWC) max weight persons/gear	1,825 lbs (828 kg)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	3' 11" (1.2 m)
Keel to top of windshield	5' 7" (1.7 m)
Waterline to top of mastlight on opt tower	8' 7" (2.61 m)
Keel to top of mastlight on opt tower	10' 2" (3.1 m)

TOWER/TRAILER INFO

Ground to windshield on trailer	7' 8" (2.33 m)
Ground to tower (folded down) on trailer	8' 8" (2.64 m)
Overall length w/trailer*	26' 6" (8.07 m)
Beam on trailer	8' 6" (2.59 m)

*Folded swing tongue reduces length by 24 inches.

**Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Thru-Bolted (6), Stainless Steel w/Sea Ray Logo
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Graphics Package
Hardware, Stainless Steel
Light, Stern - Removable
Lights, Navigation - Stainless Steel
Rub Rail, White PVC w/Stainless Steel Insert
Ski Tow Eye, Stainless Steel
Storage, Anchor - Dedicated - Under Bow Hatch
Stringer System, Compsys
Swim Platform, Extended, w/Stainless Steel Three-Step Swim Ladder
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Compartment w/Stainless Steel Grills
Windshield, Custom Three Piece Tempered/Tinted Curved Glass w/Walk-Thru & Stainless Steel Latch & Supports

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Armrests, Integral
Beverage Holders, Stainless w/Rubber Insert
Carpet Liner, Snap-In
Cooler, Carry-On w/Designated Storage
Dash, Custom Soft-Touch
Door, Bow Block-Off - (Bifold)
Door, Transom - Acrylic
Floor, Finished Fiberglass
Grab Handles, Stainless Steel
Lighting, Courtesy, White LED
Outlet, 12V Accessory
Storage, Lockable Floor w/Vinyl Matting & Gas-Assisted Fiberglass Lid w/Stainless Steel Latch
Storage, Lockable Under Helm
Storage, Portside Compartment, Enclosed w/Fiberglass Lockable Door
Storage, Transom
Sun Pad w/Storage Below
Transom Walk-Thru (Stbd)
Vinyl, Marine-Grade w/Mildew & UV Protection

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls:
Mist (Pearl / Grey) w/Grey Carpet

SEATING:

Bow Rider w/Hinged Cushions & Storage Below; Bucket Seats (2) w/Flip-Up Thigh-Rise & Slider / Swivel Functions; Port L-Shaped Lounger; Stbd Walk-thru; Sunpad w/Adjustable Backrest

HELM:

Alarms, Engine - Oil & Water (Audible)
Horn
Keyless Dash
Shift & Throttle Lever (Chrome Accented) w/Trim Switch & Lanyard Stop Switch

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray SmartCraft w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels
- Fuel Gauge
- Trim Gauge
- Speedometer
- System Tachometer (Includes: Depth, Engine Alarms/Hour Meter, Fuel Consumption/Usage, Trim Level, Trol Control & Voltage)

Steering, Power-Assisted Tilt Wheel

Stereo, 12V AM/FM, Wireless Bluetooth™, Weatherproof Rockford Fosgate® Speakers (4) & iPod®/MP3 Functionality

Switch Panel w/Weatherproof Lighted Chrome Toggle Switches & Legend Backlighting

Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery Tray w/Mount

Fuse Block

Wiring, Color-Coded w/Chafe Protection

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic

Blower, 12V Bilge

Fire Extinguisher Discharge Port

Gel-Coated & Sound Insulated Engine Compartment

FUEL SYSTEM:

Fuel Lines, USCG - Type A-1

Fuel System - Evaporative Emissions

Fuel Tank w/Electric Shutoff Valve & Electric Stainless Steel Sending Unit

STANDARD PROPULSION

MerCruiser® 4.5L MPI ECT* Alpha® I Sterndrive

(250 hp - 186 kW)

Propeller, Stainless Steel

Oil Filter - Remote

*Non-catalyzed engines available for select international markets.

Top speed at top RPM 43-45 MPH @ 5200 RPM

Gallons per hour at cruise speed (per engine) 6.9 gph @ 3250 rpm

Propeller 14.7x16 Enertia

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

MerCruiser® 4.5L MPI ECT* Bravo® III Sterndrive

(250 hp - 186 kW)

MerCruiser 6.2L MPI ECT* Bravo III w/DTS** Sterndrive

(300 hp - 224 kW)

*Non-catalyzed engines available for select international markets.

**SmartCraft Digital Throttle & Shift replaces standard throttle & shift

CANVAS PACKAGE* (FOR BIMINI TOP):

Aft Curtain

Front Curtains

Side Curtains

Cockpit Cover

Tonneau Cover

Canvas Storage Bag

*N/A w/Opt Water Sports Tower

INDIVIDUAL CANVAS OPTIONS:

Bimini Top w/Boot & Stainless Steel Ball & Socket Hardware
Bimini Top - Forward, Full (N/A w/Tower)
Black, Toast Tweed or Midnight Blue Canvas
Cockpit & Tonneau Covers w/Canvas Storage Bag
Mooring Cover (Black Only)

COCKPIT COLOR OPTION

Mocha (Beige / Chocolate) w/Beige Carpet

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
Air Compressor for Water Toys
Battery Charger
Battery On/Off Switch
Battery Switch, Dual w/Second Battery Tray
Digital Dash - 6" w/ Raymarine® a65 Chartplotter
Docking Lights
Fender Clip System - Quick Disconnect (4)
Filler Cushions - Bow
Fire Suppression System (FM200) Automatic
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, SeaDek® Swim Platform Matting (Matches Cockpit Color)
Gel Coat, Full Color Hull (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Two-Tone (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Hull Bottom Color (Onyx)
Head, Portable
Head, Pump-Out
Head Compartment Interior Upgrade w/Faux Teak Flooring; Solid Surface Countertop & Upgraded Vinyls (Only available with optional Portable or Pump-Out Head)
Ladder - Bow
Lighting, Indirect Blue or White LED - Cockpit
Mirror, Premium Ski
Rub Rail, Black (In lieu of White)
Seat, Adjustable Height Helm Seat Base
Seat Adjustable Height Port Seat Base
Speakers, Water Sports Tower
Stereo, Premier Upgrade w/ Rockford Fosgate® Amplifier & Subwoofer
Stereo Remote Control - Additional Unit on Transom
Swim Step, Submersible (Manual)
Table, Bow w/Designated Storage
Table, Cockpit w/Designated Storage
Tower, Water Sports - Forward Facing & Folding, White or Black Aluminum w/ Integral Bimini Top & Anchor Light
Trim Switch, Transom
Wakeboard Racks, Swivel
Water System, Pressurized w/Transom Shower, Bow Pullout Sprayer & 5-Gallon Tank

CE Option

TRAILER OPTIONS:

Painted Trailer w/Dual-Axle Disc Brakes
Galvanized Trailer w/Dual-Axle Disc Brakes
Premium Trailer w/Dual-Axle Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature, and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	MerCruiser 4.5L MPI		250	Alpha 1	14.5 x 17 Eneertia	1.62:1	43-45	4800-5200
Sterndrive	MerCruiser 4.5L MPI		250	Bravo 3	14.3 x 21 15.9 x 21	2.20:1	43-45	4800-5200
Sterndrive	MerCruiser 6.2L MPI		300	Bravo 3	14 x 24 3RH 15.5 x 24 4LH	2.20:1	TBD	5000-5400

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/std. extended swim platform	22' (6.71 m)
Beam	8'5" (2.56 m)
Draft (outboard down)	36" (91 cm)
Draft (outboard up)	20" (51 cm)
Dry weight	3,579 lbs (1,623 kg)
Fuel capacity	45 gal (170 L)
Water capacity (Opt)	5 gal (19 L)
Max persons/weight	12/1,617 lbs (733 kg)
(MWC) max weight persons/gear	2,581 lbs (1,171 kg)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	3' 11" (1.2 m)
Keel to top of windshield	5' 7" (1.7 m)
Waterline to top of mastlight on opt tower	8' 7" (2.61 m)
Keel to top of mastlight on opt tower	10' 2" (3.1 m)

TOWER/TRAILER INFO

Ground to windshield on trailer	7'8" (2.33 m)
Ground to tower (folded down) on trailer	8'8" (2.64 m)
Overall length w/trailer*	26'6" (8.07 m)
Beam on trailer	8'6" (2.59 m)

*Folded swing tongue reduces length by 24 inches.

**Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Thru-Bolted (6), Stainless Steel w/Sea Ray Logo
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Graphics Package
Hardware, Stainless Steel
Light, Stern - Removable
Lights, Navigation - Stainless Steel
Rub Rail, White PVC w/Stainless Steel Insert
Ski Tow Pylon
Storage, Anchor - Dedicated - Under Bow Hatch
Swim Platform - Port, w/aft Staging Seat
Swim Platform - Starboard, w/Stainless Steel Three-Step Swim Ladder
Thru-Hull Fittings, Stainless Steel
Windshield, Custom Three Piece Tempered/Tinted Curved Glass w/Walk-Thru & Stainless Steel Latch & Supports

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Armrests, Integral
Beverage Holders, Stainless Steel w/Rubber Insert
Carpet Liner, Snap-In
Cooler, Carry-On w/Designated Storage
Dash, Custom Soft-Touch
Door, Bow Block-Off - (Bifold)
Door, Transom - Acrylic
Floor, Finished Fiberglass
Grab Handles, Stainless Steel
Lighting, Courtesy, White LED
Outlet, 12V Accessory
Storage, Lockable Floor w/Vinyl Matting & Gas-Assisted Fiberglass Lid w/Stainless Steel Latch
Storage, Lockable Under Helm
Storage, Portside Compartment, Enclosed w/Fiberglass Lockable Door
Storage, Transom
Transom Walk-Thru (Starboard)
Vinyl, Marine-Grade w/Mildew & UV Protection

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls:
Mist (Pearl / Grey) w/Grey Carpet

SEATING:

Bow Rider w/Hinged Cushions & Storage Below; Bucket Seats (2) w/Flip-Up Thigh-Rise & Slider / Swivel Functions; Port L-Shaped Lounger; Starboard Walk-Thru; Port Aft Staging Seat

TECHNICAL FEATURES

HELM:

Alarms, Engine - Oil & Water (Audible)
Horn
Keyless Dash
Shift & Throttle Lever (Chrome Accented) w/Trim Switch & Lanyard Stop Switch

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray SmartCraft w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels
- Fuel Gauge
- Trim Gauge
- Speedometer
- System Tachometer (Includes: Depth, Engine Alarms/Hour Meter, Fuel Consumption/Usage, Trim Level, Troll Control & Voltage)

Steering, Power-Assisted Tilt Wheel

Stereo, 12V AM/FM, Wireless Bluetooth™, Weatherproof Rockford Fosgate®

Speakers (4) & iPod®/MP3 Functionality

Switch Panel w/Weatherproof Lighted Chrome Toggle Switches & Legend Backlighting

Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery Tray w/Mount

Fuse Block

Wiring, Color-Coded w/Chafe Protection

BILGE:

Bilge Pump, 12V Automatic

Gel-Coated Compartment

FUEL SYSTEM:

Fuel Lines, USCG - Type A-1

Fuel System - Evaporative Emissions

Fuel Tank w/Electric Shutoff Valve & Electric Stainless-Steel Sending Unit

STANDARD PROPULSION

Mercury® 175XL Verado® FourStroke Outboard

(175 hp - 131 kW)

Propeller, Stainless-Steel

Top speed at top RPM 43-45 MPH @ 6700 RPM

Gallons per hour at cruise speed (per engine) 5.9 GPH @ 4000 RPM

Propeller 14.75 x 16 Enertia

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

Mercury 200XL Verado Pro L6 FourStroke Outboard

(200 hp - 149 kW)

Mercury 250XL Verado Pro FourStroke Outboard

(250 hp - 186 kW)

CANVAS PACKAGE* (FOR BIMINI TOP):

Aft Curtain

Front Curtains

Side Curtains

Cockpit Cover

Tonneau Cover

Canvas Storage Bag

*N/A w/Opt Water Sports Tower

INDIVIDUAL CANVAS OPTIONS:

Bimini Top w/Boot & Stainless Steel Ball & Socket Hardware
Bimini Top - Forward, Full (N/A w/Tower)
Black, Toast Tweed or Midnight Blue Canvas
Cockpit & Tonneau Covers w/Canvas Storage Bag
Mooring Cover (Black Only)

COCKPIT COLOR OPTION

Mocha (Beige / Chocolate) w/Beige Carpet

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
Air Compressor for Water Toys
Battery Charger
Battery On/Off Switch
Battery Switch, Dual w/Second Battery Tray
Digital Dash - 6" w/ Raymarine® a65 Chartplotter
Docking Lights
Fender Clip System - Quick Disconnect (4)
Filler Cushions - Bow
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, SeaDek® Swim Platform Matting (Matches Cockpit Color)
Gel Coat, Full Color Hull (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Two-Tone (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Hull Bottom Color (Onyx)
Head, Portable
Head, Pump-Out
Head Compartment Interior Upgrade w/Faux Teak Flooring; Solid Surface Countertop & Upgraded Vinyls (Only available with optional Portable or Pump-Out Head)
Ladder - Bow
Lighting, Indirect Blue or White LED - Cockpit
Mirror, Premium Ski
Rub Rail, Black (In lieu of White)
Seat, Adjustable Height Helm Seat Base
Seat Adjustable Height Port Seat Base
Speakers, Water Sports Tower
Stereo, Premier Upgrade w/ Rockford Fosgate® Amplifier & Subwoofer
Stereo Remote Control - Additional Unit on Transom
Table, Bow w/Designated Storage
Table, Cockpit w/Designated Storage
Tower, Water Sports - Forward Facing & Folding, White or Black Aluminum w/ Integral Bimini Top & Anchor Light
Wakeboard Racks, Swivel
Water System, Pressurized w/Transom Shower, Bow Pullout Sprayer & 5-Gallon Tank

CE Option

TRAILER OPTIONS:


Painted Trailer w/Single-Axle Disc Brakes
Galvanized Trailer w/Single-Axle Disc Brakes
Painted Trailer w/Dual-Axle Disc Brakes
Galvanized Trailer w/Dual-Axle Disc Brakes
Premium Trailer w/Dual-Axle Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature, and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Outboard	Mercury 175XL Verado		175	XL	14.75 x 16 Enerlia	2.08:1	44.3	5800-6400
Outboard	Mercury 200XL Verado Pro		200	XL	14.5x17 3B Enerlia	1.85:1	TBD	5800-6400
Outboard	Mercury 250XL Verado Pro		250	XL	14.5x17 3B Enerlia	1.85:1	TBD	5800-6400

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/std. integral/extended swim platform	23' (7.01 m)
Beam	8'6" (2.59 m)
Draft (sterndrive down)	39" (99 cm)
Draft (sterndrive up)	21" (53 cm)
Dry weight	4,840 lbs (2,195 kg)
Fuel capacity	50 gal (189 L)
Max persons/weight	13/1,850 lbs (839 kg)
(MWC) max weight persons/gear	2,000 lbs / 907 kg
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	4'2" (1.27 m)
Lowest tip of underwater gear (in down position) to top of windshield	7'5" (2.26 m)
Keel to top of opt tower (up)	10'9" (3.27 m)
Lowest tip of underwater gear (in down position) to top of opt tower (up)	12'3" (3.73 m)

TOWER/TRAILER INFO

Ground to windshield on trailer	6'8" (1.95 m)
Ground to tower (folded down) on trailer	7'3" (2.21 m)
Overall length w/trailer*	26'3" (8.0 m)
Beam on trailer	8'6" (2.59 m)
Dry weight w/trailer**	5,729 lbs (2,599 kg)

*Folded swing tongue reduces length by 24 inches.

**Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Custom Sea Ray Thru-Bolted, Stainless Steel (6)
Deck Fuel Fill Plate - Chrome
Gel Coat, Arctic White
Graphics, Gel Coated
Handrail, Stainless Steel - Transom (2)
Light, Stern - Removable
Lights, Navigation - Stainless Steel
Resin, High-Performance Vinylester
Rub Rail, PVC w/Stainless Steel Insert
Ski Tow, Stainless Steel
Storage, Anchor Hatch w/Gas-Assisted Lift
Swim Platform, Integral w/Concealed Stainless Steel Four-Step Swim Ladder w/Integral Grab Handles (2)
Thru-Hull Fittings, Stainless Steel
Vents, Hull w/ Water Mgmt. System
Windshield, Matte Finish Black, Tempered/Tinted Glass w/Walk Thru & Center Holder

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders - Stainless Steel (10)
Carpet Liner, Snap-In
Cooler (1), Carry-On w/Designated Storage
Dash w/Visor, Soft-Touch w/Custom Stitching
Door, Bow Walk-Thru - Acrylic
Floor, Finished Fiberglass w/Drainage Overboard
Glove Box, Portside
Helm Grab Handles, Stainless Steel
Hatch, Engine Compartment - Gas Assisted
Lighting, LED Courtesy
Outlets, Accessory, 12V (2) and USB (1)
Stereo, 12V AM/FM, Wireless Bluetooth™, Dual Zone Volume Control, Amplifier & Weatherproof Rockford Fosgate® Speakers
Storage, Ski/Wakeboard w/Vinyl Matting & Gas-Assisted Fiberglass Lid
Storage, Side Panels - Cockpit

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls, Switch Panel & Soft Touch Dash Instrument Panel:
- Sand (Pearl) with Sterling Carpet

SEATING:

Bow Loungers w/ Storage Below
Helm Seat w/Slider, Flip-Up Thigh-Rise Bolster & Fiberglass Base
Helm Companion w/Rotating Slider, Flip-Up Thigh-Rise Bolster & Aluminum Pedestal
L-Shaped w/ Storage Below - Aft Cockpit
Sun Pad, Aft Gas-Assisted w/Fiberglass Storage Area
Transom w/Ratcheting Backrest, Drink Holders & USB Connectivity

HELM:

Horn
Shift & Throttle Lever (Chrome Accented) w/Trim Switch & Lanyard Stop Switch

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray SmartCraft w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels
- Speedometer
- Systems Tachometer (Includes: Depth/Water Temp, Engine Alarm/ Hour Meter, Fuel Consumption/Usage, Trim Level, Troll Control, Voltage & Digital Speed)

Steering, Power-Assisted Tilt Wheel w/Wood Accent

Switch Panel w/Backlit, Weatherproof Lighted Chrome Push-Button Switches

Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery On/Off Switch - Remote Battery Switch at Helm

Battery Trays w/Mounts

Wiring, Color-Coded w/Chafe Protection

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic

Bilge Pump, 12V Automatic High-Water

Blower, 12V Bilge (2)

Gel-Coated Engine Compartment

Lighting, 12V

Oil Filter - Remote

FUEL SYSTEM:

Evaporative Emissions Fuel System

Fuel Lines, USCG - Type A-1

Fuel Tank w/Electric Anti-Siphon Valve & Electric Sending Unit

STANDARD PROPULSION

MerCruiser® 4.5L MPI ECT* Bravo® III Sterndrive

(250 hp - 186 kW)

Propeller, Stainless Steel

*Non-catalyzed engines available for select international markets.

Top speed at top RPM..... 43-45 MPH @ 5000 RPM

Gallons per hour at cruise speed 5.2 GPH

Propeller 14.25 x 22.5

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

MerCruiser® 4.5L MPI ECT* Bravo III w/DTS** Sterndrive

(250 hp - 186 kW)

MerCruiser 6.2L MPI ECT* Bravo III w/DTS** Sterndrive

(300 hp - 224 kW)

MerCruiser 6.2L MPI ECT* Bravo III w/DTS** Sterndrive

(350 hp - 261 kW)

*Non-catalyzed engines available for select international markets.

**SmartCraft Digital Throttle & Shift Replaces Standard Throttle & Shift.

ARCH / TOWER / ACCY OPTIONS

Arch, Black Aluminum w/ Integrated Bimini, Boot & Anchor Light

Speakers, Water Sports Tower

Tower, Water Sports, Electric w/ Integrated Bimini, Boot & Anchor Light

Tower, Water Sports, Manual w/ Integrated Bimini, Boot & Anchor Light

Ski Mirror, Premium PTM

Wakeboard Racks, Swivel (Only Available for Manual Tower)

CANVAS PACKAGE FOR ALUMINUM ARCH:

Aft Curtain
Front Curtains
Side Curtains
Cockpit Cover w/Tonneau Cover
Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Bimini Top w/Boot & Stainless Steel Ball & Socket Hardware
Black, Toast Tweed or Marine Midnight Blue Canvas
Cockpit & Tonneau Covers w/Canvas Storage Bag
Mooring Cover (Black Only)

COCKPIT COLOR OPTION

Espresso (Beige) w/Country Beige Carpet

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
Air Compressor for Water Toys
Battery Charger
Docking Lights
Dynamic Display™ w/12.3" Touch Screen Display providing Connectivity and Control of Multiple Systems (Navigation, Audio, Engine, Lighting, etc)
Dynamic Running Surface™
Exhaust, Selectable, Thru-Hull (N/A w/CE Option)
Fender Clip System - Quick Disconnect (4)
Filler Cushion - Bow
Fire Suppression System (FM200) Automatic
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, SeaDek® Swim Platform Pad (Mocha or Storm Grey)
Gel Coat, Full Solid Color Hull (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Two-Tone Hullside Color w/White Bottom (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Three-Tone w/ Optional Gel Stripe (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Hull Bottom Color (Onyx)
Helm Seat, Adjustable - Starboard
Ladder, Bow, w/Hatch
Lighting, LED Blue or White
Lighting, Thru Hull Underwater
Smart Tow® - Digital Speed Control - Tachometer
Speakers, Transom
Stereo, Premier Audio Upgrade w/Rockford Fosgate® Components: Amplifier & Subwoofer
Stereo Remote Control - Additional Unit on Transom
Swim Step, Submersible, Manual
Table, Bow w/Designated Storage
Table, Cockpit w/Base & Designated Storage
Transom Washdown System
Trim Switch, Transom
Windshield Upgrade w/Stainless Steel Top Frame

CE Option

TRAILER OPTIONS:


Painted Trailer w/Dual-Axle Disc Brakes
Galvanized Trailer w/Dual-Axle Disc Brakes
Painted Premium Trailer w/Dual-Axle Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray' models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature, and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Stern drive	MerCruiser 4.5L MPI		250	Bravo 3	14.25x22.5 15.75x22.5	2.20:1	43-45	4800-5200
Stern drive	MerCruiser 6.2L MPI		300	Bravo 3		2.20:1	49-51	5000-5400
Stern drive	MerCruiser 6.2L MPI		350	Bravo 3		2.20:1	50-52	5000-5400

Due to changes in Mercury' propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length without swim platform	20'8" (6.3 m)
Overall length w/ bolt-on swim platform	23'10" (7.26 m)
Beam	8'6" (2.59 m)
Draft (inboard)	34" (86.3 cm)
Dry weight	5,525 lbs (2,506 kg)
Fuel capacity	53 gal (201 L)
Water capacity (opt)	5 gal (19 L)
Ballast capacity	1,920 lbs (871 kg)
Max persons/weight	13/1,750 lbs (794 kg)
(MWC) max weight persons/gear	2,000 lbs / 907 kg
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of nav light on std tower (bridge clearance)	8'5" (2.56 m)
Lowest tip of underwater gear to top of nav light on std tower	11'3" (3.43 m)
Keel to top of windshield	6'2" (1.88 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Ballast System w/3 Tanks (1,920 lbs)
Bow & Stern Eyes, Stainless Steel
Cleats, Custom Sea Ray Thru-Bolted, Stainless Steel (6)
Deck Fuel Fill Plate - Chrome
Drain Plug, Brass-Threaded - Garboard
Dynamic Running Surface™ w/Wake Shaping Tab System
Gel Coat, Arctic White
Lights, Navigation - Stainless Steel
Resin, High-Performance Vinyloster
Rub Rail, PVC w/Vinyl Insert
Ski Tow, Stainless Steel
Storage, Anchor Hatch w/Gas-Assisted Lift
Swim Platform w/ SeaDek® Matting
Thru-Hull Fittings, Stainless Steel
Tower, Manual / Gas-Assist Tower w/Bimini, Tow Point
& Nav Light
Vent System, Engine Compartment
Windshield, Custom Black Anodized, Five-Piece
Tempered/Tinted Curved Glass w/Walk-Thru

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders - Stainless Steel (12)
Cooler (1), Carry-On w/Designated Storage
Dash, Custom Soft Touch
Door, Bow Block Off
Floor, Non-Skid Fiberglass
Glove Box, Lockable
Grab Handles, Stainless Steel
Lighting, LED Courtesy
Outlets, Accessory, 12V (2) and USB (1)
Storage, Bow
Storage, Bow Side Panels
Storage, Port & Starboard - Cockpit
Storage, Integrated Filler Cushion
Storage, Lockable Wakeboard and Surfboard Storage w/ Vinyl Matting
& Gas Assisted Fiberglass Lid w/ Stainless Steel Latch
Storage Dry
Vinyl, Marine-Grade w/Mildew & UV Protection
Water Management System

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls:
- Sand (Pearl)

SEATING:

Seating, Single Helm Bucket w/Flip-up Thigh Rise, Swivel/Slider
Function & Foot Rest
Seating, Bow Rider w/ Hinged Cushions & Storage Below
Seating, Aft U-Shaped Lounger w/Storage Below
Seating, Starboard Side Aft of Helm w/Storage
Seating, Aft Sunpad w/ Center Walk-thru & Storage Below

TECHNICAL FEATURES

HELM:

Alarm, Engine - Oil & Water (Audible)
Armrest, Drink Holder
Dynamic Display™ w/12.3" Touch Screen Display
Horn, Mechanical
SmartCraft® Diagnostics
SmartCraft Digital Throttle & Shift (DTS) w/Lanyard Stop Switch
Steering, Power-Assisted Tilt Wheel
Stereo, 12V AM/FM, Wireless Bluetooth™, Weatherproof
JL Audio® Speakers & iPod®/MP3 Functionality
Switch Panel w/Backlit, Weatherproof Lighted Chrome
Push-Button Switches

ELECTRICAL SYSTEMS:

Battery On/Off Switch
Battery Trays w/Mounts
Fuse Block

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic
Blower, 12V Bilge
Fire Extinguisher Discharge Port
Gel-Coated & Insulated Engine Compartment
Oil Filter - Remote

FUEL SYSTEM:

Evaporative Emissions Fuel System
Fuel Tank w/Electric Anti-Siphon Valve & Electric Sending Unit

STANDARD PROPULSION

MerCruiser 6.2L ECT* TowSport V-Drive Inboard (Raw Water Cooled) w/
DTS & ZF 63 IV (2:1) Transmission (370 hp - 276 kW)

*Non-catalyzed engines available for select international markets.

Top speed at top RPM 39-41 MPH @ 5400 RPM
Gallons per hour at cruise speed 9.6-10.6 GPH
Propeller 16x18.25

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

EXTERIOR COLOR:

Gel Coat, Full Solid Color Hull
Gel Coat, Hull Side w/Colored Boot Stripe
Gel Coat, Three-Tone
Gel Coat, SLW Upgrade

UPHOLSTERY, SEATING & FLOORING:

Interior - Espresso (Beige)

SEATING & FLOORING:

Helm Seat, Adjustable - Starboard
Infinity Woven Vinyl Cockpit Flooring
Full Cockpit Matting - Mocha
Full Cockpit Matting - Storm Gray

ACCESSORIES

TOWERS & CANVAS:

Tower Speakers (2)
Tower Speakers (4)
Canvas Mooring Cover
Mirror, Premium Watersports
Wakeboard Racks, Swivel

PERFORMANCE:

Joystick Piloting
Mussel Mast'R™

ELECTRONICS:

SiriusXM® Satellite Receiver w/Antenna (N/A Outside N. America)
Stereo, Premier Audio Upgrade w/ JL Audio Components: Amplifier &
Subwoofer
Stereo Remote Control - Additional Unit on Transom
Camera, Watersports, Rear Mounted - Aft Facing
Battery Charger

LIGHTING:

Docking Lights
Lighting, LED Blue or White
Lighting, Thru Hull Underwater

CONVENIENCE:

Bow Table w/ Dedicated Storage
Bow Filler Cushion
Cockpit Table w/ Dedicated Storage
Cockpit Heater w/2 Pull-Out Vents
Fender Clip System - Quick Disconnect (4)
Ladder, Bow, w/Hatch
Swim Step, Submersible, Manual
Transom Shower w/ Hot Water

ADDITIONAL OPTIONS:

Air Compressor for Water Toys
Fire Suppression System (FM200) Automatic
Flagpole w/Base & US Flag
Windshield Upgrade w/Stainless Steel Top Frame

CE Option

TRAILER

Galvanized Trailer w/Dual-Axle Disc Brakes
Painted Premium Trailer w/Dual-Axle Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature, and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Inboard	MerCruiser 6.2L ECT TowSport V-Drive		370	ZF 63 IV	16x18.25 3B	2:1	39-41	5000-5400

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/extended swim platform	24' 6" (7.46 m)
Beam	8' 6" (2.59 m)
Draft (sterndrive down)	38" (96 cm)
Draft (sterndrive up)	21" (53 cm)
Dry weight	4,460 lbs (2,023 kg)
Fuel capacity	55 gal (208 L)
Water capacity	9 gal (34.1 L)
Max persons/weight	13/1,773 lbs (786 kg)
(MWC) max weight persons/gear	1,923 lbs (872 kg)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	4'1" (1.24 m)
Keel to top of windshield	5' 9" (1.75 m)
Waterline to top of mastlight on opt tower	9' 10" (3.0 m)

TOWER/TRAILER INFO

Ground to windshield on trailer	7'7" (2.31 m)
Ground to tower (folded down) on trailer	8'8" (2.64 m)
Overall length w/trailer*	26'8" (8.13 m)
Beam on trailer	8'6" (2.59 m)
Dry weight w/trailer**	6,230 lbs (2,826 kg)

*Folded swing tongue reduces length by 24 inches.

**Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow Boarding Ladder, Forward Deck w/Integral Hatch & Concealed Stainless Steel Four-Step Ladder
Bow & Stern Eyes, Stainless Steel
Cleats, Thru-Bolted (6), Stainless Steel w/Sea Ray Logo
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Graphics Package
Hardware, Stainless Steel
Light, Stern - Removable
Lights, Navigation - Stainless Steel
Rub Rail, White PVC w/Stainless Steel Insert
Storage, Anchor w/Fiberglass Hatch & Stainless Steel Latch
Swim Platform w/Concealed Stainless Steel Three-Step Swim Ladder
Windshield, Tempered/Tinted Curved Glass w/Walk-Thru

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Armrests - Integral
Beverage Holders, Stainless Steel w/Rubber Inserts
Carpet Liner, Snap-In
Cooler, Carry-On w/Designated Storage
Dash, Custom Soft-Touch
Door, Bow Block-Off - Acrylic
Door, Transom - Acrylic
Floor, Finished Fiberglass
Grab Handles, Stainless Steel
Head Compartment, Enclosed w/Fiberglass Lockable Door
Head, Portable
Lighting, Courtesy, White LED
Outlets, 12V Accessory (2)
Storage, Cockpit Floor w/Vinyl Matting, Gas-Assisted Fiberglass Lid & Lockable Stainless Steel Latch
Storage, Lockable - Under Helm
Storage, Transom Accessed w/Rubber Matting
Sunpad w/Storage Below
Table, Cockpit w/Designated Storage
Trash Receptacle
Vinyl, Marine-Grade w/Mildew & UV Protection

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls:
Mist (Pearl / Grey) w/Grey Carpet

SEATING:

Bow Rider w/Flip-Down Armrests, Hinged Cushions & Storage Below; Bucket Seat w/Flip-Up Thigh Rise, Slider & Swivel Functions; Convertible Port Side Seat/Lounge; Port L-Shaped Lounger; Stbd Walk-Thru; Sunpad w/Adjustable Backrest

HELM:

Alarms, Engine - Oil & Water (Audible)
Keyless Dash
Horn
Shift & Throttle Lever w/Trim (Chrome Accented) Switch & Lanyard Stop Switch

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray® SmartCraft w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels
- Fuel Gauge
- Trim Gauge
- Speedometer
- System Tachometer (Includes: Depth, Engine Alarms/ Hour Meter, Fuel Consumption/Usage, Trim Level, Trol Control & Voltage)

Steering, Power-Assisted Tilt Wheel

Stereo, 12V AM/FM, Wireless Bluetooth™, Weatherproof Rockford Fosgate®

Speakers (4) & iPod®/MP3 Functionality

Switch Panel w/Weatherproof Lighted Chrome Toggle

Switches, Legend Backlighting & ISO Symbols

Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery On/Off Switch

Battery Tray w/Mount

Fuse Block

Wiring, Color-Coded w/Chafe Protection

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic

Blower, 12V Bilge

Fire Extinguisher Discharge Port

Gel-Coated & Sound Insulated Engine Compartment

FUEL SYSTEM:

Evaporative Emissions Fuel System

Fuel Lines, USCG - Type A-1

Fuel Tank w/Electric Shutoff Valve & Electric

Stainless Steel Sending Unit

WATER SYSTEM:

Pressure Water System w/Transom Shower

Water Tank (9 gal)

STANDARD PROPULSION

MerCruiser® 4.5L MPI ECT* Bravo® III Sterndrive

(250 hp - 186 kW)

Propellers, Stainless Steel

Oil Filter - Remote

*Non-catalyzed engines available for select international markets.

Top speed at top RPM. 43-45 MPH @ 5200 RPM

Gallons per hour at cruise speed (per engine) 6.9 GPH @ 3250 RPM

Propeller 14.3/15.9 x 21

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

MerCruiser® 4.5L MPI ECT* Bravo III w/DTS** Sterndrive

(250 hp - 186 kW)

MerCruiser 6.2L MPI ECT* Bravo III w/DTS** Sterndrive

(300 hp - 224 kW)

MerCruiser 6.2L MPI ECT* Bravo III w/DTS** Sterndrive

(350 hp - 261 kW)

*Non-catalyzed engines available for select international markets.

**SmartCraft Digital Throttle & Shift replaces standard throttle & shift

CANVAS PACKAGE* (FOR BIMINI TOP):

Aft Curtain
Front Curtains
Side Curtains
Cockpit Cover
Tonneau Cover
Canvas Storage Bag
*N/A w/Opt Water Sports Tower

INDIVIDUAL CANVAS OPTIONS:

Bimini Top w/Boot & Stainless Steel Ball & Socket Hardware
Bimini Top - Forward, Full (N/A w/Tower)
Black, Toast Tweed or Midnight Blue Canvas
Cockpit & Tonneau Covers w/Canvas Storage Bag
Mooring Cover (Black Only)

COCKPIT COLOR OPTION

Mocha (Beige / Chocolate) w/Beige Carpet

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
Air Compressor for Water Toys
Battery Charger
Battery Switch, Dual w/Second Battery Tray
Digital Dash - 6" w/ Raymarine® a65 Chartplotter
Docking Lights
Fender Clip System - Quick Disconnect (4)
Filler Cushions - Bow
Fire Suppression System (FM200) Automatic
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, SeaDek® Swim Platform Matting (Matches Cockpit Color)
Gel Coat, Full Color Hull (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Two-Tone (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Hull Bottom Color (Onyx)
Graphics, Optional
Head Compartment Interior Upgrade w/Faux Teak Flooring; Solid Surface Countertop & Upgraded Vinyls
Head, Pump-Out
Lighting, Indirect Blue or White LED - Cockpit
Mirror, Premium Ski
Rub Rail, Black (In lieu of White)
Seat, Adjustable Height Helm Seat Base
Smart Tow® - Digital Speed Control - Tachometer (DTS engine only)
Speakers, Water Sports Tower
Sprayer, (Water) Pullout - Forward
Stereo, Premier Upgrade w/ Rockford Fosgate® Amplifier & Subwoofer
Stereo Remote Control - Additional Unit on Transom
Swim Step, Submersible (Manual)
Table, Bow w/Designated Storage
Tower, Water Sports - Forward Facing & Folding, White or Black Aluminum w/ Integral Bimini Top & Anchor Light
Trim Switch - Transom
Wakeboard Racks, Swivel
Windshield Wiper, Starboard

CE Option

TRAILER OPTIONS:


Painted Trailer w/Dual-Axle Disc Brakes
Galvanized Trailer w/Dual-Axle Disc Brakes
Premium Trailer w/Dual-Axle Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	MerCruiser 4.5L MPI		250	Bravo 3	14.3 x 21 15.9 x 21	2.20:1	43-45	4800-5200
Sterndrive	MerCruiser 6.2L MPI		300	Bravo 3	14 x 24 15.5 x 24	2.20:1	48-52	4800-5200
Sterndrive	MerCruiser 6.2L MPI		350	Bravo 3				

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/extended swim platform.....	24' 6" (7.46 m)
Beam.....	8' 6" (2.59 m)
Draft (outboard down).....	35" (89 cm)
Draft (outboard up).....	18" (46 cm)
Dry weight.....	3,909 lbs (1,773 kg)
Fuel capacity.....	55 gal (208 L)
Water capacity.....	9 gal (34.1 L)
Max persons/weight.....	13/1,750 lbs (793 kg)
(MWC) max weight persons/gear.....	2,917 lbs (1,323 kg)
Deadrise.....	21°

HEIGHT DIMENSIONS

Waterline to top of windshield.....	4'1" (1.24 m)
Keel to top of windshield.....	5' 9" (1.75 m)
Waterline to top of mastlight on opt tower.....	9' 10" (3.0 m)

TOWER/TRAILER INFO

Ground to windshield on trailer.....	7'7" (2.31 m)
Ground to tower (folded down) on trailer.....	8'8" (2.64 m)
Overall length w/trailer*.....	26'8" (8.13 m)
Beam on trailer.....	8'6" (2.59 m)
Dry weight w/trailer**.....	5,679 lbs (2,576 kg)

*Folded swing tongue reduces length by 24 inches.

**Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow Boarding Ladder, Forward Deck w/Integral Hatch & Concealed Stainless Steel Four-Step Ladder
Bow & Stern Eyes, Stainless Steel
Cleats, Thru-Bolted (6), Stainless Steel w/Sea Ray Logo
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Graphics Package
Hardware, Stainless Steel
Light, Stern - Removable
Lights, Navigation - Stainless Steel
Rub Rail, White PVC w/Stainless Steel Insert
Ski Tow Pylon
Storage, Anchor w/Fiberglass Hatch & Stainless Steel Latch
Swim Platform - Port, w/Aft Staging Seat
Swim Platform - Starboard, w/Concealed Stainless Steel Three-Step Swim Ladder
Windshield, Tempered/Tinted Curved Glass w/Walk-Thru

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Armrests - Integral
Beverage Holders, Stainless Steel w/Rubber Inserts
Carpet Liner, Snap-In
Cooler, Carry-On w/Designated Storage
Dash, Custom Soft-Touch
Door, Bow Block-Off - Acrylic
Door, Transom - Acrylic
Floor, Finished Fiberglass
Grab Handles, Stainless Steel
Head Compartment, Enclosed w/Fiberglass Lockable Door
Head, Portable
Lighting, Courtesy, White LED
Outlets, 12V Accessory (2)
Storage, Cockpit Floor w/Vinyl Matting, Gas-Assisted Fiberglass Lid & Lockable Stainless Steel Latch
Storage, Lockable - Under Helm
Storage, Transom Accessed w/Rubber Matting
Stringer System, Fiberglass
Table, Cockpit w/Designated Storage
Trash Receptacle
Vinyl, Marine-Grade w/Mildew & UV Protection

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls:
Mist (Pearl / Grey) w/Grey Carpet

SEATING:

Bow Rider w/Flip-Down Armrests, Hinged Cushions & Storage Below; Bucket Seat w/Flip-Up Thigh Rise, Slider & Swivel Functions; Convertible Port Side Seat Lounger; Port L-Shaped Lounger; Stbd Walk-Thru; Port Aft Staging Seat

HELM:

Alarms, Engine - Oil & Water (Audible)

Keyless Dash

Horn

Shift & Throttle Lever w/Trim (Chrome Accented) Switch & Lanyard Stop Switch

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray® SmartCraft w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels
- Fuel Gauge
- Trim Gauge
- Speedometer
- System Tachometer (Includes: Depth, Engine Alarms/ Hour Meter, Fuel Consumption/Usage, Trim Level, Trol Control & Voltage)

Steering, Power-Assisted Tilt Wheel

Stereo, 12V AM/FM, Wireless Bluetooth™, Weatherproof Rockford Fosgate®

Speakers (4) & iPod®/MP3 Functionality

Switch Panel w/Weatherproof Lighted Chrome Toggle Switches, Legend Backlighting & ISO Symbols

Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery On/Off Switch

Battery Tray w/Mount

Fuse Block

Wiring, Color-Coded w/Chafe Protection

BILGE:

Bilge Pump, 12V Automatic

Gel-Coated Compartment

FUEL SYSTEM:

Evaporative Emissions Fuel System

Fuel Lines, USCG - Type A-1

Fuel Tank w/Electric Shutoff Valve & Electric Stainless Steel Sending Unit

WATER SYSTEM:

Pressure Water System w/Transom Shower

Water Tank (9 gal)

STANDARD PROPULSION

Mercury® 200XL Verado® Pro L6 FourStroke Outboard Engine

(200 hp - 149 kW)

Propeller, Stainless Steel

Top speed at top RPM. 46-48 MPH @ 6400 RPM

Gallons per hour at cruise speed 4.7 GPH @ 3500 RPM

Propeller 14.5 x 17

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

Mercury 250XL Verado FourStroke Outboard

(250 hp - 187 kW)

Mercury 300XL Verado FourStroke Outboard

(300 hp - 224 kW)

CANVAS PACKAGE* (FOR BIMINI TOP):

Aft Curtain
Front Curtains
Side Curtains
Cockpit Cover
Tonneau Cover
Canvas Storage Bag
*N/A w/Opt Water Sports Tower

INDIVIDUAL CANVAS OPTIONS:

Bimini Top w/Boot & Stainless Steel Ball & Socket Hardware
Bimini Top - Forward, Full (N/A w/Tower)
Black, Toast Tweed or Midnight Blue Canvas
Cockpit & Tonneau Covers w/Canvas Storage Bag
Mooring Cover (Black Only)

COCKPIT COLOR OPTION

Mocha (Beige / Chocolate) w/Beige Carpet

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
Air Compressor for Water Toys
Battery Charger
Battery Switch, Dual w/Second Battery Tray
Digital Dash - 6" w/ Raymarine® a65 Chartplotter
Docking Lights
Fender Clip System - Quick Disconnect (4)
Filler Cushions - Bow
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, SeaDek® Swim Platform Matting (Matches Cockpit Color)
Gel Coat, Full Color Hull (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Two-Tone (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Hull Bottom Color (Onyx)
Head Compartment Interior Upgrade w/Faux Teak Flooring; Solid Surface Countertop & Upgraded Vinyls
Head, Pump-Out
Lighting, Indirect Blue or White LED - Cockpit
Mirror, Premium Ski
Rub Rail, Black (In lieu of White)
Seat, Adjustable Height Helm Seat Base
Smart Tow® - Digital Speed Control - Tachometer (DTS engine only)
Speakers, Water Sports Tower
Sprayer, (Water) Pullout - Forward
Stereo, Premier Upgrade w/ Rockford Fosgate® Amplifier & Subwoofer
Stereo Remote Control - Additional Unit on Transom
Table, Bow w/Designated Storage
Tower, Water Sports - Forward Facing & Folding, White or Black Aluminum w/ Integral Bimini Top & Anchor Light
Wakeboard Racks, Swivel
Windshield Wiper, Starboard

CE Option

TRAILER OPTIONS:

Painted Trailer w/Dual-Axle Disc Brakes
Galvanized Trailer w/Dual-Axle Disc Brakes
Premium Trailer w/Dual-Axle Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Outboard	Mercury 200XL Verado		200	XL	14.5 x 17 EnerTia	1.85:1	46-48	5800-6400
Outboard	Mercury 250XL Verado		250	XL	14.5 x 17 EnerTia	1.85:1	51-53	5800-6400
Outboard	Mercury 300XL Verado		300	XL	14 x 19	1.85:1	TBD	5800-6400

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/std. integral swim platform	25'6" (7.77 m)
Beam	8'6" (2.59 m)
Draft (sterndrive down)	40.25" (101.6 cm)
Draft (sterndrive up)	28.125" (71. cm)
Dry weight	5,800 lbs (2,631 kg)
Fuel capacity	75 gal (283 L)
Water capacity	20 gal (76 L)
Holding tank (optional)	10 gal (37 L)
Max persons/weight	15/2,200 lbs (998 kg)
(MWC) max weight persons/gear	2,400 lbs (1,088 kg)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	4' 8" (1.42 m)
Lowest tip of underwater gear (in up position) to top of windshield	8'1" (2.46 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Custom Sea Ray Thru-Bolted, Stainless Steel (6)
Deck Fuel Fill Plate - Chrome
Gel Coat, Arctic White
Graphics, Gel Coated
Handrail, Stainless Steel - Transom (2)
Light, Stern - Removable
Lights, Navigation - Stainless Steel
Resin, High-Performance Vinylester
Rub Rail, PVC w/Stainless Steel Insert
Ski Tow, Stainless Steel
Storage, Anchor Hatch w/Gas-Assisted Lift
Swim Platform, Integral w/Concealed Stainless Steel Four-Step Swim Ladder w/
Integral Grab Handles (2)
Thru-Hull Fittings, Stainless Steel
Vents, Hull w/ Water Mgmt. System
Windshield, Matte Finish Black, Tempered/Tinted Crosscurved Glass w/Walk Thru &
Center Holder

QUIETRIDE™ TECHNOLOGY:

Vibration Dampening Material Laminated Throughout Hull, Deck & Liner for
Enhanced Sound Deadening
Proprietary Tuned Transom® by Omni Products, Inc. Reduces Structural Vibration
from Engine & Drive
Acoustical Insulation Strategically Applied for Optimal Sound Absorption
Strategically Placed Bulkheads Engineered to Block and Absorb Noise
Engineered Fit & Finish of Components Helps Reduce Unwanted Noise & Vibration

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders - Stainless Steel (10)
Carpet Liner, Snap-In
Cooler, Carry-On w/Designated Storage
Dash w/Visor, Soft-Touch w/Custom Stitching
Door, Bow Walk-Thru - Acrylic
Floor, Finished Fiberglass w/Drainage Overboard
Glove Box, Portside Helm
Grab Handles, Stainless Steel
Hatch, Engine Compartment - Electrically Actuated
Head Compartment, Enclosed w/Fiberglass Lockable Door, Molded Fiberglass Liner
& Portable Head
Lighting, LED Courtesy
Outlets, Accessory, 12V (3) and USB (1)
Stereo, 12V AM/FM, Wireless Bluetooth™, Dual Zone Volume Control, Amplifier &
Weatherproof Rockford Fosgate® Speakers (6)
Storage, Ski/Wakeboard w/Vinyl Matting & Gas-Assisted Fiberglass Lid
Storage, Side Panels - Cockpit
Table, Cockpit w/Base & Designated Storage

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls, Switch Panel & Soft
Touch Dash Instrument Panel:
- Sand (Pearl) with Sterling Carpet

SEATING:

Bow Loungers w/Flip-Down Armrests & Storage Below
Helm Bucket w/Slider, Flip-Up Thigh-Rise Bolster & Fiberglass Base
Helm Companion w/Rotating Slider, Flip-Up Thigh-Rise Bolster & Aluminum Pedestal
L-Shaped w/ Storage Below - Aft Cockpit
Sun Pad, Aft Gas-Assisted w/Fiberglass Storage Area & Ratcheting Backrest, Drink Holders & USB Connectivity

HELM:

Horn
SmartCraft® Diagnostics:
- Instrumentation, Custom Sea Ray SmartCraft w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels
- Speedometer
- Systems Tachometer (Includes: Depth/Water Temp, Engine Alarm/Hour Meter, Fuel Consumption/Usage, Trim Level, Troll Control, Voltage & Digital Speed)
SmartCraft Digital Throttle & Shift (DTS) w/Trim Switch & Ignition Cutout Switch
Steering, Power-Assisted Tilt Wheel w/Wood Accent
Switch Panel w/Backlit, Weatherproof Lighted Chrome Push-Button Switches
Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery On/Off Switch - Remote Battery Switch at Helm
Battery Trays w/Mounts
Wiring, Color-Coded w/Chafe Protection

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic
Bilge Pump, 12V Automatic High-Water
Blower, 12V Bilge (2)
Gel-Coated Engine Compartment
Lighting, 12V
Oil Filter - Remote

FUEL SYSTEM:

Evaporative Emissions Fuel System
Fuel Lines, USCG - Type A-1
Fuel Tank w/Electric Anti-Siphon Valve & Electric Sending Unit

UNDERWATER GEAR:

Propellers, Stainless Steel

STANDARD PROPULSION

MerCruiser® 6.2L MPI ECT* Bravo® III w/DTS Sterndrive
(300 hp - 224 kW)

*Non-catalyzed engines available for select international markets.

Top speed at top RPM. 42-44 @ 5,400 RPM
Gallons per hour at cruise speed (per engine) 9.1 GPH @ 3,500 RPM
Propeller 15.75 x 22.5 / 14.25 x 22.5

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

MerCruiser 6.2L MPI ECT* Bravo® III w/DTS Sterndrive
(350 hp - 261 kW)

MerCruiser 8.2 MAG ECT* Bravo IIIx w/DTS Sterndrive
(380 hp - 283 kW)

MerCruiser 8.2 MAG HO ECT* Bravo IIIx w/DTS Sterndrive
(430 hp - 321 kW)

*Non-catalyzed engines available for select international markets.

ARCH / TOWER / ACCY OPTIONS

Arch, Black Aluminum w/ Integrated Bimini, Boot & Anchor Light
Speakers, Water Sports Tower

Tower, Water Sports, Power Tower w/ Integrated Bimini, Boot & Anchor Light

Tower, Water Sports, Manual w/ Integrated Bimini, Boot & Anchor Light

Ski Mirror, Premium PTM

Wakeboard Racks, Swivel (Only Available for Manual Tower)

CANVAS PACKAGE FOR ALUMINUM ARCH:

Aft Curtain

Front Curtains

Side Curtains

Cockpit Cover

Tonneau Cover

Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Bimini Top w/Boot & Stainless Steel Ball & Socket Hardware

Black, Toast Tweed or Marine Midnight Blue Canvas

Cockpit & Tonneau Covers w/Canvas Storage Bag

Mooring Cover (Black Only)

COCKPIT COLOR OPTION

Espresso (Beige) w/Country Beige Carpet

OPTIONAL PACKAGE

SHORE POWER:

120V/60 Cycle - 30 Amp Service w/Inlet, 50' Cord & Adapter, 20A/12V Battery

Charger/Converter, Galvanic Isolator & Main Distribution Panel (Also Available in
220V/50 Cycle)

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
 Air Compressor for Water Toys
 Battery Charger
 Bow Washdown System
 Cockpit Coolbox - Integrated on Port Side
 Docking Lights
 Dynamic Display™ w/12.3" Medallion Touch Screen Display providing Connectivity and Control of Multiple Systems (Navigation, Audio, Engine, Lighting, etc)
 Dynamic Running Surface™
 Exhaust, Selectable, Thru-Hull (N/A w/CE Option)
 Fender Clip System - Quick Disconnect
 Filler Cushion - Bow
 Fire Suppression System (FM200) Automatic
 Flagpole w/Base & US Flag
 Flooring, Infinity Seagrass™ - Cockpit
 Flooring, SeaDek® Swim Platform Pad (Mocha or Storm Grey)
 Flooring, Teak on Swim Platform
 Gel Coat, Full Solid Color Hull (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
 Gel Coat, Two-Tone Hullside Color w/White Bottom (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
 Gel Coat, Three-Tone w/ Optional Gel Stripe (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
 Gel Coat, Hull Bottom Color (Onyx)
 Gray Water System
 Head Interior Upgrade: Portlight; SeaDek Flooring; Countertop; Sink w/Faucet; Mirror
 Head, Pump-Out
 Head System w/10 Gal/37 L Holding Tank (VacuFlush®)
 Head, System VacuFlush® w/Direct Overboard Discharge (Int'l)
 Ladder, Bow, w/Hatch
 Lighting, LED Blue or White
 Lighting, Thru Hull Underwater
 Macerator, w/Seacock Interlock System
 Port Convertible Seat (In-lieu-of Std Bucket)
 Seating: Optional Port Companion Seating with Convertible Backrest
 Shower, Transom Pullout Sprayer
 Smart Tow® - Digital Speed Control - Tachometer
 Step, Stbd Entry - Recessed Aluminum Fold-Down
 Stereo, Premier Audio Upgrade w/Rockford Fosgate® Components: Amplifier & Subwoofer
 Stereo Remote Control - Additional Unit on Transom
 Swim Platform, Submersible, Hydraulic
 Table, Bow w/Designated Storage
 Transom Washdown System
 Trim Tabs, Hydraulic
 Windlass, Rope/Chain, w/Remote Control & Galvanized Anchor
 Windlass, Rope/Chain w/Remote Control & Stainless Steel Anchor
 Windshield Wiper - Starboard
 Windshield Upgrade w/Stainless Steel Top Frame
 Windshield Upgrade w/Stainless Steel Top Frame and LED Light Accent

CE Option

TRAILER OPTIONS:


Painted Tandem Axle w/Bunks & Dual-Axle Disc Brakes
 Galvanized Tandem Axle w/Bunks & Dual-Axle Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray' models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	MerCruiser 6.2L MPI w/DTS		300	Bravo 3	15.75 x 22.5 14.25 x 22.5	2.20:1	45-47	5000-5400
Sterndrive	MerCruiser 6.2L MPI w/DTS		350	Bravo 3	15.5x24 14x24	2.20:1	49-51	5000-5400
Sterndrive	MerCruiser 8.2 MAC w/DTS		380	Bravo 3x	15.25x26 13.75x26	2.00:1	50-52	4400-4800
Sterndrive	MerCruiser 8.2 MAC w/DTS		430	Bravo 3x	15x28 13.5x28	2.00:1	52-54	4600-5000

Due to changes in Mercury' propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/std. integral swim platform	27'2" (8.3 m)
Beam	8'6" (2.59 m)
Draft (sterndrive down)	38" (96 cm)
Draft (sterndrive up)	26" (66 cm)
Dry weight	5,659 lbs (2,567 kg)
Fuel capacity	65 gal (246 L)
Water capacity	20 gal (76 L)
Holding tank (optional)	10 gal (37 L)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	4'9" (1.39 m)
Keel to top of windshield	6'6" (1.98 m)
Waterline to top of light on tower	8'11" (2.71 m)
Keel to top of light on tower	10'9" (3.27 m)

TOWER/TRAILER INFO

Ground to windshield on trailer	7'10" (2.38 m)
Ground to tower (folded down) on trailer	10'0" (3.05 m)
Overall length w/trailer*	31'4" (9.55 m)
Beam on trailer	8'6" (2.59 m)
Dry weight w/trailer**	7,549 lbs (3,424 kg)

*Folded swing tongue reduces length by 24 inches.

**Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Anchor Storage
Bow & Stern Eyes, Stainless Steel
Bow Boarding Ladder - Forward Deck w/Integral Hatch & Concealed Stainless Steel
Four-Step Ladder
Cleats, Thru-Bolted (6), Stainless Steel w/Sea Ray Logo
Deck, Fuel Fill Plate - Stainless Steel
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Graphics Package; Sapphire Blue
Hardware, Stainless Steel
Light, Navigation - Stainless Steel
Light, Stern - Removable
Portlight, Black - Opening
Rub Rail, White PVC w/Stainless Steel Insert
Ski Tow, Flush Mount
Storage, Anchor w/Fiberglass Hatch, Stainless Steel Latch & Gas Assist, Designated
Clips
Swim Platform, Integral w/Undermount Stainless Steel Three-Step Swim Ladder
Ventilation System, Engine Compartment
Windshield, Tempered/UV Tinted Glass w/Walk-Thru & Stainless Steel Latch

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders, Stainless Steel w/Rubber Insert
Carpet Liner, Snap-In
Cooler, Carry-On w/Designated Storage
Dash, Custom Upholstered
Door, Bow Block-Off - Acrylic
Door, Transom - Acrylic
Floor, Finished Fiberglass
Grab Handles - Stainless Steel
Head Compartment, Enclosed;
Includes Portable Head, Fiberglass Lockable Door, Molded Fiberglass Liner w/
Non-Slip Flooring, Sink & Vanity Storage, Pullout Sprayer, Mirror, Light & Opening
Portlight
Lighting, Courtesy, White LED
Outlet, 12V Accessory (2) Transom Seating & Helm Storage
Step, Fold-Down Entry - Starboard
Storage, Bow In-Floor Fiberglass w/Vinyl Matting & Gas-Assisted Lid
Storage, Cockpit, Lockable, In-Floor Fiberglass w/Rubber Matting & Gas-Assisted Lid
Storage, Helm, Saddlebag Design for Personal Item Stowage
Storage, Transom Accessible, w/Rubber Matting & Gas Assisted Hatch
Storage, Under Bow Seats - Fiberglass (Port & Starboard)
Storage, Under Helm (Starboard) w/Lighting & Lockable Door
Table, Cockpit w/Dedicated Storage
Vinyl, Marine-Grade w/Mildew & UV Protection

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls:
Mist (Pearl / Grey) w/Grey Carpet

SEATING:

Bow w/Port & Starboard Loungers, Hinged Cushions & Fold-Down Armrests; Helm
w/Convertible Backrest & Sliding Base; Port Companion Seat w/Convertible
Backrest; Stbd Inboard Facing Seat; Port/Aft L-Shaped Lounger w/Hinged Port
Cushions & Storage Below; Aft Facing Transom Lounger

HELM:

Alarms, Engine - Oil & Water (Audible)
Dash, Soft Touch w/Vinyl-Wrapped Visor & Saddlebag (Storage)
Horn

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray SmartCraft Gauges w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels
- Fuel Gauge
- Speedometer
- Trim Gauge
- System Tachometer (Includes: Depth, Engine, Alarms/Hour Meter, Oil Pressure, Water Temp, Fuel Consumption/Usage, Trim Level, Troll Control, Voltage & Digital Speed)

SmartCraft Digital Throttle & Shift (DTS) w/Trim Switch & Ignition Cutout Switch
Steering, Power-Assisted Tilt Wheel

Stereo, 12V AM/FM, Wireless Bluetooth™, Weatherproof Rockford Fosgate®

Speakers (4) & iPod®/MP3 Functionality

Switch Panel w/Weatherproof Lighted Chrome Toggle Switches, Backlit

Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery On/Off Switch

Battery Tray

Fuse Block

Wiring, Color-Coded w/Chafe Protection

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic

Blower, 12V Bilge

Fire Extinguisher Discharge Port

Gel-Coated & Sound Insulated Engine Compartment

Hatch, Engine w/Gas Assist

FUEL SYSTEM:

Evaporative Emissions Fuel System

Fuel Lines, USCG - Type A-1

Fuel Tank w/Mechanical Shutoff Anti-Siphon Valve

WATER SYSTEM:

Pressure Water System:

- Pullout Sprayers (3) - Bow, Transom & Head

Water Tank (20 Gallon)

STANDARD PROPULSION

MerCruiser 6.2L MPI ECT* Bravo III w/DTS Sterndrive

(300 hp - 224 kW)

Propellers, Stainless Steel

Oil Filter - Remote

*Non-catalyzed engines available for select international markets.

Top speed at top RPM 44-46 MPH @ 5400 RPM

Gallons per hour at cruise speed 8.6 GPH @ 3250 RPM

Propeller 15.75x75 / 14.25x22.5

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

MerCruiser 6.2L MPI ECT* Bravo III w/DTS Sterndrive

(350 hp - 261 kW)

MerCruiser 8.2 MAG ECT* Bravo III w/DTS Sterndrive

(380 hp - 283 kW)

*Non-catalyzed engines available for select international markets.

CANVAS PACKAGE (FOR OPTIONAL ARCH OR WATER SPORTS TOWER):

Aft Curtain

Front Curtains

Side Curtains

Cockpit Cover

Tonneau Cover

Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Bimini Top - Forward, Full (N/A w/Opt Tower)
Black, Toast Tweed or Midnight Blue Canvas
Cockpit & Tonneau Covers w/Canvas Storage Bag
Mooring Cover (Black Only)

COCKPIT COLOR OPTION

Mocha (Beige / Chocolate) w/Beige Carpet

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
Air Compressor for Water Toys
Battery Charger
Battery Switch, Dual w/Second Battery Tray
Cockpit Cool Box - Integrated w/Starboard Lounger
Digital Dash - 6" w/ Raymarine® a65 Chartplotter
Docking Lights
Exhaust System, Thru-Hull Selectable (N/A w/CE Option)
Fender Clip System - Quick Disconnect (6)
Filler Cushions - Bow
Fire Suppression System (FM200) Automatic
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, SeaDek® Swim Platform Matting (Matches Cockpit Color)
Gel Coat, Full Color Hull (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Two-Tone (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Three-Tone (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Hull Bottom Color (Onyx)
Graphics, Optional; Neutral Color
Grey Water System
Head, Pump-Out
Head System, VacuFlush w/10-Gallon Holding Tank
Head System, VacuFlush® w/Direct Overboard Discharge (Int'l)
Head Interior Upgrade: Upgraded Faucet & Countertop
Hot Water System Upgrade
Lighting, Indirect Blue or White LED - Bow & Cockpit
Lighting, Thru Hull Underwater, LED
Macerator, w/Seacock Interlock System
Mirror, Premium Ski
Rubrail, Black (In-Lieu-Of White)
Smart Tow® - Digital Speed Control - Tachometer
Speakers, Water Sports Tower
Stereo, Premier Upgrade w/ Rockford Fosgate® Amplifier & Subwoofer & 2 Additional Speakers (6 Total)
Stereo, Remote Control - Additional Unit on Transom
Swim Step, Submersible (Manual)
Table, Bow w/Designated Storage
Tower, Water Sports, White or Black Aluminum w/Integral Bimini Top & Ski Tow Pylon
Tower, White or Black Aluminum Arch w/Integral Bimini Top
Trim Switch, Transom
Trim Tabs, Hydraulic
Wakeboard Racks, Swivel
Wet Bar w/Integral Sink & Faucet
Windlass, Rope/Chain w/Galvanized Anchor (Replaces Bow Ladder)
Windlass, Rope/Chain w/Stainless Steel Anchor (Replaces Bow Ladder)

CE Option

TRAILER OPTIONS:


Painted Trailer w/Rollers & Dual-Axle Disc Brakes
Galvanized Trailer w/Rollers & Dual-Axle Disc Brakes
Painted Trailer w/Bunks & Dual-Axle Disc Brakes
Galvanized Trailer w/Bunks & Dual-Axle Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Stern drive	MerCruiser 6.2L MPI ECT		300	Bravo 3	14.25x22.5 15.75x22.5	2.20:1	44-46	5000-5400
Stern drive	MerCruiser 6.2L MPI ECT		350	Bravo 3	14x24 15.5x24	2.20:1	50-52	5000-5400
Stern drive	MerCruiser 8.2 MAG ECT		380	Bravo 3x	14 x 24 15.5 x 24	2.00:1	52-54	4400-4800

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/std. integral swim platform	27'1" (8.25 m)
Overall length w/std. integral swim platform & Outboard Engine	29'2" (8.9 m)
Beam	8'6" (2.59 m)
Draft (outboard down)	32" (81 cm)
Draft (outboard up)	22" (56 cm)
Dry weight	5,660 lbs (2,567 kg)
Fuel capacity	65 gal (246 L)
Water capacity	20 gal (76 L)
Holding tank (optional)	10 gal (37 L)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	4'9" (1.39 m)
Keel to top of windshield	6'6" (1.98 m)
Waterline to top of light on tower	8'11" (2.71 m)
Keel to top of light on tower	10'9" (3.27 m)

TOWER/TRAILER INFO

Ground to windshield on trailer	7'10" (2.38 m)
Ground to tower (folded down) on trailer	10'0" (3.05 m)
Overall length w/trailer*	31'4" (9.55 m)
Beam on trailer	8'6" (2.59 m)
Dry weight w/trailer**	7,549 lbs (3,424 kg)

*Folded swing tongue reduces length by 24 inches.

**Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Anchor Storage
Bow & Stern Eyes, Stainless Steel
Bow Boarding Ladder - Forward Deck w/Integral Hatch & Concealed Stainless Steel, Four-Step Ladder
Cleats, Thru-Bolted (6), Stainless Steel w/Sea Ray Logo
Deck, Fuel Fill Plate - Stainless Steel
Drain Plug, Brass, Threaded - Garboard
Gel Coat, Arctic White
Graphics Package; Sapphire Blue
Hardware, Stainless Steel
Light, Navigation - Stainless Steel
Light, Stern - Removable
Portlight, Black - Opening
Rub Rail, White PVC w/Stainless Steel Insert
Ski Tow Pylon
Storage, Anchor w/Fiberglass Hatch, Stainless Steel Latch & Gas Assist, Designated Clips
Swim Platform, Integral w/Undermount Stainless Steel, Three-Step Swim Ladder
Windshield, Tempered/Tinted Glass w/Walk-Thru & Stainless Steel Latch

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders, Stainless Steel w/Rubber Insert
Carpet Liner, Snap-In
Cooler, Carry-On w/Designated Storage
Dash, Custom Upholstered
Door, Bow Block-Off - Acrylic
Door, Transom - Acrylic
Floor, Finished Fiberglass
Grab Handles - Stainless Steel
Head Compartment, Enclosed; Includes Portable Head, Fiberglass Lockable Door, Molded Fiberglass Liner w/Non-Slip Flooring, Sink & Vanity Storage, Pullout Sprayer, Mirror, Light & Opening Portlight
Lighting, Courtesy, White LED
Outlet, 12V Accessory (2) Transom Seating & Helm Storage
Step, Fold-Down Entry - Starboard
Storage, Aft Cockpit
Storage, Bow In-Floor Fiberglass w/Vinyl Matting & Gas-Assisted Lid
Storage, Cockpit, Lockable, In-Floor Fiberglass w/Rubber Matting & Gas-Assisted Lid
Storage, Helm, Saddlebag Design for Personal Item Stowage
Storage, Transom Accessible, w/Rubber Matting & Gas Assisted Hatch
Storage, Under Bow Seats - Fiberglass (Port & Stbd)
Storage, Under Helm (Starboard) w/Lighting & Lockable Door
Table, Cockpit w/Dedicated Storage
Vinyl, Woven Back, Marine-Grade w/Mildew & UV Protection

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls:
Mist (Pearl / Grey) w/Grey Carpet

SEATING:

Bow w/Port & Starboard Loungers, Hinged Cushions & Fold-Down Armrests; Helm w/Convertible Backrest, Flip Up Thigh Rise & Sliding Base; Port Companion Seat w/Convertible Backrest & Flip Up Thigh Rise; Stbd Inboard Facing Seat; Port/Aft L-Shaped Lounger w/Hinged Port Cushions & Storage Below; Sunpad / Aft Facing Transom Lounger

HELM:

Alarms, Engine - Oil & Water (Audible)

Dash, Soft Touch w/Vinyl-Wrapped Visor & Saddlebag (Storage)

Horn

Shift & Throttle Lever w/Trim Switch & Ignition Cutout Lanyard Stop Switch

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray SmartCraft Gauges w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels
- Fuel Gauge
- Speedometer
- Trim Gauge
- System Tachometer (Includes: Depth, Engine, Alarms/Hour Meter, Oil Pressure, Water Temp, Fuel Consumption/Usage, Trim Level, Troll Control, Voltage & Digital Speed)

Steering, Power-Assisted Tilt Wheel

Stereo, 12V AM/FM, Wireless Bluetooth™, Weatherproof Rockford Fosgate®

Speakers (4) & iPod®/MP3 Functionality

Switch Panel w/Weatherproof Lighted Chrome Toggle Switches, Backlit

Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery On/Off Switch

Battery Tray

Fuse Block

Wiring, Color-Coded w/Chafe Protection

BILGE:

Bilge Pump, 12V Automatic

Gel-Coated Compartment

FUEL SYSTEM:

Evaporative Emissions Fuel System

Fuel Lines, USCG - Type A-1

Fuel Tank w/Mechanical Shutoff Anti-Siphon Valve

WATER SYSTEM:

Pressure Water System: Pullout Sprayers (3) - Bow, Transom & Head

Water Tank (20 Gallon)

STANDARD PROPULSION

Mercury® 250XL Verado® FourStroke Outboard

(250 hp - 187 kW)

Propeller, Stainless Steel

Top speed at top RPM 45-47 MPH @ 6400 RPM

Gallons per hour at cruise speed 10.1 GPH @ 28.6 MPH

Propeller 14.5x17 Revolution 4

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

Mercury 300XL Verado FourStroke Outboard

(300 hp - 224 kW) (Available in Black or White)

Mercury 350XL Verado FourStroke Outboard

(350 hp - 261 kW) (Available in Black or White)

CANVAS PACKAGE (FOR OPTIONAL ARCH OR WATERSPORTS TOWER):

Aft Curtain

Front Curtains

Side Curtains

Cockpit Cover

Tonneau Cover

Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Bimini Top - Forward, Full (N/A w/Opt Tower)
Black, Toast Tweed or Midnight Blue Canvas
Cockpit & Tonneau Covers w/Canvas Storage Bag
Mooring Cover (Black Only)

COCKPIT COLOR OPTION

Mocha (Beige / Chocolate) w/Beige Carpet

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
Air Compressor for Water Toys
Battery Charger
Battery Switch, Dual w/Second Battery Tray
Cockpit Cool Box - Integrated w/Starboard Lounger
Digital Dash - 6" w/ Raymarine® a65 Chartplotter
Docking Lights
Fender Clip System - Quick Disconnect (6)
Filler Cushions - Bow
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, SeaDek® Swim Platform Matting (Matches Cockpit Color)
Gel Coat, Full Color Hull (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Two-Tone (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Three-Tone (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Hull Bottom Color (Onyx)
Graphics, Optional; Neutral Color
Grey Water System
Head, Pump-Out
Head System, VacuFlush w/10-Gallon Holding Tank
Head System, VacuFlush® w/Direct Overboard Discharge (Int'l)
Head Interior Upgrade: Upgraded Faucet & Countertop
Lighting, Indirect Blue or White LED - Bow & Cockpit
Lighting, Thru Hull Underwater, LED
Macerator, w/Seacock Interlock System
Mirror, Premium Ski
Rubrail, Black (In-Lieu-Of White)
Smart Tow® - Digital Speed Control - Tachometer
Speakers, Water Sports Tower
Stereo, Premier Upgrade w/ Rockford Fosgate® Amplifier & Subwoofer & 2 Additional Speakers (6 Total)
Stereo, Remote Control - Additional Unit on Transom
Table, Bow w/Designated Storage
Tower, Water Sports, White or Black Aluminum w/Integral Bimini Top & Ski Tow Pylon
Tower, White or Black Aluminum Arch w/Integral Bimini Top
Trim Tabs, Hydraulic
Wakeboard Racks, Swivel
Wet Bar w/Integral Sink & Faucet
Windlass, Rope/Chain w/Galvanized Anchor (Replaces Bow Ladder)
Windlass, Rope/Chain w/Stainless Steel Anchor (Replaces Bow Ladder)

CE Option

TRAILER OPTIONS:

Painted Trailer w/Rollers & Dual-Axle Disc Brakes
Galvanized Trailer w/Rollers & Dual-Axle Disc Brakes
Painted Trailer w/Bunks & Dual-Axle Disc Brakes
Galvanized Trailer w/Bunks & Dual-Axle Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Outboard	Mercury 250XL Verado Pro		250	XL	14.5x17 Rev4	1.85:1	45-47	5800-6400
Outboard	Mercury 300XL Verado		300	XL	14.5x17 Rev4	1.85:1	47-49	5800-6400
Outboard	Mercury 350XL Verado		350	XL	14.5x17 Rev4	1.75:1	50-52	5800-6400

Due to changes in Mercury propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/std. integral swim platform	28'6" (8.69 m)
Beam	9' 1" (2.77 m)
Draft (sterndrive down)	41 5/8" (104.1 cm)
Draft (sterndrive up)	29 5/8" (74.9 cm)
Dry weight	7,018 lbs (3,183 kg)
Fuel capacity	90 gal (341 L)
Water capacity	20 gal (76 L)
Holding tank (optional)	10 gal (37 L)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	4' 3" (1.29 m)
Lowest tip of underwater gear (in up position) to top of windshield	6' 7" (2.00 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Custom Sea Ray Thru-Bolted, Stainless Steel (6)
Deck Fuel Fill Plate - Chrome
Gel Coat, Arctic White
Graphics, Gel Coated
Handrail, Stainless Steel - Transom (2)
Light, Stern - Removable
Lights, Navigation - Stainless Steel
quietRIDE™ Technology
Resin, High-Performance Vinylester
Rub Rail, PVC w/Stainless Steel Insert
Ski Tow, Stainless Steel
Storage, Anchor Hatch w/Gas-Assisted Lift
Swim Platform, Integral w/Concealed Stainless Steel Four-Step Swim Ladder w/Integral Grab Handles (2)
Thru-Hull Fittings, Stainless Steel
Vents, Hull w/ Water Mgmt. System
Windshield, Matte Finish Black, Tempered/Tinted Crosscurved Glass w/Walk Thru & Center Holder

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders - Stainless Steel (18)
Carpet Liner, Snap-In
Cooler, Carry-On w/Designated Storage
Dash w/Visor, Soft-Touch w/Custom Stitching
Door, Bow Walk-Thru - Acrylic
Floor, Finished Fiberglass w/Drainage Overboard
Glove Box, Portside Helm
Grab Handles, Stainless Steel
Hatch, Engine Compartment - Electrically Actuated
Head Compartment, Enclosed w/Fiberglass Lockable Door, Portlight, Molded Fiberglass Liner & Pump-Out Portable Head
Lighting, LED Courtesy
Outlets, Accessory, 12V (4) and USB (2)
Stereo, 12V AM/FM, Wireless Bluetooth™, Dual Zone Volume Control, Amplifier & Weatherproof Rockford Fosgate® Speakers (6)
Storage, Ski/Wakeboard w/Vinyl Matting & Gas-Assisted Fiberglass Lid
Storage, Side Panels - Cockpit
Storage, Under Helm w/Lighting
Table, Cockpit w/Aft & Forward Bases & Designated Storage

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls, Switch Panel & Soft Touch Dash Instrument Panel:
- Sand (Pearl) with Sterling Carpet

SEATING:

Bow Loungers w/Flip-Down Armrests & Storage Below
Helm Bench w/Slider, Flip-Up Thigh-Rise Bolster & Fiberglass Base
Helm Companion w/Rotating Slider, Flip-Up Thigh-Rise Bolster & Aluminum Pedestal
L-Shaped w/ Storage Below - Aft Cockpit
Sun Pad, Aft Gas-Assisted w/Fiberglass Storage Area
Transom w/Ratcheting Backrest, Drink Holders & USB Connectivity

HELM:

Horn

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray SmartCraft w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels
- Speedometer

- Systems Tachometer (Includes: Depth/Water Temp, Engine Alarm/Hour Meter, Fuel Consumption/Usage, Trim Level, Troll Control, Voltage & Digital Speed)

SmartCraft Digital Throttle & Shift (DTS) w/Trim Switch & Ignition Cutout Switch

Steering, Power-Assisted Tilt Wheel

Switch Panel w/Backlit, Weatherproof Lighted Chrome Push-Button Switches

Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery On/Off Switch - Remote Battery Switch at Helm

Battery Trays w/Mounts

Wiring, Color-Coded w/Chafe Protection

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic

Bilge Pump, 12V Automatic High-Water

Blower, 12V Bilge (2)

Gel-Coated Engine Compartment

Lighting, 12V

Oil Filter - Remote

FUEL SYSTEM:

Evaporative Emissions Fuel System

Fuel Lines, USCG - Type A-1

Fuel Tank w/Electric Anti-Siphon Valve & Electric Sending Unit

UNDERWATER GEAR:

Propellers, Stainless Steel

Trim Tabs, Hydraulic

WATER SYSTEM:

Pressure Water System w/12V Pump

Shower, Transom Pullout Sprayer

Water Tank (20 Gallons)

STANDARD PROPULSION

MerCruiser® 6.2L MPI ECT* Bravo® III w/DTS Sterndrive

(350 hp - 261 kW)

*Non-catalyzed engines available for select international markets.

Top speed at top RPM 45-47 MPH @ 5400 RPM

Gallons per hour at cruise speed 10.5 GPH @ 3500 RPM

Propeller 15.75x22.5 / 14.25x22.5

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

MerCruiser 8.2 MAG ECT* Bravo IIIx w/DTS Sterndrive

(380 hp - 283 kW)

MerCruiser 8.2 MAG ECT* Bravo IIIx w/DTS Sterndrive

(430 hp - 321 kW)

*Non-catalyzed engines available for select international markets.

ARCH / TOWER / ACCY OPTIONS

Arch, Black Aluminum w/ Integrated Bimini, Boot & Anchor Light
Speakers, Water Sports Tower
Tower, Water Sports, Power Tower w/ Integrated Bimini, Boot & Anchor Light
Tower, Water Sports, Manual w/ Integrated Bimini, Boot & Anchor Light
Ski Mirror, Premium PTM
Wakeboard Racks, Swivel (Only Available for Manual Tower)

CANVAS PACKAGE FOR ALUMINUM ARCH:

Aft Curtain
Front Curtains
Side Curtains
Cockpit Cover
Tonneau Cover
Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Bimini Top w/Boot & Stainless Steel Ball & Socket Hardware
Black, Toast Tweed or Marine Midnight Blue Canvas
Bow Shade System (Black Only)
Cockpit & Tonneau Covers w/Canvas Storage Bag
Mooring Cover (Black Only)

COCKPIT COLOR OPTION

Espresso (Beige) w/Country Beige Carpet

OPTIONAL PACKAGE

SHORE POWER:

120V/60 Cycle - 30 Amp Service w/Inlet, 50' Cord & Adapter, 20A/12V Battery
Charger/Converter, Galvanic Isolator & Main Distribution Panel (Also Available in
220V/50 Cycle)

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
Air Compressor for Water Toys
Battery Charger
Bow Washdown System
Docking Lights
Dynamic Display™ w/12.3" Medallion Touch Screen Display providing Connectivity and
Control of Multiple Systems (Navigation, Audio, Engine, Lighting, etc)
Dynamic Running Surface™
Exhaust, Selectable, Thru-Hull (N/A w/CE Option)
Fender Clip System - Quick Disconnect
Filler Cushion - Bow
Fire Suppression System (FM200) Automatic
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, SeaDek® Swim Platform Pad (Mocha or Storm Grey)
Flooring, Teak - Cockpit
Flooring, Teak - Swim Platform
Flooring, Teak - Swim Platform; Walkthru & Head
Gel Coat, Full Solid Color Hull (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown,
Horizon Grey or Mojave Tan)
Gel Coat, Two-Tone Hullside Color w/White Bottom (Onyx, Sea Ray Blue, Rally Red,
Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Three-Tone w/ Optional Gel Stripe (Onyx, Sea Ray Blue, Rally Red,
Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Hull Bottom Color (Onyx)

Gray Water System

Head System w/10 Gal/37 L Holding Tank (VacuFlush®)

Head, System VacuFlush® w/Direct Overboard Discharge (Int'l)

Hot Water System w/6 Gal. Tank (Head & Transom Washdown)

Ladder, Bow, w/Hatch

Lighting, LED Blue or White

Lighting, Thru Hull Underwater

Macerator, w/Seacock Interlock System

Refrigerator, 12V - Stainless Steel Drawer (Must Order Battery Charger)

Smart Tow® - Digital Speed Control - Tachometer

Step, Stbd Entry - Recessed Aluminum Fold-Down

Stereo, Premier Audio Upgrade w/Rockford Fosgate® Components: Amplifier & Subwoofer

Stereo Remote Control - Additional Unit on Transom

Swim Platform, Submersible, Hydraulic

Table, Bow w/Designated Storage

VHF Radio w/3.5' Stainless-Steel Antenna & Stainless-Steel Ratchet Mount

Wet Bar w/Sink, Faucet, Solid-Surface Countertop & Stainless Steel Handrail

Windlass, Rope/Chain, w/Remote Control & Galvanized Anchor

Windlass, Rope/Chain w/Remote Control & Stainless Steel Anchor

Windshield Wiper - Starboard

Windshield Upgrade w/Stainless Steel Top Frame

Windshield Upgrade w/Stainless Steel Top Frame and LED Light Accent

CE Option

TRAILER OPTIONS:

Painted Tandem Axle w/Bunks & Dual-Axle Disc Brakes


Galvanized Tandem Axle w/Bunks & Dual-Axle Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	MerCruiser 6.2L MPI		350	Bravo 3	14.25x22.5 15.75x22.5	2.2:1	45-47	5000-5400
Sterndrive	MerCruiser 8.2 MAG		380	Bravo 3x	14 x 24 15.5 x 24	2.00:1	46-48	4400-4800
Sterndrive	MerCruiser 8.2 MAG HO		430	Bravo 3x	14 x 24 15.5 x 24	2.00:1	49-51	4600-5000

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/std. integral swim platform	29'2" (8.9 m)
Beam	9' (2.74 m)
Draft (sterndrive down)	39" (99 cm)
Draft (sterndrive up)	26" (66 cm)
Dry weight	6,595 lbs (2,991 kg)
Fuel capacity	85 gal (322 L)
Water capacity	20 gal (76 L)
Holding tank (optional)	10 gal (37 L)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	4' 9" (1.45 m)
Keel to top of windshield	6' 7" (2.0 m)
Waterline to top of light on std arch	8' 11" (2.71 m)
Keel to top of light on std arch	10' 9" (3.27 m)
Keel to top of std arch folded down	7'0" (2.13 m)
Keel to top of opt arch with tilting bimini storage	8'5" (2.56 m)

TOWER/TRAILER INFO

Ground to windshield on trailer	7'11" (2.41 m)
Ground to tower (folded down) on trailer	10'1" (3.07 m)
Overall length w/trailer*	32'8" (9.96 m)
Beam on trailer	9' (2.74 m)
Dry weight w/trailer**	8,485 lbs (3,849 kg)

*Folded swing tongue reduces length by 24 inches.

**Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Bow Boarding Ladder - Concealed Stainless Steel Four-Step Ladder w/Integral Hatch Cleats, Thru-Bolted (6), Stainless Steel w/Sea Ray Logo
Deck, Fuel Fill Plate - Stainless Steel
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Graphics Package; Sapphire Blue
Hardware, Stainless Steel
Light, Navigation - Stainless Steel
Light, Stern - Removable
Portlights, Stainless Steel - Opening (2)
Rub Rail, White PVC w/Stainless Steel Insert
Ski Tow, Flush Mount
Storage, Anchor w/Fiberglass Hatch
Structural System, Fiberglass Liner
Swim Platform, Integral w/Undermount Stainless Steel Four-Step Swim Ladder
Ventilation System, Engine Compartment w/Stainless Steel Grills
Windshield, Tempered/Tinted Glass w/Walk-Thru & Stainless Steel Latch

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders, Stainless Steel w/Rubber Insert
Carpet Liner, Snap-In
Cooler, Insulated - Built-In - Bow
Cooler, Carry-On w/Designated Storage
Door, Bow Block-Off - Acrylic
Door, Transom - Acrylic & Stainless Steel
Floor, Finished Fiberglass
Glove Box, Lockable - Helm
Grab Handles - Stainless Steel
Head Compartment, Enclosed;
Includes Portable Head, Fiberglass Lockable Door, Molded Fiberglass Liner w/Non-Slip Flooring, Sink & Vanity Storage w/Solid Surface Countertop, Pullout Sprayer, Mirror, Light & Opening Portlight
Lighting, Courtesy, White LED
Outlet, 12V Accessory (2) Transom Seating & Helm Storage
Storage, Bow In-Floor Fiberglass w/Vinyl Matting & Gas-Assisted Lid
Storage, Cockpit, Lockable, In-Floor Fiberglass w/Rubber Matting & Gas-Assisted Lid
Storage, Side Panels
Storage, Transom Accessible, w/Rubber Matting & Gas Assisted Hatch
Storage, Under Bow Seats - Fiberglass (Port & Starboard)
Storage, Under Helm (Starboard) w/Lighting & Lockable Door
Table, Cockpit w/Dedicated Storage
Vinyl, Marine-Grade w/Mildew & UV Protection
Wet Bar w/Integral Sink & Faucet

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls:
Mist (Pearl / Grey) w/Grey Carpet

SEATING:

Bow w/Port & Starboard Loungers, Hinged Cushions & Fold-Down Armrests; Helm w/Convertible Backrest, Flip-up Thigh Rise and Sliding Base; Port Companion Seat, Flip-up Thigh Rise w/Convertible Backrest; Aft L-Shaped w/Hinged Port Cushions & Storage Below; Reclining Aft-Facing Transom Loungers

TECHNICAL FEATURES

HELM:

Alarms, Engine - Oil & Water (Audible)

Dash, Soft Touch w/Vinyl-Wrapped Visor & Saddlebag

Horn

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray® SmartCraft w/ Glass Lenses, Low Glare Blue Night Lighting & Chrome Bezels
- 4-in-1 Gauge (Includes: Fuel, Oil Pressure, Voltmeter, & Water Temperature)
- Speedometer
- System Tachometer (Includes: Depth, Engine, Alarms/Hour Meter, Oil Pressure, Water Temp, Fuel Consumption/Usage, Trim Level, Troll Control, Voltage & Digital Speed)

SmartCraft Digital Throttle & Shift (DTS) w/Trim Switch & Ignition Cutout Switch

Steering, Power-Assisted Tilt Wheel

Stereo, 12V AM/FM, Wireless Bluetooth™, Weatherproof Rockford Fosgate®

Speakers (4) & iPod®/MP3 Functionality

Switch Panel w/Weatherproof Lighted Chrome Toggle Switches, Backlit

Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery On/Off Switch

Battery Tray w/Mount

Fuse Block

Wiring, Color-Coded w/Chafe Protection

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic

Blower, 12V Bilge

Fire Extinguisher Discharge Port

Gel-Coated & Sound Insulated Engine Compartment

Hatch, Engine w/Gas Assist

FUEL SYSTEM:

Evaporative Emissions Fuel System

Fuel Lines, USCG - Type A-1

Fuel Tank w/Mechanical Shutoff Anti-Siphon Valve

UNDERWATER GEAR:

Propellers, Stainless Steel

Trim Tabs, Hydraulic

WATER SYSTEM:

Pressure Water System:

- Pullout Sprayers (3) - Bow, Transom & Head

Water Tank (20 Gallon)

STANDARD PROPULSION

MerCruiser 6.2L MPI ECT* Bravo III w/DTS Sterndrive

(300 hp - 224 kW)

*Non-catalyzed engines available for select international markets.

Top speed at top RPM..... 39-41 MPH @ 5400 RPM

Gallons per hour at cruise speed 10.2 GPH @ 3500 RPM

Propeller 14.25 x21 / 15.75x21

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

MerCruiser 6.2L MPI ECT* Bravo III w/DTS Sterndrive
(350 hp - 261 kW)

MerCruiser 8.2 MAG ECT* Bravo III w/DTS Sterndrive
(380 hp - 283 kW)

*Non-catalyzed engines available for select international markets.

OPTIONAL PACKAGE

SHORE POWER:

120V/60 Cycle - 30 Amp Service w/Inlet, 50' Cord & Adapter, 20A/12V Battery
Charger/Converter, Galvanic Isolator & Main Distribution Panel (Also Available in
220V/50 Cycle)

CANVAS OPTIONS

CANVAS PACKAGE (FOR OPTIONAL ARCH OR WATERSPORTS TOWER):

Aft Curtain
Front Curtains
Side Curtains
Cockpit Cover
Tonneau Cover
Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Bimini Top - Forward, Full (N/A w/Opt Tower)
Black, Toast Tweed or Midnight Blue Canvas
Cockpit & Tonneau Covers w/Canvas Storage Bag
Mooring Cover (Black Only)

COCKPIT COLOR OPTION

Mocha (Beige / Chocolate) w/Beige Carpet

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
Air Compressor for Water Toys
Battery Charger
Battery Switch, Dual w/Second Battery Tray
Cockpit Cool Box - Integrated w/Starboard Lounger
Digital Dash - 6" w/ Raymarine® a65 Chartplotter
Docking Lights
Exhaust System, Thru-Hull Selectable (N/A w/CE Option)
Fender Clip System - Quick Disconnect (6)
Filler Cushions - Bow
Fire Suppression System (FM200) Automatic
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, SeaDek® Swim Platform Matting (Matches Cockpit Color)
Gel Coat, Full Color Hull (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon
Grey or Mojave Tan)
Gel Coat, Two-Tone (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey
or Mojave Tan)
Gel Coat, Three-Tone (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey
or Mojave Tan)
Gel Coat, Hull Bottom Color (Onyx)
Graphics, Neutral Color
Grey Water System
Grill - Cockpit Wet Bar

Head, Pump-Out
Head System, VacuFlush w/10-Gallon Holding Tank
Head System, VacuFlush® w/Direct Overboard Discharge (Int'l)
Head Upgrade w/Shower & Faucet
Hot Water System Upgrade
Inverter (12VDC to 120VAC)
Lighting, Indirect Blue or White LED - Bow & Cockpit
Lighting, Thru Hull Underwater, LED
Macerator, w/Seacock Interlock System
Mirror, Premium Ski
Refrigerator - Cockpit Wet Bar
Rubrail, Black (In-Lieu-Of White)
Smart Tow® - Digital Speed Control - Tachometer
Speakers, Water Sports Tower
Stereo, Premier Upgrade w/ Rockford Fosgate® Amplifier & Subwoofer & 2
Additional Speakers (6 Total)
Stereo, Remote Control - Additional Unit on Transom
Sunpad, Transom (Replaces Standard Aft Facing Lounger)
Swim Step, Submersible (Manual)
Table, Bow w/Designated Storage
Tower, Water Sports, White or Black Aluminum w/Integral Bimini Top & Ski Tow
Pylon
Tower, White or Black Aluminum Arch w/Integral Bimini Top
Trim Switch, Transom
VHF Radio w/3.5' Stainless-Steel Antenna & Stainless-Steel Ratchet Mount
Wakeboard Racks, Swivel
Windlass, Rope/Chain w/Galvanized Anchor (Replaces Bow Ladder)
Windlass, Rope/Chain w/Stainless Steel Anchor (Replaces Bow Ladder)

CE Option

TRAILER OPTIONS:


Painted Trailer w/Rollers & Dual-Axle Disc Brakes
Galvanized Trailer w/Rollers & Dual-Axle Disc Brakes
Painted Trailer w/Bunks & Dual-Axle Disc Brakes
Galvanized Trailer w/Bunks & Dual-Axle Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	MerCruiser 6.2L MPI		300	Bravo 3	14.25 x 21 15.75 x 21	2.20:1	39-41	5000-5400
Sterndrive	MerCruiser 6.2L MPI		350	Bravo 3	14.25x22.5 15.75x22.5	2.20:1	45-47	5000-5400
Sterndrive	MerCruiser 8.2 MAG		380	Bravo 3x	14x24 15.5x24	2.00:1	46-48	4400-4800

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/std. integral swim platform	29'2" (8.9 m)
Overall length w/std. integral swim platform & Outboards	31'2" (9.5 m)
Beam	9' (2.74 m)
Draft (Outboards down)	38" (96 cm)
Draft (Outboards up)	21" (53 cm)
Dry weight	7,030 lbs (3,188 kg)
Fuel capacity	130 gal (492 L)
Water capacity	20 gal (76 L)
Holding tank (optional)	10 gal (37 L)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	4' 9" (1.45 m)
Keel to top of windshield	6' 7" (2.0 m)
Waterline to top of light on std arch	8' 11" (2.71 m)
Keel to top of light on std arch	10' 9" (3.27 m)
Keel to top of std arch folded down	7'0" (2.13 m)
Keel to top of opt arch with tilting bimini storage	8'5" (2.56 m)

TOWER/TRAILER INFO

Ground to windshield on trailer	7'11" (2.41 m)
Ground to tower (folded down) on trailer	10'1" (3.07 m)
Overall length w/trailer*	32'8" (9.96 m)
Beam on trailer	9' (2.74 m)
Dry weight w/trailer**	8,920 lbs (4,046 kg)

*Folded swing tongue reduces length by 24 inches.

**Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Bow Boarding Ladder - Concealed Stainless Steel Four-Step Ladder w/Integral Hatch
Cleats, Thru-Bolted (6), Stainless Steel w/Sea Ray Logo
Deck, Fuel Fill Plate - Stainless Steel
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Graphics Package; Sapphire Blue
Hardware, Stainless Steel
Light, Navigation - Stainless Steel
Light, Stern - Removable
Portlights, Stainless Steel - Opening (2)
Rub Rail, White PVC w/Stainless Steel Insert
Storage, Anchor w/Fiberglass Hatch
Structural System, Fiberglass Liner
Swim Platform, Integral w/Undermount Stainless Steel Four-Step Swim Ladder
Swim Step, Submersible Manual w/ Open Sensor Notification - Port
Ventilation System, Engine Compartment w/Stainless Steel Grills
Windshield, Tempered/Tinted Glass w/Walk-Thru & Stainless Steel Latch

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders, Stainless Steel w/Rubber Insert
Carpet Liner, Snap-In
Cooler, Insulated - Built-In - Bow
Cooler, Carry-On w/Designated Storage
Door, Bow Block-Off - Acrylic
Door, Transom - Acrylic & Stainless Steel
Floor, Finished Fiberglass
Glove Box, Lockable - Helm
Grab Handles - Stainless Steel
Head Compartment, Enclosed;
Includes Portable Head, Fiberglass Lockable Door, Molded Fiberglass Liner w/Non-Slip Flooring, Sink & Vanity Storage w/Solid Surface Countertop, Pullout Sprayer, Mirror, Light & Opening Portlight
Lighting, Courtesy, White LED
Outlet, 12V Accessory (2) Transom Seating & Helm Storage
Storage, Bow In-Floor Fiberglass w/Vinyl Matting & Gas-Assisted Lid
Storage, Cockpit, Lockable, In-Floor Fiberglass w/Rubber Matting & Gas-Assisted Lid
Storage, Side Panels
Storage, Transom Accessible, w/Rubber Matting & Gas Assisted Hatch
Storage, Under Bow Seats - Fiberglass (Port & Starboard)
Storage, Under Helm (Starboard) w/Lighting & Lockable Door
Table, Cockpit w/Dedicated Storage
Vinyl, Marine-Grade w/Mildew & UV Protection
Wet Bar w/Integral Sink & Faucet

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls:
Mist (Pearl / Grey) w/Grey Carpet

SEATING:

Bow w/Port & Starboard Loungers, Hinged Cushions & Fold-Down Armrests; Helm w/Convertible Backrest, Flip-up Thigh Rise and Sliding Base; Port Companion Seat, Flip-up Thigh Rise w/Convertible Backrest; Aft L-Shaped w/Hinged Port Cushions & Storage Below; Transom Sunpad

TECHNICAL FEATURES

HELM:

Alarms, Engine - Oil & Water (Audible)
 Dash, Soft Touch w/Vinyl-Wrapped Visor & Saddlebag
 Digital Dash - 6" w/ Raymarine® a65 Chartplotter
 Horn
 SmartCraft® Diagnostics:
 - Instrumentation, Custom Sea Ray® SmartCraft w/ Glass Lenses, Low Glare Blue Night Lighting & Chrome Bezels
 - Speedometer
 - System Tachometer (Includes: Depth, Engine, Alarms/Hour Meter, Oil Pressure, Water Temp, Fuel Consumption/Usage, Trim Level, Troll Control, Voltage & Digital Speed)
 SmartCraft Digital Throttle & Shift (DTS) w/Trim Switch & Ignition Cutout Switch
 Steering, Power-Assisted Tilt Wheel
 Stereo, 12V AM/FM, Wireless Bluetooth™, Weatherproof Rockford Fosgate®
 Speakers (4) & iPod®/MP3 Functionality
 Switch Panel w/Weatherproof Lighted Chrome Toggle Switches, Backlit
 Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery Switch, Dual w/Second Battery Tray
 Battery Tray w/Mount
 Fuse Block
 Wiring, Color-Coded w/Chafe Protection

BILGE:

Bilge Pump, 12V Automatic
 Finished Aft Bilge Storage

FUEL SYSTEM:

Evaporative Emissions Fuel System
 Fuel Lines, USCG - Type A-1
 Fuel Tank w/Mechanical Shutoff Anti-Siphon Valve

UNDERWATER GEAR:

Trim Tabs, Hydraulic

WATER SYSTEM:

Pressure Water System:
 - Pullout Sprayers (3) - Bow, Transom & Head
 Water Tank (20 Gallon)

STANDARD PROPULSION

Twin Mercury® 225 Verado® FourStroke Outboards (T-225 hp - 167 kW) w/ Stainless Steel Propellers

Top speed at top RPM (**W/Optional T-250 hp Verado**) 53-55 MPH @ 5400 RPM
 Gallons per hour at cruise speed (**W/Optional T-250 hp Verado**) 12.0 GPH @ 4000 RPM
 Propeller 14.25 x21 / 15.75x21

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

Twin Mercury® 250XL Verado® FourStroke Outboards
(T-250 hp - 187 kW)

OPTIONAL PACKAGE

SHORE POWER:

120V/60 Cycle - 30 Amp Service w/Inlet, 50' Cord & Adapter, 20A/12V Battery
Charger/Converter, Galvanic Isolator & Main Distribution Panel (Also Available in
220V/50 Cycle)

CANVAS OPTIONS

CANVAS PACKAGE (FOR OPTIONAL ARCH OR WATERSPORTS TOWER):

Aft Curtain
Front Curtains
Side Curtains
Cockpit Cover
Tonneau Cover
Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Bimini Top - Forward, Full (N/A w/Opt Tower)
Black, Toast Tweed or Midnight Blue Canvas
Cockpit & Tonneau Covers w/Canvas Storage Bag
Mooring Cover (Black Only)

COCKPIT COLOR OPTION

Mocha (Beige / Chocolate) w/Beige Carpet

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
Air Compressor for Water Toys
Aft Facing Transom Loungers (2)
Battery Charger
Cockpit Cool Box - Integrated w/Starboard Lounger
Docking Lights
Fender Clip System - Quick Disconnect (6)
Filler Cushions - Bow
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, SeaDek® Swim Platform Matting (Matches Cockpit Color)
Flush System for Outboard Engines
Gel Coat, Full Color Hull (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon
Grey or Mojave Tan)
Gel Coat, Two-Tone (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey
or Mojave Tan)
Gel Coat, Three-Tone (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey
or Mojave Tan)
Gel Coat, Hull Bottom Color (Onyx)
Grey Water System
Graphics, Neutral Color
Grill - Cockpit Wet Bar
Head, Pump-Out
Head System, VacuFlush w/10-Gallon Holding Tank
Head System, VacuFlush® w/Direct Overboard Discharge (Int'l)
Head Upgrade w/Shower & Faucet
House Battery Option (3 Batteries)

Inverter (12VDC to 120VAC)
Joystick Piloting (Only Available w/opt 250hp Engines)
Lighting, Indirect Blue or White LED - Bow & Cockpit
Lighting, Thru Hull Underwater, LED
Macerator, w/Seacock Interlock System
Mirror, Premium Ski
Refrigerator - Cockpit Wet Bar
Rubrail, Black (In-Lieu-Of White)
Smart Tow® - Digital Speed Control - Tachometer
Speakers, Water Sports Tower
Stereo, Premier Upgrade w/ Rockford Fosgate® Amplifier & Subwoofer & 2
Additional Speakers (6 Total)
Stereo, Remote Control - Additional Unit on Transom
Table, Bow w/Designated Storage
Tower, Water Sports, White or Black Aluminum w/Integral Bimini Top & Ski Tow
Pylon
Tower, White or Black Aluminum Arch w/Integral Bimini Top
VHF Radio w/3.5' Stainless-Steel Antenna & Stainless-Steel Ratchet Mount
Wakeboard Racks, Swivel
Windlass, Rope/Chain w/Galvanized Anchor (Replaces Bow Ladder)
Windlass, Rope/Chain w/Stainless Steel Anchor (Replaces Bow Ladder)
CE Option

TRAILER OPTIONS:


Painted Trailer w/Rollers & Dual-Axle Disc Brakes
Galvanized Trailer w/Rollers & Dual-Axle Disc Brakes
Painted Trailer w/Bunks & Dual-Axle Disc Brakes
Galvanized Trailer w/Bunks & Dual-Axle Disc Brakes

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Outboard	T-Mercury 225XL Verado		T-225	XL		1.85:1		5800-6400
Outboard	T-Mercury 250XL Verado		T-250	XL		1.85:1	53-55	5800-6400

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/std. swim platform	31'6" (9.6 m)
Beam	10'2" (3.1 m)
Draft (sterndrive down)	38" (96 cm)
Draft (sterndrive up)	28" (71 cm)
Dry weight	10,787 lbs (4,893 kg)
Fuel capacity	130 gal (492 L)
Water capacity	24 gal (99 L)
Holding tank	20 gal (76 L)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	5' (1.52 m)
Lowest tip of underwater gear (in up position) to top of windshield	7' 3" (2.2 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Custom Sea Ray Thru-Bolted, Stainless Steel (8)
Deck Fuel Fill Plate - Chrome
Gel Coat, Arctic White
Graphics, Gel Coated
Handrail, Stainless Steel - Transom (2)
Hull Windows, Acrylic
Lights, Navigation - Stainless Steel
quietRIDE™ Technology
Resin, High-Performance Vinylester
Rub Rail, Black PVC w/Stainless Steel Insert
Ski Tow, Stainless Steel
Storage, Anchor Hatch w/Gas-Assisted Lift
Swim Platform, Integral/Extended w/ Under Mount Swim Ladder & Integral Grab Handle
Thru-Hull Fittings, Stainless Steel
Tower, Water Sports, Electric Power Tower with Articulating Electric Bimini
Vent System, Engine Compartment - Integral
Windshield, Matte Finish Black, Tempered/Tinted Crosscurved Glass w/Walk Thru & Center Holder
Windshield Wiper - Starboard

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders - Stainless w/Rubber Inserts & Recessed Holders in Bow Side Panels (21)
Carpet Liner, Snap-In
Cooler, Carry-On w/Designated Storage
Dash w/Visor, Soft-Touch w/Custom Stitching
Door, Bow Block-Off, Acrylic
Floor, Finished Fiberglass w/Drainage Overboard
Glove Box, Helm, Lockable
Glove Box, Portside, Lockable
Grab Handles, Stainless Steel w/Leather Wrapped Grips
Interior Storage Compartment (Under Helm): Access From Flip Up Bow Aft Cushion/ Bolster; Light; Storage Racks/Straps; Access Door To Backside of Dash instruments; Carpeted Floor
Hatch, Engine Compartment - Electrically Actuated
Port Head Compartment: Enclosed w/Fiberglass Lockable Door, Molded Fiberglass Liner w/Solid Surface Countertop, Stainless Steel Sink & Faucet; Head (VacuFlush®) w/20-Gallon Holding Tank; Wood Storage Shelf; Portlight w/Screen; Courtesy Light; Non Skid Floor Treatment
Lighting, LED Courtesy
Outlets, Accessory, 12V (3) and USB (2)
Stereo, 12V AM/FM, Wireless Bluetooth™, Dual Zone Volume Control, Amplifier & Weatherproof Rockford Fosgate® Speakers (6)
Storage, Port Bumper Storage w/ Fiberglass Hatch
Storage, Ski/Wakeboard w/Vinyl Matting & Gas-Assisted Fiberglass Lid
Storage, Side Panels - Cockpit
Storage, Transom Walkway w/ Lift Out Tub
Storage, Under Helm w/Lighting
Table, Fiberglass - Cockpit w/ Base & Designated Storage
Wet Bar - Fiberglass w/ Stainless Steel Sink & Faucet, Solid Surface Lid, Stainless Steel Grab Handle, Trash Receptacle & Storage Below

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls, Switch Panel & Soft Touch Dash Instrument Panel:
- Sand (Pearl) with Sterling Carpet

SEATING:

Bow Loungers w/Flip-Down Armrests & Storage Below
Cockpit Social Area w/Opposing Seating & Storage
Dual Helm Bench w/Slider, Flip-Up Thigh-Rise Bolster & Fiberglass Base
Dual Helm Companion w/Rotating Slider, Flip-Up Thigh-Rise Bolster & Aluminum Pedestal
Sun Pad / Aft Facing Lounger w/Flip Up Bolster/Seat & Tub Storage Below

HELM:

Dynamic Display™ w/Dual Touch Screen Displays (12" & 7") providing Connectivity and Control of Multiple Systems (Navigation, Audio, Engine, Lighting, etc)
Horn
SmartCraft Digital Throttle & Shift (DTS) w/Trim Switch & Ignition Cutout Switch
Steering, Power-Assisted Tilt Wheel w/Wood Accent
Switch Panel w/Backlit, Weatherproof Lighted Chrome Push-Button Switches
Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery Switch- Remote Battery Switch at Helm
Battery Trays w/Mounts
Wiring, Color-Coded w/Chafe Protection

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic
Bilge Pump, 12V Automatic High-Water
Blower, 12V Bilge (2)
Fire Suppression System (FM200) Automatic w/Manual Pull
Gel-Coated Engine Compartment
Lighting, 12V
Oil Filter - Remote

FUEL SYSTEM:

Evaporative Emissions Fuel System
Fuel Lines, USCG - Type A-1
Fuel Tank w/Electric Anti-Siphon Valve & Electric Sending Unit

UNDERWATER GEAR:

Propellers, Stainless Steel
Variable Running Surface Trim Tabs, Manual

WATER SYSTEM:

Pressure Water System w/12V Pump & Level Indicator
Faucet - Head
Pullout Sprayer - Transom
Water Tank (24 Gallons)

STANDARD PROPULSION

Twin MerCruiser® 4.5L MPI ECT* Bravo® III w/DTS
(T-250 hp - 186 kW)

*Non-catalyzed engines available for select international markets. Consult your local dealer for availability.

Top speed at top RPM..... 44-46 MPH @ 5200 RPM
Gallons per hour at cruise speed (per engine).....15.2 GPH @ 3150 RPM
Propeller.....14.25x22.5 / 15.75x22.5

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

TWIN GASOLINE STERNDRIVES:

T-MerCruiser 6.2L MPI ECT* Bravo III w/DTS

(T-300 hp - 224 kW)

T-MerCruiser 6.2L MPI ECT* Bravo IIIx w/DTS

(T-350 hp - 261 kW)

*Non-catalyzed engines available for select international markets.

AXIUS® PROPULSION:

T-MerCruiser® 4.5L MPI ECT* Bravo® III w/Axius

(T-250 hp - 186 kW)

T-MerCruiser 6.2L MPI ECT* Bravo III w/Axius

(T-300 hp - 224 kW)

T-MerCruiser 6.2L MPI ECT* Bravo IIIx w/Axius

(T-350 hp - 261 kW)

Axius Propulsion System Includes SmartCraft VesselView Display & Helm Joystick Control

*Non-catalyzed engines available for select international markets.

TWIN DIESEL / AXIUS PROPULSION:

T-Mercury® Diesel 260 TDI® 3.0L T3 Bravo IIIx w/ Axius Propulsion

(T-260 hp - 193 kW)

SMARTCRAFT VESSEL VIEW DISPLAY:

(Replaces System Tach - Standard w/Axius Propulsion)

- Includes: Air & Water Temperature, Combined Fuel Flow/Range, Depth, Engine Alarms/Hour Meters, Engine Synchronizer, GPS Interface & System Maintenance Records, ECO-Screen, Smart Tow™ and Troll Control™

CANVAS OPTIONS

CANVAS PACKAGE (FOR OPTIONAL HARDTOP):

Aft Curtain w/Bungee Straps

Front Curtains

Side Curtains

Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Toast Tweed or Marine Midnight Blue Canvas (In Lieu of Std Black)

Bow Shade System (Black Only)

Cockpit & Tonneau Covers w/Canvas Storage Bag

Mooring Cover (Black Only)

COCKPIT COLOR OPTION

Espresso (Beige) w/Country Beige Carpet

OPTIONAL PACKAGE

SHORE POWER:

120V/60 Cycle - 30 Amp Service w/Inlet, 50' Cord & Adapter, 20A/12V Battery

Charger/Converter, Galvanic Isolator & Main Distribution Panel (Also Available in 220V/50 Cycle)

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
 Air Compressor for Water Toys
 Battery Charger
 Docking Lights
 Dynamic Running Surface™
 Exhaust, Selectable, Thru-Hull (N/A w/CE Option)
 Fender Clip System - Quick Disconnect
 Filler Cushion - Bow
 Flagpole w/Base & US Flag
 Flooring, Infinity Seagrass™ - Cockpit
 Flooring, SeaDek® Swim Platform Pad (Mocha or Storm Grey)
 Flooring, Teak on Swim Platform, Transom Walkthrough & Head Floor
 Flooring, Teak on Cockpit Floor & Deck Port, Starboard Entrance Steps
 Gel Coat, Full Solid Color Hull (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
 Gel Coat, Two-Tone Hullside Color w/White Bottom (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
 Gel Coat, Three-Tone w/ Optional Gel Stripe (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
 Gel Coat, Hull Bottom Color (Onyx)
 Gray Water System
 Grill, Electric - Cockpit Wet Bar (Requires Inverter & Shore Power)
 Hardtop, Fiberglass w/Courtesy Lights & Retractable Anchor Light
 Hardtop, Fiberglass w/Opening Canvas; Courtesy Lights & Retractable Anchor Light
 Hardtop, Fiberglass w/Extended Sunshade; Courtesy Lights & Retractable Anchor Light
 Hardtop, Fiberglass w/Opening Canvas; Extended Sunshade; Courtesy Lights & Retractable Anchor Light
 Head, System VacuFlush® w/Direct Overboard Discharge (Int'l)
 Helm Stainless Steel Foot Rest w/ Rubber Inserts
 Hot Water System w/6 Gal. Tank (Head & Transom Washdown)
 Inverter (12VDC to 120VAC)
 Ladder, Bow, w/Hatch
 Lighting, LED Blue or White
 Lighting, Underwater - Transom Mount
 Macerator, w/Seacock Interlock System
 Refrigerator w/ pull out drawers - Cockpit Wet Bar
 SiriusXM® Satellite Receiver w/Antenna (N/A Outside N. America)
 Speakers, Water Sports Tower (N/A w/Hardtop Opt)
 Spotlight, 5" Remote-Controlled
 Step, Stbd Entry - Recessed Aluminum Fold-Down
 Stereo, Premier Audio Upgrade w/Rockford Fosgate® Components: Amplifier & Subwoofer
 Stereo Remote Control - Additional Unit on Transom
 Swim Platform, Submersible, Hydraulic (Mounted Under Integral Platform)
 Table, Bow w/Teak Overlay
 Table, Bow (Fiberglass)
 Table, Cockpit w/Teak Overlay
 VHF Radio w/3.5' Stainless-Steel Antenna & Stainless-Steel Ratchet Mount
 Windlass, Rope/Chain, w/Remote Control & Galvanized Anchor
 Windlass, Rope/Chain w/Remote Control & Stainless Steel Anchor
 Windshield Upgrade w/Stainless Steel Top Frame
 Windshield Upgrade w/Stainless Steel Top Frame and LED Light Accent


CE Option

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	Twin MerCruiser 4.5L MPI ECT		T-250	Bravo 3	14.25x22.5 15.75x22.5	2.2:1	44 - 46	4800-5200
Sterndrive	Twin MerCruiser 6.2L MPI ECT		T-300	Bravo 3	TBD	2.2:1	48-50	5000-5400
Sterndrive	Twin MerCruiser 6.2L MPI ECT		T-350	Bravo 3	TBD	2.2:1	52-54	5000-5400
Diesel Sterndrive	Twin Mercury Diesel 260 TDI 4.2L T3		T-260	Bravo 3x	TBD	1.8:1	45-47	4000

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/std. swim platform	31'6" (9.6 m)
Overall length w/outboard engines	33'10" (10.3 m)
Beam	10'2" (3.1 m)
Draft (outboards down)	32" (81 cm)
Draft (outboards up)	24" (61 cm)
Dry weight	10,335 lbs (4,688 kg)
Fuel capacity	158 gal (598 L)
Water capacity	24 gal (99 L)
Holding tank	20 gal (76 L)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	5' (1.52 m)
Waterline to top of std tower	10'6" (3.2 m)
Waterline to top of opt hardtop	10'5" (3.17 m)
Lowest tip of underwater gear (in up position) to top of windshield	7' 3" (2.2 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Custom Sea Ray Thru-Bolted, Stainless Steel (8)
Deck Fuel Fill Plate - Chrome
Gel Coat, Arctic White
Graphics, Gel Coated
Handrail, Stainless Steel - Transom (2)
Hull Windows, Acrylic
Lights, Navigation - Stainless Steel
quietRIDE™ Technology
Resin, High-Performance Vinylester
Rub Rail, Black PVC w/Stainless Steel Insert
Ski Tow, Stainless Steel
Storage, Anchor Hatch w/Gas-Assisted Lift
Swim Platform, Integral/Extended w/ Under Mount Swim Ladder & Integral Grab Handle
Swim Step, Submersible Manual w/ Open Sensor Notification - Port
Thru-Hull Fittings, Stainless Steel
Tower, Water Sports, Electric Power Tower with Articulating Electric Bimini
Vent System, Engine Compartment - Integral
Windshield, Matte Finish Black, Tempered/Tinted Crosscurved Glass w/Walk Thru & Center Holder
Windshield Wiper - Starboard

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders - Stainless w/Rubber Inserts & Recessed Holders in Bow Side Panels (2)
Carpet Liner, Snap-In
Cooler, Carry-On w/Designated Storage
Dash w/Visor, Soft-Touch w/Custom Stitching
Door, Bow Block-Off, Acrylic
Floor, Finished Fiberglass w/Drainage Overboard
Glove Box, Helm, Lockable
Glove Box, Portside, Lockable
Grab Handles, Stainless Steel w/Leather Wrapped Grips
Interior Storage Compartment (Under Helm): Access From Flip Up Bow Aft Cushion/ Bolster; Light; Storage Racks/Straps; Access Door To Backside of Dash instruments; Carpeted Floor
Hatch, Engine Compartment - Electrically Actuated
Port Head Compartment:
- Enclosed w/Fiberglass Lockable Door, Molded Fiberglass Liner w/Solid Surface Countertop, Stainless Steel Sink & Faucet
- Head (VacuFlush®) w/20-Gallon Holding Tank
- Wood Storage Shelf
- Portlight w/Screen
- Courtesy Light
- Non Skid Floor Treatment
Lighting, LED Courtesy
Outlets, Accessory, 12V (3) and USB (2)
Stereo, 12V AM/FM, Wireless Bluetooth™, Dual Zone Volume Control, Amplifier & Weatherproof Rockford Fosgate® Speakers (6)
Storage, Port Bumper Storage w/ Fiberglass Hatch
Storage, Ski/Wakeboard w/Vinyl Matting & Gas-Assisted Fiberglass Lid
Storage, Side Panels - Cockpit
Storage, Transom Walkway w/ Lift Out Tub
Storage, Under Helm w/Lighting

Table, Fiberglass - Cockpit w/ Base & Designated Storage
Wet Bar - Fiberglass w/ Stainless Steel Sink & Faucet, Solid Surface Lid, Stainless Steel Grab Handle, Trash Receptacle & Storage Below

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls, Switch Panel & Soft Touch Dash Instrument Panel:
- Sand (Pearl) with Sterling Carpet

SEATING:

Bow Loungers w/Flip-Down Armrests & Storage Below
Cockpit Social Area w/Opposing Seating & Storage
Dual Helm Bench w/Slider, Flip-Up Thigh-Rise Bolster & Fiberglass Base
Dual Helm Companion w/Rotating Slider, Flip-Up Thigh-Rise Bolster & Aluminum Pedestal
Sun Pad / Aft Facing Lounger w/Flip Up Bolster/Seat & Tub Storage Below

HELM:

Dynamic Display™ w/Dual Medallion Touch Screen Displays (12" & 7") providing Connectivity and Control of Multiple Systems (Navigation, Audio, Engine, Lighting, etc)

Horn

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray SmartCraft w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels
- Speedometer
- Systems Tachometer (Includes: Depth/Water Temp, Engine Alarm/Hour Meter, Fuel Consumption/Usage, Trim Level, Trol Control, Voltage & Digital Speed)

SmartCraft Digital Throttle & Shift (DTS) w/Trim Switch & Ignition Cutout Switch
Steering, Power-Assisted Tilt Wheel w/Wood Accent
Switch Panel w/Backlit, Weatherproof Lighted Chrome Push-Button Switches
Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery Switch- Remote Battery Switch at Helm
Battery Trays w/Mounts
Wiring, Color-Coded w/Chafe Protection

BILGE:

Bilge Pump, 12V Automatic
Finished Aft Bilge Storage

FUEL SYSTEM:

Evaporative Emissions Fuel System
Fuel Lines, USCG - Type A-1
Fuel Tank w/Electric Anti-Siphon Valve & Electric Sending Unit

UNDERWATER GEAR:

Propellers, Stainless Steel
Variable Running Surface Trim Tabs, Manual

WATER SYSTEM:

Pressure Water System w/12V Pump & Level Indicator
Faucet - Head
Pullout Sprayer - Transom
Water Tank (24 Gallons)

STANDARD PROPULSION

Twin Mercury® 300XL Verado® FourStroke Outboards
- Black (T-300 hp - 224 kW)

Top speed at top RPM 54-56 MPH @ 5400 RPM
Gallons per hour at cruise speed 21.8 GPH @ 4000 RPM
Propeller TBD

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

Twin Mercury® 300XL Verado® FourStroke Outboards
- White (T-300 hp - 224 kW)
Twin Mercury® 350XL Verado® FourStroke Outboards
- Black (T-350 hp - 261 kW)
Twin Mercury® 350XL Verado® FourStroke Outboards
- White (T-350 hp - 261 kW)

SMARTCRAFT VESSEL VIEW DISPLAY:

- Includes: Air & Water Temperature, Combined Fuel Flow/Range, Depth, Engine Alarms/Hour Meters, Engine Synchronizer, GPS Interface & System Maintenance Records, ECO-Screen, Smart Tow™ and Troll Control™

CANVAS OPTIONS

CANVAS PACKAGE (FOR OPTIONAL HARDTOP):

Aft Curtain w/Bungee Straps
Front Curtains
Side Curtains
Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Toast Tweed or Marine Midnight Blue Canvas (In Lieu of Std Black)
Bow Shade System (Black Only)
Cockpit & Tonneau Covers w/Canvas Storage Bag
Mooring Cover (Black Only)

COCKPIT COLOR OPTION

Espresso (Beige) w/Country Beige Carpet

OPTIONAL PACKAGE

SHORE POWER:

120V/60 Cycle - 30 Amp Service w/Inlet, 50' Cord & Adapter, 20A/12V Battery Charger/Converter, Galvanic Isolator & Main Distribution Panel (Also Available in 220V/50 Cycle)

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
Air Compressor for Water Toys
Battery Charger
Docking Lights
Dynamic Running Surface™
Fender Clip System - Quick Disconnect
Filler Cushion - Bow
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, SeaDek® Swim Platform Pad (Mocha or Storm Grey)
Flooring, Teak on Swim Platform, Transom Walkthrough & Head Floor

Flooring, Teak on Cockpit Floor & Deck Port, Starboard Entrance Steps
 Flush System for Outboard Engines
 Gel Coat, Full Solid Color Hull (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
 Gel Coat, Two-Tone Hullside Color w/White Bottom (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
 Gel Coat, Three-Tone w/ Optional Gel Stripe (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
 Gel Coat, Hull Bottom Color (Onyx)
 Gray Water System
 Grill, Electric - Cockpit Wet Bar (Requires Inverter & Shore Power)
 Hardtop, Fiberglass w/Courtesy Lights & Retractable Anchor Light
 Hardtop, Fiberglass w/Opening Canvas; Courtesy Lights & Retractable Anchor Light
 Hardtop, Fiberglass w/Extended Sunshade; Courtesy Lights & Retractable Anchor Light
 Hardtop, Fiberglass w/Opening Canvas; Extended Sunshade; Courtesy Lights & Retractable Anchor Light
 Head, System VacuFlush® w/Direct Overboard Discharge (Int'l)
 Helm Stainless Steel Foot Rest w/ Rubber Inserts
 Hot Water System w/6 Gal. Tank (Head & Transom Washdown) (Only Available w/ Shore Power Opt)
 Inverter (12VDC to 120VAC)
 Joystick Piloting
 Ladder, Bow, w/Hatch
 Lighting, LED Blue or White
 Lighting, Underwater - Transom Mount
 Macerator, w/Seacock Interlock System
 Refrigerator w/ Pull Out Drawers - Cockpit Wet Bar
 SiriusXM® Satellite Receiver w/Antenna (N/A Outside N. America)
 Speakers, Water Sports Tower (N/A w/Hardtop Opt)
 Spotlight, 5" Remote-Controlled
 Step, Stbd Entry - Recessed Aluminum Fold-Down
 Stereo Remote Control - Additional Unit on Transom
 Stereo, Premier Audio Upgrade w/Rockford Fosgate® Components: Amplifier & Subwoofer
 Table, Bow w/Teak Overlay
 Table, Bow (Fiberglass)
 Table, Cockpit w/Teak Overlay
 VHF Radio w/3.5' Stainless-Steel Antenna & Stainless-Steel Ratchet Mount
 Windlass, Rope/Chain, w/Remote Control & Galvanized Anchor
 Windlass, Rope/Chain w/Remote Control & Stainless Steel Anchor
 Windshield Upgrade w/Stainless Steel Top Frame
 Windshield Upgrade w/Stainless Steel Top Frame and LED Light Accent


CE Option

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Outboard	T-Mercury 300XL Verado		T-300	XL		1.85:1	54-56	5800-6400
Outboard	T-Mercury 350XL Verado		T-350	XL		1.85:1	57-59	5800-6400

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/std. swim platform	34'6" (10.5 m)
Beam	10'6" (3.2 m)
Draft (sterndrives down)	36" (91 cm)
Draft (sterndrives up)	29" (74 cm)
Dry weight	11,787 lbs (5,347 kg)
Fuel capacity	160 gal (605 L)
Water capacity	30 gal (113 L)
Holding tank	27 gal (102 L)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of hardtop	7'10" (2.38 m)
Keel to top of windshield	7'7" (2.31 m)
Keel to top of hardtop	10'2" (3.09 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Cleats, Thru-Bolted - Stainless Steel (8)
Drain Plug, Brass-Threaded
Gel Coat, Arctic White
Graphics, Gel Coated Tapered Boot Stripe
Hardtop, Fiberglass w/Carbon Fiber Reinforcement & Courtesy Lights
Lights, Navigation - Stainless Steel w/Motorized Mast Light
quietRIDE™ Technology
Resin, High-Performance Vinylester
Rub Rail, Black PVC w/Stainless Steel Insert
Ski Tow Eye, Stainless Steel
Storage, Anchor w/Hatch
Swim Platform, Integral/Extended; Swim Ladder w/Integral Grab Handle, Dedicated Storage Area for Stern Anchor
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Compartment - Integral w/Stainless Steel Grill
Windshield, Tempered/Tinted Curved Glass w/Stainless Steel Cap, Walk-Thru & Stainless Steel Supports
Windshield Wiper - Starboard

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders, Stainless w/Rubber Insert
Carpet Liner, Snap-In
Cooler, Cockpit w/Dedicated Storage (2)
Dash, Custom Soft-Touch w/Wood-Grain Accents
Dash, Acrylic Skylight (Port & Starboard)
Deck Coaming Entry Access, Port & Starboard Cockpit
Door, Bow Block-Off - Acrylic
Floor, Finished Fiberglass w/Drainage Overboard
Glove Box, Helm - Lockable
Grab Handles, Stainless Steel w/Vinyl Wrap
Hatch, Engine Compartment - Electrically Actuated
Port Head Compartment: Enclosed w/Fiberglass Lockable Door, Molded Fiberglass Liner w/Solid Surface Countertop, Vessel Sink & Pullout Sprayer; Head (VacuFlush®) w/Settee Lid & 27-Gallon Holding Tank; Wood Storage Cabinet w/Mirrored Door & Light; Portlight, Skylight; Storage System
Starboard Helm Compartment: Enclosed w/Fiberglass Liner; Light; Storage System
Opening Portlight w/Screen; CO Monitor
Lighting, Courtesy
Outlet, 12V Accessory (2)
Stereo, 12V AM/FM Rockford Fosgate®, Wireless Bluetooth™, Amplifier, Weatherproof Rockford Fosgate® Speakers (8) & Digital Cockpit Remote Control - Helm & Transom
Storage, Cockpit Side Panel
Storage, In-Floor w/Gas-Assisted Hatch, Lighting & Vinyl Matting
Storage, Side Panels - Bow
Table, Cockpit - Fiberglass
Vinyl, Marine-Grade w/Mildew & UV Protection
Walk-Thru Transom
Wet Bar w/Solid-Surface Countertop, Stainless Steel Sink, Faucet, Refrigerator (2.3 cu. ft.), Stainless Steel Grab Handle, Trash Receptacle & Storage Area Below

COCKPIT COLOR:

Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls, Switch Panel & Soft Touch Dash Instrument Panel:
- Sand (Pearl) with Sterling Carpet

SEATING:

Bow w/Hinged Cushions; Arm Rests & Table Storage Below
Cockpit L-Shape Lounger w/Opposing Seating
Loungers, Concealable Aft Facing
Seat, Dual Bucket - Helm, w/Slider, Flip-Up Thigh-Rise Bolster and Footrest
Seat, Dual Bucket - Companion, w/Swivel & Slider and Flip-Up Thigh-Rise Bolster

HELM:

Alarms, Engine - Oil & Water (Audible)
Alarm, High-Water - Bilge
Digital Dash Plus W/ Chartplotter
Compass
Horn
SmartCraft Digital Throttle & Shift (DTS) w/Trim Switch & Ignition Cutout Switch
(Binnacle Control w/All Engines)
Steering, Power-Assisted
Steering, Tilt Wheel
Switch Panel w/Backlit Push Button Switches
Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery Switch, Dual
Battery Trays w/Mounts
Wiring, Color-Coded w/Chafe Protection

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic
Bilge Pump, 12V Automatic High-Water
Blowers, 12V Bilge (2)
Fire Suppression System - Automatic w/Manual Pull
Gel-Coated Engine Compartment
Lighting, 12V
Oil Filter - Remote

FUEL SYSTEM:

Evaporative Emissions Fuel System
Fuel Lines, USCG - Type A-1
Fuel Tank w/Anti-Siphon Valve & Electric Sending Unit

UNDERWATER GEAR:

Propellers, Stainless Steel
Variable Running Surface (Trim Tabs)

WATER SYSTEM:

Pressure Water System w/12V Pump
Faucet, Wet Bar
Pullout Sprayer, Head & Transom
Water Tank (30 Gallons), w/Level Indicator and Water Filter System

STANDARD PROPULSION

Twin MerCruiser® 6.2L MPI ECT* Bravo® III w/DTS Sterndrives
(T-300 hp - 224 kW)

*Non-catalyzed engines available for select international markets.

Top speed at top RPM45-47 MPH @ 5400 RPM
Gallons per hour at cruise speed (per engine)21.2 GPH @ 3500 rpm
Propeller14.25 x 22.5 / 15.75x22.5

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

TWIN GASOLINE STERNDRIVES:

T-MerCruiser 6.2L MPI ECT* Bravo III w/DTS
(T-350 hp - 261 kW)

T-MerCruiser 8.2 MAG ECT* Bravo III w/DTS
(T-380 hp - 283 kW)

*Non-catalyzed engines available for select international markets.

AXIUS® PROPULSION:

T-MerCruiser 6.2L MPI ECT* Bravo III w/Axius
(T-300 hp - 224 kW)

T-MerCruiser 6.2L MPI ECT* Bravo IIIx w/Axius
(T-350 hp - 261 kW)

T-MerCruiser 8.2 MAG ECT* Bravo III w/Axius
(T-380 hp - 283 kW)

Axius Propulsion System Includes SmartCraft VesselView Display & Helm Joystick Control

*Non-catalyzed engines available for select international markets.

DIESEL AXIUS® PROPULSION:

T-Mercury® Diesel 370 TDI® 4.2L T3 Bravo IIIxr w/Axius
(T-364 hp - 271 kW)

CANVAS PACKAGE (FOR FIBERGLASS HARDTOP):

Aft Curtain w/Bungee Straps

Front Curtains

Side Curtains

Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Black, Toast Tweed or Marine Midnight Blue Canvas

Aft Extended Sunshade

Bow Shade System (Black Only)

Cockpit & Tonneau Covers w/Canvas Storage Bag

Mooring Cover (Black Only)

Retractable (Opening) Canvas Insert for Hardtop

OPTIONAL PACKAGES

SHORE POWER:

120V/60 Cycle - 30 Amp Service w/Inlet, 50' Cord & Adapter, 20A/12V Battery Charger/Converter, Galvanic Isolator & Main Distribution Panel (Also Available in 220V/50 Cycle)

SMARTCRAFT VESSEL VIEW DISPLAY:

(Standard w/Axius Propulsion)

- Includes: Air & Water Temperature, Combined Fuel Flow/Range, Depth, Engine Alarms/Hour Meters, Engine Synchronizer, GPS Interface & System Maintenance Records, ECO-Screen, Smart Tow™ and Troll Control™

INTERIOR COLOR OPTION:

Espresso (Beige) w/Country Beige Carpet

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
 Air Compressor for Water Toys
 Air Conditioning For Helm Berth (Requires Inverter & Shore Power Options)
 Battery Charger
 Berth Upgrade: Cushions; iPod/iPad Connectivity & Integration Systems; TV
 Chartplotter - Raymarine® 12" Display Upgrade
 Docking Lights
 Dynamic Running Surface™
 Exhaust, Selectable, Thru-Hull (N/A w/CE Option)
 Fender Clip System - Quick Disconnect
 Filler Cushions, Bow w/Integrated Cushion Storage
 Filler Cushions, Cockpit
 Flagpole w/Base & US Flag
 Flooring, Infinity Seagrass™ - Cockpit
 Flooring, Teak - Cockpit & Deck Entrance Steps
 Flooring, Teak - Swim Platform & Walkthru
 Flooring, Teak - Optional Submersible Swim Platform
 Gel Coat, Two-Tone Hullside Color w/White Bottom (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
 Gel Coat, Three-Tone w/ Optional Gel Stripe (Onyx, Sea Ray Blue, Rally Red, Mahogany Brown, Horizon Grey or Mojave Tan)
 Gel Coat, Hull Bottom Color (Onyx)
 Gray Water System
 Grill, Wet Bar, Electric (Requires Inverter & Shore Power Options)
 Head, System VacuFlush® w/Direct Overboard Discharge (Int'l)
 Hot Air Vents, Cockpit
 Inverter (12VDC to 120VAC)
 Ladder, Bow w/Hatch
 Lighting, Enhanced Blue or White LED Package, (Exterior and Cockpit)
 Lighting, Thru Hull Underwater
 Macerator w/Seacock Interlock System
 SiriusXM® Satellite Receiver w/Antenna (N/A Outside N. America)
 Spotlight, 5" Remote-Controlled
 Stereo, Premier Audio Upgrade w/Rockford Fosgate® Components: Amplifier & Subwoofer
 Swim Platform, Automated Submersible
 Table, Bow Fiberglass
 Table, Bow w/Teak Overlay
 Table, Cockpit, Fiberglass w/Teak Overlay (Replaces Standard Fiberglass)
 Table, Cockpit, Fiberglass - Hydraulically Actuated (Retractable to Flush Mount w/Floor)
 Table, Cockpit, Fiberglass w/Teak Overlay - Hydraulically Actuated (Retractable to Flush Mount w/Floor)
 VHF Radio w/3.5' Stainless-Steel Antenna & Stainless-Steel Ratchet Mount
 Water Heater (6 gallon)
 Windlass, Thru-Hull Rope/Chain w/Galvanized Anchor; Wash Down and Bow Controls
 Windlass, Thru-Hull All Chain w/Galvanized Anchor; Wash Down and Bow Controls
 Windlass, Thru-Hull Rope/Chain w/Stainless Steel Anchor; Wash Down and Bow Controls
 Windlass, Thru-Hull All Chain w/Stainless Steel Anchor; Wash Down and Bow Controls

CE Option

TRAILER OPTIONS:


Int'l Trailer, Aluminum w/Bunks
 Int'l Trailer, Aluminum w/Rollers

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	T-MerCruiser 6.2L MPI		T-300	Bravo 3	14.25x22.5 15.75x22.5	2.20:1	45-47	4800-5200
Sterndrive	T-MerCruiser 6.2L MPI		T-350	Bravo 3	14x24 15.5x24	2.20:1	52-54	4800-5200
Sterndrive	T-MerCruiser 8.2 MAG		T-380	Bravo 3x	13.5 x 28 15 x 28	2.00:1	54-56	4400-4800
Diesel Axis	T-Mercury® Diesel TDI® 4.2L - 370 HO		T-364	Bravo 3x	15.5 x 27 Diesel 14.5x27 Diesel	1.81:1	54-56	4200

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/std. swim platform	34'6" (10.5 m)
Overall length w/outboard engines	36'11" (11.25 m)
Beam	10'6" (3.2 m)
Draft (outboards down)	39" (99 cm)
Draft (outboards up)	28" (71 cm)
Dry weight	12,060 lb (5,470 kg)
Fuel capacity	223 gal (844 L)
Water capacity	30 gal (113 L)
Holding tank	27 gal (102 L)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of hardtop	7'10" (2.38 m)
Keel to top of windshield	7'7" (2.31 m)
Keel to top of hardtop	10'2" (3.09 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Cleats, Thru-Bolted - Stainless Steel (8)
 Drain Plug, Brass-Threaded
 Gel Coat, Arctic White
 Graphics, Gel Coated Tapered Boot Stripe
 Hardtop, Fiberglass w/Carbon Fiber Reinforcement & Courtesy Lights
 Lights, Navigation - Stainless Steel w/Motorized Mast Light
 Resin, High-Performance Vinylester
 Rub Rail, Black PVC w/Stainless Steel Insert
 Storage, Anchor w/Hatch
 Swim Platform, Integral/Extended; Swim Ladder w/Integral Grab Handle, Manual/
 Submersible Swim Step - Port
 Thru-Hull Fittings, Stainless Steel
 Vent System, Engine Compartment - Integral w/Stainless Steel Grill
 Windshield, Tempered/Tinted Curved Glass w/Stainless Steel Cap, Walk-Thru &
 Stainless Steel Supports
 Windshield Wiper - Starboard

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
 NMMA Certification
 Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders, Stainless w/Rubber Insert
 Carpet Liner, Snap-In
 Cooler, Cockpit w/Dedicated Storage (2)
 Dash, Custom Soft-Touch w/Wood-Grain Accents
 Dash, Acrylic Skylight (Port & Starboard)
 Deck Coaming Entry Access, Port & Starboard Cockpit
 Door, Bow Block-Off - Acrylic
 Floor, Finished Fiberglass w/Drainage Overboard
 Glove Box, Helm - Lockable
 Grab Handles, Stainless Steel w/Vinyl Wrap
 Hatch, Engine Compartment - Electrically Actuated
 Port Head Compartment: Enclosed w/Fiberglass Lockable Door, Molded Fiberglass
 Liner w/Solid Surface Countertop, Vessel Sink & Pullout Sprayer; Head
 (VacuFlush®) w/Settee Lid & 27-Gallon Holding Tank; Wood Storage Cabinet
 w/Mirrored Door & Light; Portlight, Skylight; Storage System
 Starboard Helm Compartment: Enclosed w/Fiberglass Liner; Light; Storage System
 Opening Portlight w/Screen; CO Monitor
 Lighting, Courtesy
 Outlet, 12V Accessory (2)
 Stereo, 12V AM/FM Rockford Fosgate®, Wireless Bluetooth™, Amplifier,
 Weatherproof Rockford Fosgate® Speakers (8) & Digital Cockpit Remote Control -
 Helm & Transom
 Storage, Cockpit Side Panel
 Storage, In-Floor w/Gas-Assisted Hatch, Lighting & Vinyl Matting
 Storage, Side Panels - Bow
 Table, Cockpit - Fiberglass
 Vinyl, Marine-Grade w/Mildew & UV Protection
 Walk-Thru Transom
 Wet Bar w/Solid-Surface Countertop, Stainless Steel Sink, Faucet, Refrigerator (2.3
 cu. ft.), Stainless Steel Grab Handle, Trash Receptacle & Storage Area Below
COCKPIT COLOR:
 Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls, Switch Panel & Soft
 Touch Dash Instrument Panel:
 - Sand (Pearl) with Sterling Carpet

SEATING:

Bow w/Hinged Cushions; Arm Rests & Table Storage Below
Cockpit L-Shape Lounger w/Opposing Seating
Loungers, Concealable Aft Facing
Seat, Dual Bucket - Helm, w/Slider, Flip-Up Thigh-Rise Bolster and Footrest
Seat, Dual Bucket - Companion, w/Swivel & Slider and Flip-Up Thigh-Rise Bolster

HELM:

Alarms, Engine - Oil & Water (Audible)
Alarm, High-Water - Bilge
Digital Dash Plus W/ Chartplotter
Horn
Joystick Control
SmartCraft® Digital Throttle & Shift (DTS) w/Trim Switch & Ignition Cutout Switch
SmartCraft Vessel View Display:
Includes: Air & Water Temperature, Combined Fuel Flow/Range, Depth,
Engine Alarms/Hour Meters, Engine Synchronizer, GPS Interface & System
Maintenance Records, ECO-Screen, Smart Tow™ and Troll Control™
Steering, Power-Assisted
Steering, Tilt Wheel
Switch Panel w/Backlit Push Button Switches
Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery Switch, Dual
Battery Trays w/Mounts
Wiring, Color-Coded w/Chafe Protection

BILGE:

Bilge Pump, 12V Automatic
Finished Aft Bilge Storage

FUEL SYSTEM:

Evaporative Emissions Fuel System
Fuel Lines, USCG - Type A-1
Fuel Tank w/Anti-Siphon Valve & Electric Sending Unit

UNDERWATER GEAR:

Propellers, Stainless Steel
Variable Running Surface (Trim Tabs)

WATER SYSTEM:

Pressure Water System w/12V Pump
Faucet, Wet Bar
Pullout Sprayer, Head & Transom
Water Tank (30 Gallons), w/Level Indicator and Water Filter System

STANDARD PROPULSION

Triple Mercury® 300 Verado®
FourStroke Outboard Engines w/Joystick Piloting (Black)
(Tri-300 hp - 224 kW)

Top speed at top RPM.....	60-62 MPH @ 5400 RPM
Gallons per hour at cruise speed.....	32.7 GPH @ 4000 RPM
Propeller	TBD

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

Triple Mercury 300 Verado FourStroke Outboards
w/Joystick Piloting - White (Tri-300 hp - 224 kW)

CANVAS PACKAGE (FOR FIBERGLASS HARDTOP):

Aft Curtain w/Bungee Straps
Front Curtains
Side Curtains
Canvas Storage Bag

INDIVIDUAL CANVAS OPTIONS:

Black, Toast Tweed or Marine Midnight Blue Canvas
Aft Extended Sunshade
Bow Shade System (Black Only)
Cockpit & Tonneau Covers w/Canvas Storage Bag
Mooring Cover (Black Only)
Retractable (Opening) Canvas Insert for Hardtop

OPTIONAL PACKAGES

SHORE POWER:

120V/60 Cycle - 30 Amp Service w/Inlet, 50' Cord & Adapter, 20A/12V Battery
Charger/Converter, Galvanic Isolator & Main Distribution Panel (Also Available in
220V/50 Cycle)

INTERIOR COLOR OPTION:

Espresso (Beige) w/Country Beige Carpet

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
Air Compressor for Water Toys
Air Conditioning For Helm Berth (Requires Inverter & Shore Power Options)
Battery Charger
Berth Upgrade: Cushions; iPod/iPad Connectivity & Integration Systems; TV
Chartplotter - Raymarine® 12" Display Upgrade
Docking Lights
Dynamic Running Surface™
Fender Clip System - Quick Disconnect
Filler Cushions, Bow w/Integrated Cushion Storage
Filler Cushions, Cockpit
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, SeaDek® - Swim Platform & Walkthru (Mocha or Storm Gray)
Flooring, Teak - Cockpit & Deck Entrance Steps
Flooring, Teak - Swim Platform & Walkthru
Flooring, Teak - Optional Submersible Swim Platform
Flush System for Outboard Engines
Gel Coat, Hull Bottom Color (Onyx)
Gel Coat, Two-Tone (Onyx, Sea Ray Blue, Rally Red,
Mahogany Brown, Horizon Grey or Mojave Tan)
Gel Coat, Three-Tone (Onyx, Sea Ray Blue, Rally Red,
Mahogany Brown, Horizon Grey or Mojave Tan)
Gray Water System
Grill, Wet Bar, Electric (Requires Inverter & Shore Power Options)
Head, System VacuFlush® w/Direct Overboard Discharge (Int'l)
Inverter (12VDC to 120VAC)
Ladder, Bow w/Hatch

Lighting, Enhanced Blue or White LED Package,
(Exterior and Cockpit)
Lighting, Thru Hull Underwater
Macerator w/Seacock Interlock System
SiriusXM® Satellite Receiver w/Antenna (N/A Outside N. America)
Spotlight, 5" Remote-Controlled
Stereo, Premier Audio Upgrade w/Rockford Fosgate® Components: Amplifier &
Subwoofer
Table, Bow Fiberglass
Table, Bow w/Teak Overlay
Table, Cockpit, Fiberglass w/Teak Overlay (Replaces Standard Fiberglass)
Table, Cockpit, Fiberglass - Hydraulically Actuated (Retractable to Flush Mount w/
Floor)
Table, Cockpit, Fiberglass w/Teak Overlay - Hydraulically Actuated (Retractable to
Flush Mount w/Floor)
VHF Radio w/3.5' Stainless-Steel Antenna & Stainless-Steel Ratchet Mount
Water Heater (6 gallon)
Windlass, Thru-Hull Rope/Chain w/Galvanized Anchor; Wash Down and Bow Controls
Windlass, Thru-Hull All Chain w/Galvanized Anchor; Wash Down and Bow Controls
Windlass, Thru-Hull Rope/Chain w/Stainless Steel Anchor; Wash Down and Bow
Controls
Windlass, Thru-Hull All Chain w/Stainless Steel Anchor;
Wash Down and Bow Controls

CE Option

TRAILER OPTIONS:

Int'l Trailer, Aluminum w/Bunks
Int'l Trailer, Aluminum w/Rollers

PROPELLER & SPEED CHARTS


Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Outboard	Triple-Mercury 300XL Verado		Tri-300	XL		1.85:1	60-62	5800-6400


Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).

Sport Cruisers

Sundancer 260
Sundancer 280
Sundancer 310
Sundancer 330
Sundancer 350
Sundancer 350 Coupe NEW
Sundancer 370



Cockpit Layout



Cabin Layout

SPECIFICATIONS

Overall length w/extended swim platform	26'7" (8.1 m)
Beam	8'6" (2.59 m)
Draft (sterndrive down)	41" (104 cm)
Draft (sterndrive up)	24" (61 cm)
Dry weight	6,667 lbs (3,024 kg)
Fuel capacity	69 gal (261 L)
Water capacity	20 gal (76 L)
Holding tank (optional)	18 gal (68 L)
Deadrise	19°

HEIGHT DIMENSIONS

Waterline to top of windshield	5'7" (1.7 m)
Keel to top of windshield	7'7" (2.5 m)
Keel to top of Spoiler	10'4" (3.1 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Bow Rail, Stainless Steel w/Welded Stanchions
Cleats, Thru-Bolted - Stainless Steel, w/Sea Ray Logo (6)
Drain Plug
Gel Coat, Arctic White
Hardware, Stainless Steel
Hatch, Deck Vent - Translucent w/Locks
Hull Windows, Fixed Smoked Acrylic
Light, Stern - Removable
Lights, Navigation - Stainless Steel
Portlights, Stainless Steel (2 Opening)
Rub Rail, PVC w/Stainless Steel Insert
Skylights (2)
Storage, Anchor w/Fiberglass Hatch Storage, Aft Seat Base
Swim Platform, Extended w/ Stainless Steel Swim Ladder
Vent System, Engine Room - Integral w/Stainless Steel Grill
Windshield, Tempered/Tinted Curved Glass w/Walk-Thru & Stainless Steel Supports

CANVAS (SUNBRELLA® - BLACK):

Bimini Top w/Boot
Dash Cover

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders
Cockpit Color Package: Mocha (Std) or Wheat (Opt)
Door, Cabin Entry (Sliding & Lockable) Fiberglass w/Integral Steps
Door, Transom
Floor, Finished Fiberglass - Self-Bailing
Handrails, Stainless Steel
Hatch, Engine Room - Gas-Assisted
Lighting, Indirect - LED
Outlet, 12V Accessory
Outlet, 120V/60 Cycle
Seating, Aft bench - Converts to Sunpad
Seating, Double Helm w/Converting Backrest
Seating, Port Lounger

CABIN FEATURES

Carbon Monoxide Monitor
Carpet, Deep-Pile BCF - 44-Ounce, 100% Nylon
Lighting, 12V
Outlet, 120V/60 Cycle
Stereo, 12V AM/FM, Wireless Bluetooth™ with MP3 / USB Port, I-Pod Connection, 4
Weatherproof Speakers (2 Cockpit, 2 Cabin) & Digital Cockpit Remote
Wood Interior Package - Chestnut (Std), Cherry or Pecan Finished Cabinetry

GALLEY:

Countertop, Fiberglass
Microwave, Stainless Steel
Outlets (12V Accessory)
Refrigerator, Dual-Voltage 120V/12V
Storage - Overhead
Trash Receptacle

HEAD:

Curtain, Shower
Handrail, Stainless Steel
Head, Enclosed - Full Fiberglass (Stand-Up)
Head, Portable
Mirror
Vanity w/Sink, Faucet w/Pullout Sprayer & Storage Below

MID-BERTH:

Bunk, Double

V-BERTH:

Filler Cushions
Mirrored Bulkhead
Seating, Converts to Bed w/Dedicated Cushion Storage & Storage Below
Storage, Side Shelves
Table, Dinette - Solid Wood

TECHNICAL FEATURES**HELM:**

Alarms, Engine - Oil & Water (Audible)
Compass
Horn
Shift & Throttle Lever w/Trim Switch & Ignition Cutout Switch
SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray® SmartCraft w/Low-Glare Blue Night Lighting & Chrome Bezels
- Four-In-One Gauge (Includes: Fuel Level, Oil Pressure, Trim & Water Temperature)
- Speedometer
- System Tachometer (Includes: Depth/Water Temp, Engine Alarm/Hourmeter, Fuel Consumption/Usage, Trim Level, Voltage & Digital Speed)

Steering, Power-Assisted
Steering, Tilt Wheel
Toggle Switch Panels, Illuminated Low-Glare Blue
Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery Charger/Converter
Battery Switch, Dual
Battery Tray (2) w/Mount
Isolator, Galvanic
Panel, DC Main Breaker
Panel, Main Distribution - AC/DC
Shore Power, 30 Amp/120V w/50' Cord & Adapter
Wiring, Color-Coded w/Chafe Protection

ENGINE ROOM:

Bilge Pump, 12V Automatic
Blower, 12V Bilge
Insulated & Gel-Coated Engine Room
Lighting, 12V

FUEL SYSTEM:

Evaporative Emissions Fuel System
Fuel Lines, USCG - Type A-1
Fuel Tank w/Anti-Siphon Valve & Mechanical Sending Unit

UNDERWATER GEAR:

Propellers, Stainless Steel
Variable Running Surface w/Integrated Trim Tabs

WATER SYSTEM:

Dockside Water Inlet
Shower, Cockpit - Hot & Cold
Pressure Water System w/12V Pump
Water Heater, 120V (6 gal) w/Exchanger
Water Tank (20 gal)

STANDARD PROPULSION

MerCruiser® 6.2L MPI ECT* Bravo® III Sterndrive
(300 hp - 224 kW)

*Non-catalyzed engines available for select international markets.

Top speed at top RPM 39-41 MPH @ 5400 RPM
Gallons per hour at cruise speed (per engine) 10 GPH @ 3500 RPM
Propeller 14.4x20 / 16x20
This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

GASOLINE STERNDRIVE:

MerCruiser® 6.2L MPI ECT* Bravo® III w/DTS**
(350 hp - 261 kW)

MerCruiser 6.2L MPI ECT* SeaCore® Bravo III w/DTS**
(350 hp - 261 kW)

*Non-catalyzed engines available for select international markets.

**SmartCraft Digital Throttle & Shift Replaces Std Throttle & Shift

CANVAS OPTIONS

BIMINI CANVAS PACKAGE:

Aft Curtain w/Bungee Straps
Canvas Storage Bag
Front Curtains
Side Curtains

BIMINI / CAMPER CANVAS PACKAGE:

Camper Aft Curtain
Camper Top w/Boot & Vertical Storage
Canvas Storage Bag
Front Curtains
Side Curtains (Bimini & Camper)

INDIVIDUAL CANVAS OPTIONS:

Toast Tweed or Marine Midnight Blue Canvas (In Lieu of Black)
Cockpit Cover
Extended Aft Bimini

GENERATOR OPTIONS

5.0 kW Kohler® - Low Emission - Gas, 120V/60Hz
4.0 kW Kohler - Low Emission - Gas, 220V/50Hz (Int'l)
Includes Remote Start w/Muffler, Stainless-Steel Exhaust Outlet, Closed Cooling,
Remote Fuel Filter, Seacock & Seawater Strainer
(Generator Manufacturer & Size May Vary Due to Product Availability)

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
 Air Conditioning/Heating, 120V (8,000 BTU)
 Anchor Chute w/Hawse Pipe
 Bottom Paint (White Hull Only)
 Bow Thruster
 Carpet Liner, Snap-In - Cockpit
 Carpet Runners, Interior (Sunbrella®)
 Cockpit Galley w/Sink, Faucet & Single Burner Stove (In Lieu of Aft Facing Port Lounger)
 Cockpit Coolbox
 Colored Hull, Full Hull (Onyx, Sea Ray Blue, Mahogany Brown, Mojave Tan or Horizon Grey) Includes Bottom Paint
 Colored Hull, Two -Tone (Onyx, Sea Ray Blue, Mahogany Brown, Mojave Tan or Horizon Grey)
 Deck Hatch Screen
 Digital Dash (9" Display); Includes Raymarine a95 Chartplotter
 Dynamic Running Surface™
 Fender Clip System - Quick Disconnect (6)
 Fire Suppression System - Automatic w/Manual Pull
 Flagpole w/Base & US Flag
 Flooring, Infinity Seagrass™ - Cockpit
 Flooring, Teak - Cockpit & Standard Swim Platform
 Gel-Coated Dash
 Gray Water System
 Head, Interior Upgrade: Teak Floor & Solid Surface Countertop
 Head, VacuFlush® w/18-Gallon Holding Tank
 Head, VacuFlush w/Overboard Discharge (Int'l)
 Inverter, 12V to 120V/60 Cycle
 Lighting, Enhanced LED Package, White or Blue - Cockpit
 Lighting, Thru-Hull - Underwater
 Macerator w/Seacock Interlock System
 Mid-Sleeper Window, Sliding w/Screen
 Sport Spoiler, Molded Fiberglass (Seamless) w/Overhead LED Lighting
 Spotlight, 5" Remote-Controlled
 Stove, Alcohol/Electric, Single Burner
 Sun Pad, Foredeck w/Headrest & Stainless Steel Deck Runners
 Swim Platform, Automated - Submersible
 Table, Cockpit - Solid Teak w/Dedicated Storage & Sun Pad Cushion
 TV & DVD Player - V-Berth
 VHF Radio w/8' Fiberglass Antenna & Stainless-Steel Ratchet Mount
 Windlass, Rope/Chain w/Foot Switches
 Windlass, All Chain w/Foot Switches
 Windshield Wiper, Starboard


CE Option

PROPELLER & SPEED CHARTS


Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	MerCruiser 6.2L MPI ECT		300	Bravo 3	14.4x20 16x20	2.20:1	39-41	5000-5400
Sterndrive	MerCruiser 6.2L MPI ECT		350	Bravo 3		2.20:1		5000-5400

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



Cockpit Layout



Cabin Layout

SPECIFICATIONS

Overall length w/integral swim platform	28'8" (8.74 m)
Overall length w/optional extended swim platform	30'6" (9.29 m)
Beam	8'10" (2.69 m)
Draft (sterndrive down)	42" (107 cm)
Draft (sterndrive up)	24" (60 cm)
Dry weight	8,166 lbs (3,704 kg)
Fuel capacity	85 gal (322 L)
Water capacity	28 gal (106 L)
Holding tank	28 gal (106 L)
Deadrise	19°

HEIGHT DIMENSIONS

Waterline to top of windshield	6'6" (1.98 m)
Underwater gear (in up position) to top of windshield	8'6" (2.59 m)
Load waterline to top of arch	8'10.5" (2.70 m)
Overall height from load waterline	10'1" (3.07 m)
Overall height	13'6" (4.11 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Bow Rail, Stainless Steel w/Welded Stanchions
Cleats, 8" Thru-Bolted, Stainless Steel, w/Sea Ray Logo (6)
Deck Fill Plates
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Handrail, Stainless Steel - Transom
Hatch, Deck Vent - Clear, Tinted & Tempered w/Locks, Screen & Blind - Trapezoidal
Hull Windows, Fixed Acrylic
Lights, Navigation - Stainless Steel
Portlight, Opening (1)
Rub Rail, PVC w/Stainless Steel Insert
Ski Tow Eye, Stainless Steel - Flush-Mount
Skylight, Tinted w/Screen & Blind
Storage, Anchor w/Hatch & Gas Assist
Storage, Transom (For Fenders & Gear)
Stringer System, Foam
Swim Platform, Integral w/Concealed Stainless Steel Four-Step Swim Ladder
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Room - Integral
Windshield, Tempered/Tinted Curved Glass Walk-Thru w/Stainless Steel Supports
Windshield Wiper - Starboard

CANVAS (SUNBRELLA® - BLACK):

Aft Curtain w/Bungee Straps
Ball & Socket Fittings
Canvas Storage Bag
Dash Cover
Front & Side Curtains

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders, Stainless Steel
Cockpit Color Package: Mocha or Wheat
Cooler, Carry-On w/Designated Storage
Door, Cabin Entry, Lockable
Door, Transom
Floor Liner, Fiberglass - Self-Bailing
Glove Box
Hatch, Engine Room - Electrically Actuated w/Emergency Pull Handle & Prop Rod
Lighting, Indirect
Outlet, 12V Accessory
Seating, Helm - Double Seat w/Rotating Base & Folding Backrest w/Lockable Leaning Post
Seating, Port - L-Shaped Lounger w/Storage Below
Seating, Transom - Fold-Down w/Storage
Sport Spoiler, Molded Fiberglass (Seamless) w/Overhead Lighting
Steps, Boarding - Molded-In
Wet Bar w/Corian® Accent, Stainless Steel Sink & Faucet, Beverage Holders, Stainless Steel Handrail & Storage Below

CABIN FEATURES

Carbon Monoxide Monitor
Flooring, Wood
Lighting, 12V
Outlets, 120V GFI Protected

Stereo, 12V AM/FM, Wireless Bluetooth™, Speakers (2 Cabin, 2 Cockpit) & Digital
Cockpit Remote Control
Wood Interior Package - Chestnut (Std), Cherry or Pecan Finished Cabinetry

GALLEY:

Countertop, Molded Fiberglass w/Sink & Pullout Faucet
Handrail, Stainless Steel
Microwave, 120V, Stainless Steel
Outlet, 12V Accessory
Refrigerator, Dual-Voltage 120V/12V
Storage, Upper & Lower
Stove, 120V/60 Cycle, Alcohol/Electric (Single Burner)
Trash Receptacle

HEAD:

Handrail, Stainless Steel
Head (VacuFlush®)
Head, Enclosed - Full Fiberglass w/Shower & Curtain
Mirror
Vanity w/Stainless Steel Sink, Pullout Faucet & Storage Below

MID-BERTH:

Bunk, Double
Storage, Cabinet
Window, Sliding w/Screen

V-BERTH:

Filler Cushions w/Dedicated Storage
Hanging Locker
Mirrored Rope Locker Bulkhead
Seating, V-Berth w/Storage Below - Converts to Bed
Storage, Gunwale Shelving
Table, Solid Wood

TECHNICAL FEATURES

HELM:

Alarm, High-Water - Bilge
Compass
Horn
Shift & Throttle Lever w/Trim Switch & Lanyard Stop Switch
SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray SmartCraft w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels
- 4-in-1 Gauge: (Includes: Volt, Oil Pressure, Trim & Water Temperature)
- Fuel Level
- Speedometer
- System Tachometer (Includes: Depth/Water Temp, Engine Alarms/Hour Meter, Fuel Consumption/Usage, Trim Level, Voltage & Digital Speed)

Steering, Power-Assisted
Steering, Tilt Wheel
Switch Panel w/Weatherproof Lighted Chrome Toggle Switches

ELECTRICAL SYSTEMS:

Battery Charger/Converter, 120V/60Hz
Battery Switch, Dual
Battery Trays w/Mounts
Fuse Block
Isolator, Galvanic
Panel, DC Main Breaker
Panel, Main Distribution - AC/DC
Shore Power, 120V/30 Amp w/50' Cord & Adapters
Wiring, Color-Coded w/Chafe Protection

ELECTRONICS:

VHF Radio w/8' Fiberglass Antenna & Stainless Steel Ratchet Mount

ENGINE ROOM:

Bilge Pump, 12V Automatic

Blower, 12V Bilge

Fire Suppression System - Automatic w/Manual Pull

Insulated & Gel-Coated Engine Room

Lighting, 12V

Oil Filter - Remote

FUEL SYSTEM:

Evaporative Emissions Fuel System

Fuel Lines, USCG - Type A-1

Fuel Tank w/Anti-Siphon Valve & Mechanical Sending Unit

UNDERWATER GEAR:

Propellers, Stainless Steel

Variable Running Surface w/Integrated Trim Tabs

WASTE SYSTEM:

Head System (VacuFlush®)

Holding Tank Level Indicator - Head

Holding Tank w/Dockside Pump-Out (28 Gallon)

Sump Box w/Pump - Automatic

WATER SYSTEM:

Dockside Water Inlet

Pressure Water System w/12V Pump

Water Heater, 120V (6 Gallon) w/Exchanger

Water Tank (28 Gallon)

STANDARD PROPULSION

MerCruiser® 6.2L MPI ECT* Bravo® III Sterndrive

(300 hp - 224 kW)

*Non-catalyzed engines available for select international markets.

Top speed at top RPM 38-40 MPH @ 5400 RPM

Speed at Cruise RPM 27-29 MPH @ 4000 RPM

Propeller 16x19 / 14.4x19

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

MerCruiser® 6.2L MPI ECT* Bravo® III w/DTS**

(350 hp - 261 kW)

MerCruiser 6.2L MPI ECT* SeaCore® Bravo III w/DTS**

(350 hp - 261 kW)

MerCruiser 8.2 MAG ECT* Bravo III w/DTS**

(380 hp - 283 kW)

MerCruiser 8.2 MAG ECT* SeaCore® Bravo III w/DTS**

(380 hp - 283 kW)

*Non-catalyzed engines available for select international markets.

**SmartCraft Digital Throttle & Shift Replaces Std Throttle & Shift

CAMPER CANVAS PACKAGE:

Camper Aft Curtain
Camper Top w/Boot & Vertical Storage
Canvas Storage Bag
Front Curtains
Side Curtains (Bimini & Camper)

INDIVIDUAL CANVAS OPTIONS:

Toast Tweed or Blue Canvas (In Lieu of Black)
Cockpit Cover
Extended Aft Bimini

GENERATOR OPTIONS

5.0 kW Kohler® - Low Emission - Gas, 120V/60Hz
4.0 kW Kohler - Low Emission - Gas, 220V/50Hz (Int'l)
Includes Remote Start w/Muffler, Stainless-Steel Exhaust Outlet, Closed Cooling,
Remote Fuel Filter, Seacock & Seawater Strainer
(Generator Manufacturer & Size May Vary Due to Product Availability)

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
Air Conditioning/Heating, 115V/60 Cycle (8,000 BTU)
Anchor Chute w/HawsePipe
Bottom Paint (White Hulls Only)
Bow Rail, Split
Bow Thruster
Carpet Liner, Snap-In - Cockpit
Carpet Runners, Interior (Sunbrella®)
Colored Hull, Full Hull (Onyx, Sea Ray Blue, Mahogany Brown, Mojave Tan or Horizon Grey) Includes Bottom Paint
Colored Hull, Two-Tone (Onyx, Sea Ray Blue, Mahogany Brown, Mojave Tan or Horizon Grey)
Digital Dash (9" Display); Includes Raymarine a95 Chartplotter
Door, Cabin Entry w/Screen
Dynamic Running Surface™
Fender Clip System - Quick Disconnect (6)
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, Wood - Cabin
Flooring, Teak - Extended Swim Platform Option
Gel-Coated Dash
Gray Water System
Grill, Cockpit - Built-In (120V/60Hz), Stainless Steel
Head, VacuFlush® w/Overboard Discharge (Int'l)
Inverter, 12VDC/120VAC
Lighting, Enhanced LED Package, White or Blue - Cockpit
Lighting, Thru-Hull - Underwater
Macerator w/Seacock Interlock System
Portlights, Opening - Cabin / Galley
Refrigerator, Dual-Voltage, 120V/12V - Cockpit
Shower, Transom - Hot & Cold
SiriusXM® Satellite Receiver w/Antenna (N/A Outside N. America)
Spotlight, 5" Remote-Controlled
Stereo Remote Control - Additional Unit on Transom
Swim Platform - Extended
Swim Step, Hydraulic, Submersible (Extended Swim Platform Required)
Table, Solid Teak w/Designated Storage - Cockpit
Table, Solid Teak w/Designated Storage & Sun Pad Filler Cushion - Cockpit
TV & DVD Player - V-Berth
Windlass, Rope/Chain w/Foot Switches
Windlass, All Chain w/Foot Switches


CE Option

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	MerCruiser 6.2L MPI		300	Bravo 3	14.4x19 16x19	2.20:1	38-40	5000-5400
Sterndrive	MerCruiser 6.2L MPI		350	Bravo 3		2.20:1		5000-5400
Sterndrive	MerCruiser 8.2 MAG ECT		380	Bravo 3X	13.75 x 26 15.25 x 26	2.00:1	43-45	4400-4800

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



Cockpit Layout



Cabin Layout



Optional Cabin Layout
V-Berth w/Fwd Bed

SPECIFICATIONS

Overall length w/std. integral swim platform	31' (9.45 m)
Overall length w/opt. extended swim platform	33' 2" (10.11 m)
Beam	10' (3.05 m)
Draft (sterndrive down)	41" (104 cm)
Draft (sterndrive up)	31" (79 cm)
Dry weight	11,630 lbs (5,275 kg)
Fuel capacity	125 gal (473 L)
Water capacity	28 gal (106 L)
Holding tank	28 gal (106 L)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	6'5" (1.95 m)
Waterline to top of spoiler	8' 11" (2.72 m)
Keel to top of windshield	8'11" (2.72 m)
Keel to top of spoiler	11'6" (3.5 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Anchor Chute w/Hawse Pipe - Concealed w/Hatch
Bow & Stern Eyes, Stainless Steel
Bow Rail, Stainless Steel w/Welded Stanchions
Cleats, 10" Thru-Bolted, Stainless Steel, w/Sea Ray Logo (8)
Deck Fill Plates
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Graphics, Striping
Handrail, Stainless Steel - Transom
Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover
Hull Windows, Large Acrylic
Light, Stern
Lights, Navigation - Stainless Steel
Portlight, Opening (Head)
Rub Rail, PVC w/Stainless Steel Insert
Skylight, Tinted w/Screen & Blind
Storage, Rope
Storage, Transom Wall - For Fenders & Gear
Storage, Swim Platform - Integral
Swim Platform, Integral w/Concealed Stainless Steel Four-Step Swim Ladder
Thru-Hull Fittings, Stainless Steel
Vent System, Stainless Steel, Integral - Engine Room
Windshield, Tempered/Tinted, Curved Glass w/Walk-Thru
Windshield Wiper - Starboard

CANVAS (SUNBRELLA® - BLACK):

Aft Curtain w/Bungee Straps
Canvas Storage Bag
Dash Cover
Front & Side Curtains

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders, Stainless Steel
Carpet Liner, Snap-In
Cockpit Color Package: Mocha or Wheat
Cooler, Carry-On w/Designated Storage
Door, Cabin Entry, Lockable
Door, Transom
Floor Liner, Fiberglass - Self-Bailing
Hatch, Engine Room - Electrically Actuated
Lighting, Indirect LED
Outlet, 12V Accessory - Helm
Outlet, 120V GFI Protected
Seating, Aft - Fold-Down w/Storage Below
Seating, Helm - Double Seat w/ Rotating Base & Folding Backrest w/Lockable
Leaning Post
Seating, Port - L-Shaped Lounger w/Storage Below
Sport Spoiler, Molded Fiberglass (Seamless) w/Overhead LED Lighting
Steps, Boarding - Molded-In
Table, Teak w/Dedicated Storage
Wet Bar w/Solid Surface, Stainless Steel Sink & Faucet, Beverage Holders, Stainless
Steel Handrail & Storage Below

CABIN FEATURES

Carbon Monoxide Monitor
Carpet, Deep-Pile BCF - 44-Ounce, 100% Nylon
Lighting, 12V
Outlets, 120V GFI Protected - Galley, Head
Pillows, Accent
Shades, Pleated - Hull Windows
Steps, Cabin Entry - Teak & Holly
Stereo, 12V AM/FM, Wireless Bluetooth™, MP3 Port, Speakers (2 Cabin, 2 Cockpit) &
Digital Cockpit Remote Control
Wood Interior Package - Chestnut (Std), Cherry or Pecan Finished Cabinetry

DINETTE:

Seating, Dinette, Converts to Sleeper w/Storage Below
Storage, Cabinets
Storage, Drawer
Table, Dinette - Solid Wood

GALLEY:

Countertop - Solid Surface w/Stainless Steel Sink & Faucet
Microwave, 120V
Outlets, 12V Accessory - Galley
Refrigerator, Dual-Voltage - 120V/12V
Storage, Upper & Lower
Stove, 120V Recessed Single Burner w/Solid-Surface Cover w/Dedicated Storage
Trash Receptacle - Under Sink

HEAD:

Handrail, Stainless Steel
Head (VacuFlush®)
Head, Enclosed - Full Fiberglass w/Shower & Curtain
Mirror, Head Door - Full Length
Storage, Medicine Cabinet w/Mirror
Vanity w/Stainless-Steel Sink, Faucet w/Pullout Sprayer, Solid-Surface Countertop
& Storage Below
Towel Holder

MID-BERTH:

Bunk, Double
Curtains, Privacy
Storage, Cabinets

V-BERTH:

Curtain, Privacy
Filler Cushions w/Dedicated Storage
Mirrored Rope Locker Bulkhead
Seating, V-Berth w/Storage Below, Converts to Bed
Storage, Cabinets
Storage, In-Floor
Table, Solid Wood

TECHNICAL FEATURES

HELM:

Alarms, High-Water - Bilge & Cabin

Compass

Horn

SmartCraft® Digital Throttle & Shifts (DTS)

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray® SmartCraft 4-in-1 Multi-gauges (2) w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels (Includes: Trim, Oil Pressure, Voltmeter & Water Temperature)
- SmartCraft System Speedometer (Includes: Air & Water Temperature, Combined Fuel Level Range & GPS Interface)
- SmartCraft System Tachometers (2) (Includes: Depth, Engine Alarms/Hour Meters, Fuel Consumption/Usage & Trim Level)
- Fuel Level

Steering, Power-Assisted

Switch Panel w/Weatherproof Lighted Chrome Toggle Switches

Tilt & Trim, Power

Tilt Wheel

ELECTRICAL SYSTEMS:

Battery Charger/Converter, 120V

Battery Switch, Dual

Battery Trays w/Mounts

Isolator, Galvanic

Mercathode

Panel, Circuit Breaker

Panel, DC Main Breaker

Panel, Main Distribution AC/DC

Shore Power, 120V/30 Amp w/50' Cord

Wiring, Color-Coded w/Chafe Protection

ELECTRONICS:

VHF Radio w/8' Fiberglass Antenna & Stainless Steel Ratchet Mount

ENGINE ROOM:

Bilge Pump, 12V Automatic

Bilge Pumps, 12V Automatic High-Water (1 Bilge, 1 Cabin)

Blowers, 12V Bilge (2)

Fire Suppression System - Automatic w/Manual Pull

Insulated & Gel-Coated Engine Room

Lighting, 12V

Oil Filters - Remote

FUEL SYSTEM:

Evaporative Emissions Fuel System

Fuel Lines, USCG - Type A-1

Fuel Tank w/Anti-Siphon Valve & Mechanical Sending Unit

UNDERWATER GEAR:

Propellers, Stainless Steel

Trim Tabs, Hydraulic

WASTE SYSTEM:

Head System (VacuFlush®)

Holding Tank Level Indicator - Head

Holding Tank w/Dockside Pump-Out (28 Gallon)

Sump Box w/Pump - Automatic

WATER SYSTEM:

Freshwater Washdown Spigot
Pressure Water System w/12V Pump
Shower, Cockpit - Hot & Cold
Water Heater, 120V (6 Gallon) w/Exchanger
Water Inlet, Dockside
Water Tank (28 Gallon)

STANDARD PROPULSION

Twin MerCruiser® 4.5L MPI ECT* Bravo® III
w/DTS Sterndrives (T-250 php - 186 kW)

*Non-catalyzed engines available for select international markets.

Top speed at top RPM 43-45 MPH @ 5200 RPM
Speed at cruise RPM 27-29 MPH @ 3500 RPM
Gallons per hour at cruise speed (per engine) 17.3 GPH @ 3500 RPM
Propeller 14.25x22.5 / 15.75x22.5

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

TWIN GASOLINE STERNDRIVES:

T-MerCruiser 6.2L MPI ECT* Bravo III w/DTS
(T-300 php - 224 kW)

*Non-catalyzed engines available for select international markets.

AXIUS® PROPULSION:

T-MerCruiser 4.5L MPI ECT* Bravo III w/Axius
(T-250 php - 186 kW)

T-MerCruiser 6.2L MPI ECT* Bravo III w/Axius
(T-300 php - 224 kW)

T-MerCruiser 6.2L MPI ECT* SeaCore® Bravo III w/Axius
(T-300 php - 224 kW) (Canada & Int'l only)

Axius Propulsion System Includes Axius Control Joystick, SmartCraft Digital Throttle & Shift & SmartCraft VesselView Display

*Non-catalyzed engines available for select international markets. Consult your local dealer for availability.

CAMPER CANVAS PACKAGE:

Camper Aft Curtain
Camper Top w/Boot & Vertical Storage
Canvas Storage Bag
Front & Side Curtains (Bimini & Camper)

INDIVIDUAL CANVAS OPTIONS:

Toast Tweed or Blue Canvas (In Lieu of Black)
Cockpit Cover
Extended Aft Bimini

ELECTRONICS OPTIONS

Digital Dash - 12" Display; Includes Raymarine a125 Chartplotter
SmartCraft VesselView Display (Gas Engines Only):

- Active Alarms/Details
- Alarm History/Details
- Environment & Navigation: GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information, Fuel to Waypoint Data & Navigation Data
- Propulsion: Engine Hour Meters, Engine Status, Performance & Fuel, Peak Performance, Boost Pressure (Optional), Cruise Control, ECO-Screen, Smart Tow™ & Troll Control™
- Vessel: Vessel Status, Tank Status, Steering Position, Generator Data & Start/Stop

GENERATOR OPTIONS

5.0 kW Kohler - Low Emission - Gas, 120V/60 Cycle

4.0 kW Kohler® - Low Emission - Gas, 220V/50 Cycle (Int'l)

Includes Remote Start w/Muffler, Stainless-Steel Exhaust Outlet, Closed Cooling, Remote Fuel Filter, Seacock & Seawater Strainer
(Generator Manufacturer & Size May Vary Due to Product Availability)

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®

Air Conditioning/Heating, 120V/60 Cycle (10,000 BTU)

Bottom Paint (White Hulls Only)

Bow Thruster (N/A w/Axius)

Bow Rail, Split

Colored Hull, Full Hull (Onyx, Sea Ray Blue, Mahogany Brown, Mojave Tan or Horizon Grey) Includes Bottom Paint

Door, Cabin Entry w/Screen

Fender Clip System - Quick Disconnect (6)

Flagpole w/Base & US Flag

Flooring, Infinity Seagrass™ - Cockpit

Flooring, Cockpit & Std Swim Platform - Teak

Flooring - Teak - For Opt Extended Swim Platform

Flooring, Simulated Teak - Head

Gel Coated Dash

Gray Water System

Grill, Cockpit - Built-In (120V/60 Cycle) w/Flip-Up Table Extension (Requires Optional Dual 30-Amp Shore Power)

Head, VacuFlush® w/Overboard Discharge (Int'l)

Inverter, 12V DC to 120V AC

Lighting, Enhanced LED Package, White or Blue - Cockpit

Lighting, Thru-Hull - Underwater

Macerator w/Seacock Interlock System

Portlight, Opening - Salon/Galley

Refrigerator, Dual-Voltage, 120V/12V - Cockpit

Seating, Cockpit Sun Pad - Filler

Shore Power, Additional 120V/30 Amp w/50' Cord

SiriusXM® Satellite Receiver w/Antenna (N/A Outside N. America)

Spotlight, 5" Remote Controlled

Stereo, Premium Cockpit Sound System w/Upgraded Component Speakers, Amplifier, Subwoofer & Transom Stereo Remote

Stereo Remote Control - Additional Unit on Transom

Stove, 120V/60 Cycle - Alcohol/Electric, Single Burner

Swim Platform - Extended

Swim Step, Hydraulic, Submersible (Extended Swim Platform Required)

TV, Flatscreen & DVD Player, Dockside Inlet & Antenna - V-Berth/Salon

TV, Flatscreen & DVD Player - Mid-Berth (Only Available w/Salon TV Option)

V-Berth w/Forward Bed & Fitted Sheets

Windlass, Chain w/Foot Switches

Windlass, Rope/Chain w/Foot Switches


CE Option

PROPELLER & SPEED CHARTS


Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	T-MerCruiser 4.5L MPI		T-250	Bravo 3	14.25 x 22.5 G2 3RH 15.75 x 22.5 G2 4LH	2.20:1	43 - 45	4800-5200
Sterndrive	T-MerCruiser 6.2L MPI		T-300	Bravo 3		2.20:1	45 - 49	5000-5400

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



Cockpit Layout



Cabin Layout

SPECIFICATIONS

Overall length w/std. integral swim platform	33'4" (10.16 m)
Overall length w/opt. extended swim platform	35'8" (10.87 m)
Beam	10'5" (3.18 m)
Draft (sterndrive down)	35" (89 cm)
Draft (sterndrive up)	28" (71 cm)
Dry weight	13,334 lbs (6,048 kg)
Fuel capacity	200 gal (757 L)
Water capacity	35 gal (132 L)
Holding tank	28 gal (106 L)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	7'8" (2.34 m)
Waterline to top of spoiler	10'3" (3.15 m)
Keel depth	27" (68 cm)
Keel to top of windshield	9'11" (3.00 m)
Keel to top of spoiler	12'6" (3.81 m)
Keel to top of mastlight on spoiler	14'11" (4.54 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Anchor Chute w/Hawse Pipe - Concealed w/Hatch
Bottom Paint
Bow & Stern Eyes, Stainless Steel
Bow Rail, Stainless Steel w/Welded Stanchions
Cleats, 10" Thru-Bolted, Stainless Steel, w/Sea Ray Logo (8)
Deck Fill Plates, Stainless Steel
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Handrails, Stainless Steel - Transom (2)
Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover
Hull Windows, Extra Large Acrylic - Fixed (2)
Lights, Navigation - Stainless Steel
Rub Rail, PVC w/Stainless Steel Insert
Skylights (2)
Storage, Transom Wall - For Fenders & Gear
Swim Platform, Integral/Extended w/Concealed Stainless Steel Four-Step Swim Ladder
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Room - Integral
Windshield, Tempered/Tinted Curved Glass w/Walk-Thru & Stainless Steel Supports
Windshield Wipers

CANVAS (SUNBRELLA® - BLACK):

Aft Curtain w/Bungee Straps
Aft Sunshade - Fixed w/Stainless Steel Framing
Canvas Storage Bag
Dash Cover
Front & Side Curtains

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders
Carpet Liner, Snap-In
Cockpit Color Package: Mocha or Wheat
Cooler, Carry-On w/Designated Storage
Door, Cabin Entry (Sliding & Lockable) - Fiberglass w/Integral Steps
Door, Transom - Acrylic w/Stainless Steel Frame
Floor Liner, Fiberglass - Self-Bailing
Hatch, Emergency Pull Handle & Prop Rod
Hatch, Engine Room - Electrically Actuated
Lighting, Indirect
Outlet, 12V Accessory
Outlet, 120V GFI Protected
Seating, Aft-Facing Bench w/Built-In Table Storage & Fiberglass Storage Base
Seating, Fwd-Facing w/Molded Fiberglass Storage Base
Seating, Helm Bench w/Dual Flip-Up Thigh-Rise Bolsters, Adjustable Captain's Seat & Fiberglass Storage Base
Sport Spoiler, Molded Fiberglass (Seamless) w/Overhead Lighting
Steps, Boarding - Molded-In
Storage, Side Panel - Helm
Table, Cockpit - Solid Teak w/Dedicated Storage & Sun Pad Filler Cushions
Wet Bar w/Stainless Steel Sink, Faucet, Beverage Holders, Stainless Steel Handrail, Solid-Surface Countertop & Storage Below

CABIN FEATURES

Carbon Monoxide Monitor
Carpet, Deep-Pile BCF - 44-Ounce, 100% Nylon
Lighting, 12V
Outlets, 120V GFI Protected
Pillows, Accent
Stereo, 12V AM/FM, Wireless Bluetooth™ w/iPod® Connector, Amplifier, Speakers (6)
& Digital Cockpit Remote Control
Wood Interior Package - Chestnut (Std), Cherry or Pecan Finished Cabinetry

GALLEY:

Countertop, Solid Surface w/Stainless Steel Sink & Faucet
Handrail, Stainless Steel
Lighting, 12V
Microwave, 120V/60 Cycle
Outlet, 12V Accessory
Power Vent, 12V
Refrigerator, Dual-Voltage - 120V/12V
Storage, Drawers w/Cutlery Insert
Storage, Upper & Lower
Stove, 120V Recessed Two Burner w/Solid-Surface Cover w/Dedicated Storage
Trash Receptacle

HEAD:

Flooring - Simulated Teak
Handrail, Stainless Steel
Head (VacuFlush®)
Head, Enclosed - Full Fiberglass w/Shower & Curtain
Mirror, Head Door - Full Length
Mirror, Head Wall
Power Vent, 12V
Storage, Medicine Cabinet
Storage, Upper Shelves w/Stainless Steel Rails
Vanity w/Sink, Solid-Surface Countertop, Faucet w/Pullout Sprayer & Storage Below

MID-BERTH

Curtain, Privacy (Hideaway)
Mirrored Bulkhead
Seating, Conversation Pit - Converts to Double Berth w/Slide-Out Base & Dedicated
Filler Cushion Storage
Storage, Drawer
Storage, Upper & Lower

SALON:

Lighting, 12V
Seating, Allante Fabric Sofa - Converts to Bed
Storage, Gunwale Cabinets
Table, Dinette - Solid Wood w/Dedicated Storage

V-BERTH:

Berth, Double w/Visco Elastic Foam Mattress & Storage Below
Curtain, Privacy (Hideaway)
Mirrored Rope Locker Bulkhead
Sheet Set - Fitted (Neutral Color)
Storage Cabinet w/Shelves - Starboard
Storage, Gunwale Storage, Hanging Locker - Port

TECHNICAL FEATURES

HELM:

Alarms, High-Water - Bilge & Cabin

Compass

Emergency Start System - Engines

Horn

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray SmartCraft 4-in-1 Multi-gauges (2) w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels (Includes: Fuel Level, Oil Pressure, Voltmeter & Water Temperature)
- SmartCraft System Speedometer (Includes: Air & Water Temperature, Combined Fuel Level Range & GPS Interface)
- SmartCraft System Tachometers (2) (Includes: Depth, Engine Alarms/Hour Meters, Fuel Consumption/Usage & Trim Level)

SmartCraft Digital Throttle & Shift (DTS)

Steering, Power-Assisted

Steering, Tilt Wheel

Switch Pads, Illuminated Weatherproof Electronic w/ISO Symbols & Dimmer Control

Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery Charger/Converter, 120V/60 Cycle

Battery Switches (2)

Battery Trays w/Mounts

Breaker Panels, Waterproof - Electronic Interface Modules & Dash Dimmer (Helm & Engine Room)

Isolator, Galvanic

Panel, DC Main Breaker

Panel, Main Distribution - AC

Panel, Main Distribution - DC

Shore Power, 120V/30 Amp w/50' Cord & Adapter

Wiring, Color Coded w/Chafe Protection

ELECTRONICS:

VHF Radio w/8' Fiberglass Antenna & Stainless Steel Ratchet Mount

ENGINE ROOM:

Bilge Pump, 12V Automatic

Bilge Pumps, 12V Automatic High-Water (1 Bilge, 1 Cabin)

Blowers, 12V Bilge (2)

Fire Suppression System - Automatic w/Manual Pull

Insulated & Gel-Coated Engine Room

Lighting, 12V

Oil Filters - Remote

FUEL SYSTEM:

Evaporative Emissions Fuel System

Fuel Lines, USCG - Type A-1

Fuel Tanks, Aluminum w/Electric Shutoff Valves & Mechanical Sending Units

UNDERWATER GEAR:

Propellers, Stainless Steel

Trim Tabs, Hydraulic

WASTE SYSTEM:

Head System (VacuFlush®)

Holding Tank Level Indicator - MDP

Holding Tank w/Dockside Pump-Out (28 Gallon)

Sump Box w/Pump - Automatic

WATER SYSTEM:

Freshwater Washdown Spigot
Pressure Water System w/12V Pump
Shower, Cockpit - Hot & Cold
Water Heater, 120V (6 Gallon) w/Exchanger
Water Inlet, Dockside
Water Manifold System
Water Tank (35 Gallon)

STANDARD PROPULSION

T-MerCruiser® 6.2L MPI ECT* Bravo® III w/DTS
(T-300 hp - 224 kW)

*Non-catalyzed engines available for select international markets.

Top speed at top RPM.....43-47 MPH @ 5300 RPM
Speed at cruise RPM.....27-29 MPH @ 3500 RPM
Gallons per hour at cruise speed (per engine).....16.3 @ 4500
Propeller.....14.25x22 / 15.75x22.5

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

TWIN GASOLINE STERNDRIVES:

T-MerCruiser 6.2L MPI ECT* Bravo III w/DTS
(T-350 hp - 261 kW)

*Non-catalyzed engines available for select international markets.

AXIUS® PROPULSION:

T-MerCruiser 6.2L MPI ECT* Bravo III w/Axius
(T-300 hp - 224 kW)

T-MerCruiser 6.2L MPI ECT* SeaCore® Bravo III w/Axius
(T-300 hp - 224 kW)

T-MerCruiser 6.2L MPI ECT* Bravo III w/Axius
(T-350 hp - 261 kW)

T-MerCruiser 6.2L MPI ECT* SeaCore® Bravo III w/Axius
(T-350 hp - 261 kW)

Axius Propulsion System Includes Axius Control Joystick, SmartCraft Digital Throttle & Shift & SmartCraft VesselView Display

*Non-catalyzed engines available for select international markets. Consult your local dealer for availability.

CANVAS OPTIONS

Toast Tweed or Blue Canvas (In Lieu of Black)

Cockpit Cover

Extended Aft Bimini

ELECTRONICS OPTIONS

Digital Dash - 9" Display; Includes Raymarine a95 Chartplotter

Digital Dash - 9" Display w/Radar; Includes Raymarine a95 Chartplotter w/Radar

SmartCraft VesselView Display (Gas Engines Only):

- Active Alarms/Details
- Alarm History/Details
- Environment & Navigation: GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information, Fuel to Waypoint Data & Navigation Data
- Propulsion: Engine Hour Meters, Engine Status, Performance & Fuel, Peak Performance, Boost Pressure (Optional), Cruise Control, ECO-Screen, Smart Tow™ & Troll Control™
- Vessel: Vessel Status, Tank Status, Steering Position, Generator Data & Start/Stop

GENERATOR OPTIONS

5.0 kW Kohler® - Low Emission - Gas, 120V/60 Cycle

4.0 kW Kohler - Low Emission - Gas, 220V/50 Cycle (Int'l)

Includes Remote Start w/Muffler, Stainless-Steel Exhaust Outlet, Closed Cooling,

Remote Fuel Filter, Seacock & Seawater Strainer

(Generator Manufacturer & Size May Vary Due to Product Availability)

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®

Air Conditioning/Heating, 120V/60 Cycle (12,000 BTU)

Bow Rail, Split

Bow Thruster (N/A w/Axius)

Bottom Paint (White Hulls Only)

Colored Hull, Full Hull (Onyx, Sea Ray Blue, Mahogany Brown, Mojave Tan or Horizon

Grey) Includes Bottom Paint

Fender Clip System - Quick Disconnect (6)

Flagpole w/Base & US Flag

Flooring, Infinity Seagrass™ - Cockpit

Flooring, Cockpit & Std Swim Platform - Teak

Flooring, Swim Platform Only - Teak

Flooring - For Opt Extended Swim Platform - Teak

Gel-Coated Dash

Gray Water System

Grill, Cockpit - Built-In (120V/60 Cycle)

Head, VacuFlush® w/Overboard Discharge (Int'l)

Inverter, 120V/12V

Lighting, Enhanced LED Package, White or Blue - Cockpit

Lighting, Thru-Hull - Underwater

Macerator w/Seacock Interlock System

Refrigerator, Dual-Voltage, 120V/12V - Cockpit (In Lieu of Standard Carry-On Cooler)

Rod Holders (4)

Seating, Foldaway, Aft-Facing - Transom

SiriusXM® Satellite Receiver w/Antenna (N/A Outside N. America)

Spotlight, 5" Remote-Controlled

Stereo, Premium Cockpit Sound System w/Upgraded Component Speakers,

Amplifiers, Subwoofer & Transom Stereo Remote

Stereo Remote Control - Additional Unit on Transom

Stove, 120V/60 Cycle - Alcohol/ Electric, Two Burner

Sun Pad w/Stainless Steel Deck Runners, Integrated iPod® Speakers & Headrest -

Forward Deck

Swim Platform - Extended

TV, Flatscreen & DVD Player, Dockside Inlet & Antenna - Salon

TV, Flatscreen & DVD Player - Mid-Cabin (Only Available w/Salon TV Option)

Windlass, All-Chain w/Foot Switches

Windlass, Rope/Chain w/Foot Switches


CE Option

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Stemdrive	T-MerCruiser 6.2L MPI		T-300	Bravo 3		2.20:1	43-47	5000-5400
Stemdrive	T-MerCruiser 6.2L MPI		T-350	Bravo 3	1	2.20:1		5000-5400

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



Cockpit Layout

Standard Cabin Layout

Optional Cabin Layout
Shown w/Optional Mid-Berth
'L-Shaped' Seating
(Convert to sleeper)

SPECIFICATIONS

Overall length w/std. integral swim platform	35' (10.67 m)
Overall length w/opt. extended swim platform	37'7" (11.45 m)
Beam	11'4" (3.45 m)
Draft (sterndrive down)	40" (102 cm)
Draft (sterndrive up)	30" (76 cm)
Draft (inboards)	38" (96 cm)
Dry weight	15,780 (7158 kg)
Fuel capacity	230 gal (871 L)
Water capacity	40 gal (151 L)
Holding tank	28 gal (106 L)
Deadrise	20°

HEIGHT DIMENSIONS

Bridge Clearance (Waterline to mast light)	12' (3.66 m)
Keel depth	30" (76 cm)
Keel to hardtop	12'3" (3.00 m)
Keel to windshield	9'10" (2.99 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
Bow & Stern Eyes, Stainless Steel
Bow Rail, Stainless Steel w/Welded Stanchions
Cleats, 10" Thru-Bolted, Stainless Steel, w/Sea Ray Logo (8)
Deck Fill Plates, Stainless Steel
Drain Plugs, Brass-Threaded - Garboard (2)
Gel Coat, Arctic White
Handrails, Stainless Steel
Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover
Hull Windows, Extra Large Acrylic - Fixed (2)
Light, Stern
Lights, Navigation - Stainless Steel
Rod Holders (2)
Rub Rail, PVC w/Stainless Steel Insert
Skylights (2)
Storage, Transom Wall
Swim Platform, Integral
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Room - Integral w/Stainless Steel Grille
Windshield, Tempered/Tinted Curved Glass w/Walk-Thru & Stainless Steel Supports
Windshield Wipers

CANVAS (SUNBRELLA® - BLACK):

Aft Curtain w/Bungee Straps
Canvas Storage Bag
Dash Cover
Front & Side Curtains

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

MOORING SYSTEM:

Anchor, Galvanized
Anchor Chute, Stainless Steel
Anchor Rope/Chain Storage w/Gas Assisted Hatch
Windlass, Rope/Chain w/Foot Switches

COCKPIT FEATURES

Beverage Holders
Carpet Liner, Snap-In
Cockpit Color Package: Mocha or Wheat
Cooler, Carry-On w/Designated Storage
Door, Cabin Entry (Sliding & Lockable) - Fiberglass w/Integral Steps
Door, Transom - Acrylic w/Stainless Steel Frame
Floor Liner, Fiberglass - Self-Bailing
Hatch, Engine Room - Electrically Actuated w/Emergency Pull Handle & Prop Rod
Hardtop, Extended Fiberglass w/Courtesy Lighting
Outlet, 12V Accessory
Outlet, 120V GFI Protected
Seating, Port C-Shape - Converts to Sunpad
Seating, Port Lounger w/Convertible Backrest
Seating, Helm Bench w/Dual Flip-Up Thigh-Rise Bolsters, Adjustable Captain's Seat & Fiberglass Storage Base

Steps, Boarding - Molded-In
Table, Cockpit - Fiberglass w/Dedicated Storage & Sun Pad Filler Cushions
Wet Bar w/Stainless Steel Sink, Faucet, Beverage Holders, Stainless-Steel Handrail,
Solid-Surface Countertop, Trash Receptacle & Storage Below

CABIN FEATURES

Carbon Monoxide Monitor
Flooring, Wood
Lighting, 12V
Outlets, 120V GFI Protected
Pillows, Accent
Shades, Pleated - Hull Windows
Stereo, 12V AM/FM, Wireless Bluetooth™, iPod® Connector, Amplifier, Speakers (8) &
Digital Cockpit Remote Control
Wood Interior Package - Chestnut (Std), Cherry or Pecan Finished Cabinetry

GALLEY:

Countertop, Solid Surface w/Stainless Steel Sink w/Cover & Faucet
Handrail, Stainless Steel
Lighting, 12V
Microwave, 120V/60 Cycle
Outlet, 12V Accessory
Power Vent, 12V
Refrigerator, Dual-Voltage - 120V/12V
Storage, Drawers w/Cutlery Insert
Storage, Upper & Lower
Stove, 120V Two Burner Pups®
Trash Receptacle

HEAD:

Enclosed, Full Fiberglass w/ Separate Shower Stall
Flooring - Simulated Teak
Handrail, Stainless Steel
Head (VacuFlush®)
Mirror, Head Door - Full Length
Mirror, Head Wall
Power Vent, 12V
Shower Wand w/Vertical Adjustment
Storage, Medicine Cabinet
Storage, Upper Shelves w/Stainless Steel Rails
Vanity w/Vessel Sink, Wood Countertop, Faucet w/Pullout Sprayer & Storage Below

MID-BERTH:

Convertible Twin Beds - Convert to Double Berth w/Slide-Out Base & Dedicated Filler
Cushion Storage
Curtain, Privacy (Hideaway)
Mirrored Bulkhead
Seating, Port Single
Storage, Drawer
Storage, Hanging Locker
Storage, Upper & Lower

SALON:

Lighting, 12V
Sofas, Port & Starboard
Steps, Cabin Entry w/Teak Treads & Non-Slip Inlays
Storage, Gunwale Cabinets
Table, Dinette - Solid Wood w/Dedicated Storage
TV, LED / Smart w/Remote Blu-ray™ Player, Gaming System Port, DVD Storage, Coax
Outlet & Gain Control

V-BERTH:

Berth, Double (Island Style) w/Visco Elastic Foam Mattress & Storage Below
Curtain, Privacy (Hideaway)
Mirrored Rope Locker Bulkhead
Sheet Set - Fitted (Neutral Color)
Storage Cabinet w/Shelves
Storage, Hanging Locker

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Reverse-Cycle System (12,000 BTU)
Custom Integral Vent System

HELM:

Alarms, High-Water - Bilge & Cabin
Compass
Emergency Start System - Engines
Gel Coated Dash
Horn
SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray SmartCraft 4-in-1 Multi-gauges (2) w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels (Includes: Fuel Level, Oil Pressure, Voltmeter & Water Temperature)
- SmartCraft System Speedometer (Includes: Air & Water Temperature, Combined Fuel Level Range & GPS Interface)
- SmartCraft System Tachometers (2) (Includes: Depth, Engine Alarms/Hour Meters, Fuel Consumption/Usage & Trim Level)

SmartCraft Digital Throttle & Shift (DTS) w/Trim Switch

Steering, Power-Assisted

Steering, Tilt Wheel

Switch Pads, Illuminated Weatherproof Electronic w/ISO Symbols & Dimmer Control
Tilt & Trim, Power (Sterndrives Only)

ELECTRICAL SYSTEMS:

Battery Charger/Converter, 120V/60 Cycle

Battery Switch

Battery Trays w/Mounts

Breaker Panels, Waterproof - Electronic Interface Modules & Dash Dimmer (Helm & Engine Room)

Isolator, Galvanic

Mercathode II

Panel, DC Main Breaker

Panel, Main Distribution - AC

Panel, Main Distribution - DC

Shore Power, Dual 30 Amp/120V/60 Cycle
w/50' Cords & Adapters

Wiring, Color Coded w/Chafe Protection

ELECTRONICS:

Electronic Circuit, 30 amp

VHF Radio w/8' Fiberglass Antenna & Stainless Steel Ratchet Mount

ENGINE ROOM:

Bilge Pump, 12V Automatic
Bilge Pumps, 12V Automatic High-Water (1 Bilge, 1 Cabin)
Blowers, 12V Bilge (2)
Fire Suppression System - Automatic w/Manual Pull
Insulated & Gel-Coated Engine Room
Lighting, 12V
Oil Filters - Remote
Underwater Exhaust System, Patented (V-Drives Only)

FUEL SYSTEM:

Evaporative Emissions Fuel System
Fuel Lines, USCG - Type A-1
Fuel Tanks, Aluminum w/Electric Shutoff Valves & Electric Sending Units

UNDERWATER GEAR:

Propellers, Stainless Steel
Trim Tabs, Hydraulic
V-Drives (Optional):

- Bonding System, w/Zinc Hull Plate
- Propeller Shafts, 1 1/2" Stainless Steel (2) - Aquamet 19
- Propellers, Nibral 3-Blade
- Rudders - Manganese-Bronze
- Seacocks - Engines
- Seawater Strainers - Engines
- Shaft Logs, Dripless w/Extra Seal Carrier Kit
- Struts, Manganese-Bronze

WASTE SYSTEM:

Head System (VacuFlush®)
Holding Tank Level Indicator - MDP
Holding Tank w/Dockside Pump-Out (28 Gallon)
Sump Box w/Pump - Automatic

WATER SYSTEM:

Freshwater Washdown Spigot
Pressure Water System w/12V Pump
Shower, Cockpit - Hot & Cold, Stainless Steel
Water Heater, 120V (6 Gallon) w/Exchanger
Water Inlet, Dockside
Water Manifold System
Water Tank (40 Gallon)

STANDARD PROPULSION

Twin MerCruiser® 6.2L MPI ECT* Bravo® III w/DTS Sterndrives
(T-350 hp - 261 kW)

*Non-catalyzed engines available for select international markets.

Top speed at top RPM. 41-43 MPH @ 5300 RPM
Speed at cruise RPM 32-34 MPH @ 3500 RPM
Gallons per hour at cruise speed (per engine) 15.9 @ 4500
Propeller 14.3x21 / 15.9x21

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

TWIN GASOLINE STERNDRIVES:

T-MerCruiser 8.2 MAG ECT* Bravo IIIx w/DTS Stern drives
(T-380 hp - 283 kW)

*Non-catalyzed engines available for select international markets.

AXIUS® PROPULSION:

T-MerCruiser 6.2L MPI ECT* Bravo III w/Axius
(T-350 hp - 261 kW)

T-MerCruiser 6.2L MPI ECT* SeaCore Bravo III w/Axius
(T-350 hp - 261 kW)

T-MerCruiser 8.2 MAG ECT* Bravo IIIx w/Axius
(T-380 hp - 283 kW)

T-MerCruiser 8.2 MAG ECT* SeaCore Bravo IIIx w/Axius
(T-380 hp - 283 kW)

Axius Propulsion System Includes Axius Control Joystick, SmartCraft Digital Throttle & Shift & SmartCraft VesselView Display

*Non-catalyzed engines available for select international markets.

TWIN GASOLINE V-DRIVES:

T-VD-MerCruiser 8.2 Horizon ECT w/DTS
(T-375 hp - 280 kW)

TWIN DIESEL AXIUS STERNDRIVES:

T-Mercury® 370 Diesel TDI 4.2L T3 Bravo IIIxR w/Axius
(T-354 hp - 264 kW)

TWIN DIESEL V-DRIVES:

T-VD-Mercury 370 Diesel TDI® 4.2L T3
(T-354 hp - 264 kW)

ALTERNATE INTERIOR LAYOUTS

Mid-Berth 'L-Shaped' Seating (Converts to Sleeper)

Enclosed Mid-Berth

CANVAS OPTIONS

Toast Tweed or Blue Canvas (In Lieu of Black)

Cockpit Cover

Extended Retractable Sun Shade - Electric

Opening Canvas Section for Fiberglass Hardtop - Manual

ELECTRONICS OPTIONS

Digital Dash - 12" Display; Includes Raymarine a125 Chartplotter

Digital Dash - 12" Display w/Radar; Includes Raymarine a125 Chartplotter w/Radar

SmartCraft VesselView Display (Gas Engines Only):

- Active Alarms/Details & Alarm History/Details
- Environment & Navigation: GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information, Fuel to Waypoint Data & Navigation Data
- Propulsion: Engine Hour Meters, Engine Status, Performance & Fuel, Peak Performance, Boost Pressure (Optional), Troll Control & Cruise Control
- Vessel: Vessel Status, Tank Status, Steering Position

GENERATOR OPTIONS

5.0 kW Kohler - Low Emission - Gas, 120V/60 Cycle

4.0 kW Kohler - Low Emission - Gas, 220V/50Hz (Int'l)

6.0 kW Kohler - Diesel, 120V/60 Cycle

6.0 kW Kohler - Diesel, 220V/50 Cycle (Int'l)

Includes Remote Start w/Muffler, Stainless-Steel Exhaust Outlet, Closed Cooling,

Remote Fuel Filter, Seacock & Seawater Strainer

(Generator Manufacturer & Size May Vary Due to Product Availability)

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®

Anchor Washdown System

Bow Rail, Split

Bow Thruster (N/A w/Axius)

Colored Hull (Onyx, Sea Ray Blue, Mahogany Brown, Mojave Tan or Horizon Grey)

Fender Clip System - Quick Disconnect (6)

Flagpole w/Base & US Flag

Flooring, Infinity Seagrass™ - Cockpit

Flooring, Cockpit & Swim Platform - Teak

Flooring For Opt Extended Swim Platform - Teak

Gourmet Station (Requires Optional Extended Swim Platform)

Gray Water System

Grill, Cockpit Stainless Steel - Built-In (120V/60 Cycle)

Head, VacuFlush® w/Overboard Discharge (Int'l)

Inverter, 120V/12V

Lighting, Enhanced LED Package, White or Blue - Cockpit

Lighting, Thru-Hull - Underwater

Macerator w/Seacock Interlock System

Portlights, Opening w/Screens (Salon, Galley & Head)

Refrigerator, Dual-Voltage, 120V/12V - Cockpit

Rod Holders (2 Additional)

SiriusXM® Satellite Receiver w/Antenna (N/A Outside N. America)

Spotlight, 5" Remote-Controlled

Stereo, Premium Cabin & Cockpit Sound System - AM/FM/CD/DVD Player, Upgraded

Component Speakers, Amplifiers, Subwoofers, TV Surround Sound (In Cabin) &

Transom Stereo Remote

Stereo Remote Control - Additional Unit on Transom

Sun Pad w/Stainless Steel Deck Runners, Beverage Holders, Integrated iPod®

Speakers & Headrest - Forward Deck

Swim Platform, Extended

Swim Step, Hydraulic, Submersible (Extended Swim Platform Required)

Table, Large - Salon (Replaces Std Table)

Table, Teak Cockpit (Replaces Std Fiberglass Table)

TV, LED / Smart w/Remote Blu-ray™ Player - Cockpit

TV, LED / Smart w/Remote Blu-ray™ Player - Mid-Cabin

Vacuum System, Central - 120V/60 Cycle

Windlass, All-Chain (In Lieu Of Standard Rope/Chain)

Windshield w/Stainless Steel Cap


CE Option

PROPELLER & SPEED CHARTS


Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Stemdrive	T-MerCruiser 6.2L MPI		T-350	Bravo 3	14-3x21 15.9x21	2.20:1		4800-5200
Stemdrive	T-MerCruiser 8.2 MAG		T-380	Bravo 3X	14x24 15.5x24	2.00:1	40-43.5	4400-4800
Axius	T-MerCruiser 6.2L MPI		T-350	Bravo 3	14-3x24 15.9x21	2.20:1		4800-5200
Axius	T-MerCruiser 8.2 MAG		T-380	Bravo 3X	14x24 15.5x24	2.00:1	40-43.5	4400-4800
Axius Diesel	T-Mercury 370 Diesel TDI 4.2L		T-354	Bravo 3XR	16x23 Diesel 4LH 15x23 Diesel 3RH	1.81:1	43-45	4200
V-Drive	T-MerCruiser 8.2 MAG Horizon		T-375	ZF 63 IV	18x20x1.75	2.00:1	35-37.5	4200-4600
V-Drive	T-Mercury 370 Diesel TDI 4.2L		T-354	ZF 63 IV	19x21x1.75 4BL LH 19x21x1.75 4BL RH	2.00:1	43-45	4200

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



COCKPIT & DECK LAYOUT



CABIN LAYOUT

SPECIFICATIONS

Overall length w/std. integral swim platform	35' (10.67 m)
Overall length w/opt. extended swim platform	37'6" (11.45 m)
Beam	11'4" (3.45 m)
Draft (sterndrives down)	40" (102 cm)
Draft (sterndrives up)	30" (76 cm)
Draft (inboards)	41" (104 cm)
Dry weight	18,792 lb / 8,525 kg
Fuel capacity	214 gal (810 L)
Water capacity	40 gal (151 L)
Holding tank	28 gal (106 L)
Deadrise	20°

HEIGHT DIMENSIONS

Bridge Clearance (Waterline to mast light)	12' 8" (3.86 m)
Bridge Clearance (Waterline to top of radar)	11' 4" (3.45 m)
Keel depth	32" (81 cm)
Keel to hardtop	12'8" (3.86 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
Bow & Stern Eyes, Stainless Steel
Bow Rail, Stainless Steel w/Welded Stanchions
Cleats, 10" Thru-Bolted, Stainless Steel, w/Sea Ray Logo (8)
Deck Fill Plates, Stainless Steel
Drain Plugs, Brass-Threaded - Garboard (2)
Gel Coat, Arctic White
Gel Coated Dash
Graphics, Striping
Handrails, Stainless Steel - Hardtop (4)
Handrails, Stainless Steel - Transom (2)
Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover
Hull Windows, Extra Large - Fixed
Light, Stern
Lights, Navigation - Stainless Steel
Resin, High-Performance Vinylester
Rub Rail, PVC w/Stainless Steel Insert
Storage, Transom Wall
Swim Platform, Integral
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Room - Integral w/Stainless Steel Grille
Windshield Wipers

COUPE FOREDECK ACCOMMODATIONS:

Recessed Bow Lounger Seating System w/ Beverage Holders & Integral Speakers
Walkaround Deck

COUPE HARDTOP:

Coupe Top w/ Fiberglass Sunroof & Opening Vent
Opening Side Windows
Windshield, Tempered/Tinted Curved Glass w/ Single Forward Pane & Stainless-Steel Supports

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

MOORING SYSTEM (RECESSED):

Anchor, Galvanized
Anchor Chute, Stainless Steel
Anchor Rope/Chain Storage w/Gas Assisted Hatch
Windlass, Rope/Chain w/Foot Switches

COCKPIT FEATURES

Beverage Holders (10)
Carpet Liner, Snap-In
Cockpit Color Package: Mocha or Wheat
Cooler, Carry-On w/Designated Storage
Lighting, Indirect
Door, Cabin Entry (Sliding & Lockable) - Fiberglass
Door, Transom - Acrylic w/Stainless Steel Frame
Floor Liner, Fiberglass - Self-Bailing
Hatch, Engine Room - Electrically Actuated w/Emergency Pull Handle & Prop Rod
Outlet, 12V Accessory
Outlet, 120V GFI Protected

Seating, Aft Bench Wraparound w/ Fiberglass Storage Base
Seating, Port Lounger w/ Teak Step
Seating, Stbd Lounger
Seating, Helm Bench w/Flip-Up Thigh-Rise Bolster, Paddle Adjustment Levers & Rotating Base
Steps, Boarding, Molded-In w/ Storage Below (Stbd)
Steps, Molded-In Side Access to Foredeck
Storage, Side Panel - Helm
Table, Fiberglass, Sliding w/Dedicated Storage & Sun Pad Filler Cushions

CABIN FEATURES

Carbon Monoxide Monitor
Flooring, Wood
Lighting, 12V
Outlets, 120V GFI Protected
Pillows, Accent
Shades, Pleated - Hull Windows
Stereo, Rockford Fosgate® 12v AM/FM, Cockpit Sound System w/ Rockford Fosgate Speakers (8), Rockford Fosgate Amplifiers and Subwoofer
Storage, In-Floor
Wood Interior Package - Chestnut (Std), Cherry or Pecan Finished Cabinetry

GALLEY:

Countertop, Solid Surface w/Stainless Steel Sink w/Cover & Single Lever Grohe® Faucet
Handrail, Stainless Steel
Lighting, 12V
Microwave, 120V/60 Cycle
Outlet, 12V Accessory
Power Vent, 12V
Refrigerator, Dual-Voltage - 120V/12V
Storage, Drawers w/Cutlery Insert
Storage, Upper & Lower
Stove, 120V Two Burner Pups®
Trash Receptacle

HEAD:

Enclosed, Full Fiberglass w/ Separate Shower Stall
Flooring - Simulated Teak
Handrail, Stainless Steel
Head (VacuFlush®)
Mirror, Head Door - Full Length
Mirror, Head Wall
Power Vent, 12V
Shower Wand w/Vertical Adjustment
Storage, Medicine Cabinet
Storage, Upper & Lower Shelves w/Stainless Steel Rails
Trash Receptacle
Vanity w/Vessel Sink, Solid-Surface Countertop, Faucet w/Pullout Sprayer & Storage Below

MID-BERTH:

Convertible Twin Beds - Convert to Double Berth w/Slide-Out Base & Dedicated Filler Cushion Storage
Mirrored Bulkhead
Storage, Drawer
Storage, Hanging Locker
Storage, Upper & Lower

SALON:

Lighting, 12V
Skylight (Overhead)
Sofas, Port & Starboard
Steps, Cabin Entry w/Teak Treads & Non-Slip Inlays
Storage, Gunwale Cabinets
Table, Dinette - Solid Wood w/Dedicated Storage
TV, LED / Smart w/Remote Blu-ray™ Player, Gaming System Port, DVD Storage, Coax
Outlet & Gain Control

V-BERTH:

Berth, Double (Island Style) w/Visco Elastic Foam Mattress & Storage Below
Curtain, Privacy (Hideaway)
Mirrored Rope Locker Bulkhead
Sheet Set - Fitted (Neutral Color)
Storage Cabinet w/Shelves
Storage, Hanging Locker

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Reverse-Cycle System (16,000 BTU)
Custom Integral Vent System

HELM:

Alarms, High-Water - Bilge & Cabin
Emergency Start System - Engines
Gel Coated Dash
Horn

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray SmartCraft 4-in-1 Multi-gauges (2) w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels (Includes: Fuel Level, Oil Pressure, Voltmeter & Water Temperature)
- SmartCraft System Speedometer (Includes: Air & Water Temperature, Combined Fuel Level Range & GPS Interface)
- SmartCraft System Tachometers (2) (Includes: Depth, Engine Alarms/Hour Meters, Fuel Consumption/Usage & Trim Level)

SmartCraft Digital Throttle & Shift (DTS) w/Trim Switch

Steering, Power-Assisted, Tilt Wheel w/ Wood Accent

Stereo Remote

Switch Pads, Illuminated Weatherproof Electronic w/ISO Symbols & Dimmer Control
Tilt & Trim, Power (Sterndrives Only)

ELECTRICAL SYSTEMS:

Battery Charger/Converter, 120V/60 Cycle

Battery Switch w/ Selector & Indicator at Helm

Battery Trays w/Mounts

Breaker Panels, Waterproof - Electronic Interface Modules & Dash Dimmer (Helm & Engine Room)

Isolator, Galvanic

Mercathode II

Panel, DC Main Breaker

Panel, Main Distribution - AC

Panel, Main Distribution - DC

Shore Power, Dual 30 Amp/120V/60 Cycle
w/50' Cords & Adapters

Wiring, Color Coded w/Chafe Protection

ELECTRONICS:

Electronic Circuit, 30 amp

VHF Radio w/8' Fiberglass Antenna & Stainless Steel Ratchet Mount

ENGINE ROOM:

Bilge Pump, 12V Automatic

Bilge Pumps, 12V Automatic High-Water (1 Bilge, 1 Cabin)

Blowers, 12V Bilge (2)

Fire Suppression System - Automatic w/Manual Pull

Insulated & Gel-Coated Engine Room

Lighting, 12V

Oil Filters - Remote

FUEL SYSTEM:

Evaporative Emissions Fuel System

Fuel Lines, USCG - Type A-1

Fuel Tanks, Aluminum w/Electric Shutoff Valves & Electric Sending Units

UNDERWATER GEAR:

Propellers, Stainless Steel

Trim Tabs, Hydraulic

V-Drives (Optional):

- Bonding System, w/Zinc Hull Plate
- Propeller Shafts, 1 1/2" Stainless Steel (2) - Aquamet 19
- Propellers, Nibral 3-Blade
- Rudders - Manganese-Bronze
- Seacocks - Engines
- Seawater Strainers - Engines
- Shaft Logs, Dripless w/Extra Seal Carrier Kit
- Struts, Manganese-Bronze
- Underwater Exhaust System, Patented

WASTE SYSTEM:

Head System (VacuFlush®)

Holding Tank Level Indicator - MDP

Holding Tank w/Dockside Pump-Out (28 Gallon)

Sump Box w/Pump - Automatic

WATER SYSTEM:

Freshwater Washdown Spigot

Pressure Water System w/12V Pump

Shower, Cockpit - Hot & Cold, Stainless Steel

Water Heater, 120V (6 Gallon) w/Exchanger

Water Inlet, Dockside

Water Manifold System

Water Tank (40 Gallon)

STANDARD PROPULSION

Twin MerCruiser® 6.2L MPI ECT* Bravo® III w/DTS Sterndrives

(T-350 hp - 261 kW)

*Non-catalyzed engines available for select international markets.

Top speed at top RPM 41-43 MPH @ 5300 RPM

Speed at cruise RPM 32-34 MPH @ 3500 RPM

Gallons per hour at cruise speed (per engine) 15.9 @ 4500

Propeller 14.3x21 / 15.9x21

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller.

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

TWIN GASOLINE STERNDRIVES:

T-MerCruiser 8.2 MAG ECT* Bravo IIIx w/DTS Sterndrives
(T-380 hp - 283 kW)

*Non-catalyzed engines available for select international markets.

AXIUS® PROPULSION:

T-MerCruiser 6.2L MPI ECT* Bravo III w/Axius
(T-350 hp - 261 kW)

T-MerCruiser 6.2L MPI ECT* SeaCore Bravo III w/Axius
(T-350 hp - 261 kW)

T-MerCruiser 8.2 MAG ECT* Bravo IIIx w/Axius
(T-380 hp - 283 kW)

T-MerCruiser 8.2 MAG ECT* SeaCore Bravo IIIx w/Axius
(T-380 hp - 283 kW)

Axius Propulsion System Includes Axius Control Joystick, SmartCraft Digital Throttle & Shift & SmartCraft VesselView Display

*Non-catalyzed engines available for select international markets.

TWIN GASOLINE V-DRIVES:

T-VD-MerCruiser 8.2 Horizon ECT w/DTS
(T-375 hp - 280 kW)

TWIN DIESEL AXIUS STERNDRIVES:

T-Mercury® 370 Diesel TDI 4.2L T3 Bravo IIIxR w/Axius
(T-354 hp - 264 kW)

TWIN DIESEL V-DRIVES:

T-VD-Mercury 370 Diesel TDI® 4.2L T3
(T-354 hp - 264 kW)

ALTERNATE INTERIOR LAYOUTS

Enclosed Mid-Berth

CANVAS OPTIONS

Toast Tweed or Blue Canvas (In Lieu of Black)

Extended Retractable Sun Shade - Electric

ELECTRONICS OPTIONS

Digital Dash (12" Display); Includes Raymarine a125 Chartplotter

Digital Dash (12" Display) w/Radar; Includes Raymarine a125 Chartplotter w/Radar

SmartCraft VesselView Display (Gas Engines Only):

- Active Alarms/Details & Alarm History/Details
- Environment & Navigation: GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information, Fuel to Waypoint Data & Navigation Data
- Propulsion: Engine Hour Meters, Engine Status, Performance & Fuel, Peak Performance, Boost Pressure (Optional), Trol Control & Cruise Control
- Vessel: Vessel Status, Tank Status, Steering Position

GENERATOR OPTIONS

10.0 kW Kohler - Low Emission - Gas, 120V/60 Cycle

8.0 kW Kohler - Low Emission - Gas, 220V/50Hz (Int'l)

11.0 kW Kohler - Diesel, 120V/60 Cycle

9.0 kW Kohler - Diesel, 220V/50 Cycle (Int'l)

Includes Remote Start w/Muffler, Stainless-Steel Exhaust Outlet, Closed Cooling,

Remote Fuel Filter, Seacock & Seawater Strainer

(Generator Manufacturer & Size May Vary Due to Product Availability)

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®

Air Conditioning - Cockpit (18,000 BTU)

Anchor Washdown System

Bow Rail, Split

Bow Thruster (N/A w/Axius)

Colored Hull (Onyx, Sea Ray Blue, Mahogany Brown, Mojave Tan or Horizon Grey)

Defroster, Windshield

Fender Clip System - Quick Disconnect (6)

Flagpole w/Base & US Flag

Flooring, Infinity Seagrass™ - Cockpit

Flooring, Cockpit & Swim Platform - Teak

Flooring For Opt Extended Swim Platform - Teak

Gourmet Station (Requires Optional Extended Swim Platform)

Gray Water System

Head, VacuFlush® w/Overboard Discharge (Int'l)

Hull Windows, Opening w/Screens

Inverter, 120V/12V

Lighting, Enhanced LED Package, White or Blue - Cockpit

Lighting, Surface Mount - Underwater

Macerator w/Seacock Interlock System

Mattress Upgrade

Portlights, Opening w/Screens (Salon, Galley & Head)

Refrigerator, Dual-Voltage, 120V/12V - Cockpit

Rod Holders (2)

SiriusXM® Satellite Receiver w/Antenna (N/A Outside N. America)

Spotlight, 5" Remote-Controlled

Stereo, Premium Cabin & Cockpit Sound System - AM/FM/CD/DVD Player, Upgraded

Component Speakers, Amplifiers, Subwoofers, TV Surround Sound (In Cabin)

Stereo Remote Control - Additional Unit on Transom

Swim Platform, Extended

Swim Step, Hydraulic, Submersible (Extended Swim Platform Required)

Table, Large - Salon (Replaces Std Table)

Table, Teak Cockpit (Replaces Std Fiberglass Table)

TV, LED / Smart w/Remote Blu-ray™ Player - Cockpit

TV, LED / Smart w/Remote Blu-ray™ Player - Mid-Cabin

Vacuum System, Central - 120V/60 Cycle

Windlass, All-Chain (In Lieu Of Standard Rope/Chain)


CE Option

PROPELLER & SPEED CHARTS


Listed below is performance data on Sea Ray models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	T-MerCruiser 6.2L MPI		T-350	Bravo 3	14.3x21 15.9x21	2.20:1		4800-5200
Sterndrive	T-MerCruiser 8.2 MAG		T-380	Bravo 3X	14x24 15.5x24	2.00:1	41-43	4400-4800
Axius	T-MerCruiser 6.2L MPI		T-350	Bravo 3	14.3x24 15.9x21	2.20:1		4800-5200
Axius	T-MerCruiser 8.2 MAG		T-380	Bravo 3X	14x24 15.5x24	2.00:1	40-43.5	4400-4800
Axius Diesel	T-Mercury 370 Diesel TDI 4.2L		T-354	Bravo 3XR	16x23 Diesel 4LH 15x23 Diesel 3RH	1.81:1	43-45	4200
V-Drive	T-MerCruiser 8.2 Horizon		T-375	ZF 63 IV	18x20x1.75	2.00:1	35-37.5	4200-4600
V-Drive	T-Mercury 370 Diesel TDI 4.2L		T-354	ZF 63 IV	19x21x1.75 4BL LH 19x21x1.75 4BL RH	2.00:1	43-45	4200


Due to changes in Mercury propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



Cockpit Layout



Cabin Layout



Optional Aft Enclosed
Berth Layout

SPECIFICATIONS

Overall length w/std. integral swim platform	37'6" (11.43 m)
Overall length w/opt. extended swim platform	39'4" (11.99 m)
Overall length w/opt. hydraulic swim platform	40'6" (12.34 m)
Beam	12' (3.66 m)
Draft (sterndrives down)	37" (94 cm)
Draft (sterndrives up)	30" (76 cm)
Draft (inboards)	39" (100 cm)
Dry weight	18,064 lbs (8,194 kg)
Fuel capacity	250 gal (946 L)
Water capacity	50 gal (189 L)
Holding tank	28 gal (106 L)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	7'9" (2.36 m))
Keel to top of windshield	10'3" (3.12 m)
Overall height from LWL includes satellite dome w/anchor light up	13'6" (4.11 m)
LWL to top of arch	10'4" (3.14 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
Bow Rail, Stainless Steel w/Welded Stanchions
Cleats, 10" Thru-Bolted, Stainless Steel, w/Sea Ray Logo (8)
Deck Fill Plates, Stainless Steel
Gel Coat, Arctic White
Handrails, Stainless Steel
Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover
Hull Windows, Extra-Large Fixed (2), Opening w/Screens (1)
Light, Stern
Lights, Navigation - Stainless Steel
Rub Rail, PVC w/Stainless Steel Insert
Skylights (2)
Storage, Transom Wall - Fenders & Gear
Swim Platform, Integral/Extended w/Concealed Stainless Steel Four-Step Swim Ladder
Thru-Hull Fittings, Stainless Steel
Toe Rail, Molded Fiberglass - Deck
Vent System, Engine Room - Integral w/Stainless Steel Accents
Windshield, Tempered/Tinted Curved Glass w/Walk-Thru & Stainless Steel Supports
Windshield Wipers - Self-Parking

CANVAS (SUNBRELLA® - BLACK):

Aft Curtain w/Bungee Straps
Canvas Storage Bag
Dash Cover
Front & Side Curtains

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

MOORING SYSTEM (RECESSED):

Anchor, Galvanized
Anchor Chute, Stainless Steel
Anchor Rope/Chain Storage w/Gas-Assisted Hatch
Windlass, Rope/Chain w/Foot Switches

COCKPIT FEATURES

Beverage Holders
Carpet Liner, Snap-In
Cockpit Color Package: Mocha or Wheat
Cooler, Carry-On w/Designated Storage
Door, Cabin Entry (Sliding & Lockable) - Fiberglass w/Integral Steps
Door, Transom - Acrylic w/Stainless Steel Frame
Floor Liner, Fiberglass - Self-Bailing
Hardtop, Molded Fiberglass (Seamless) w/Overhead Lighting
Hatch, Engine Room - Electrically Actuated w/Emergency Pull Handle & Prop Rod
Outlet, 12V Accessory
Outlet, 120V GFI Protected
Refrigerator, Dual-Voltage - 120V/12V

Seating, Pivoting Helm Bench w/Dual Flip-up Thigh-Rise Bolsters & Adjustable Captain's Seat
 Seating, Pivoting Port Companion Bucket w/Fiberglass Seat Shell & Fiberglass Storage Base
 Seating, L-Shaped - Aft w/Built-In Table Storage & Fiberglass Storage Base - Portside
 Steps, Boarding - Molded-In
 Storage, Side Panel - Helm
 Storage - Starboard Coaming
 Table, Cockpit - Solid Teak w/Dedicated Storage & Sun Pad Filler Cushions
 Wet Bar w/Solid-Surface Countertop, Stainless Steel Sink, Faucet, Beverage Holders, Stainless Steel Handrail & Storage Below

CABIN FEATURES

Carbon Monoxide Monitor
 Carpet, Deep-Pile BCF - 44-Ounce, 100% Nylon
 Lighting, 12V
 Lighting, LED Accents
 Outlets, 120V GFI Protected
 Pillows, Accent
 Shades, Pleated - Hull Windows
 Stereo, 12V AM/FM, Wireless Bluetooth™, iPod® Connector (Cabin & Helm), Amplifier, Speakers (2 Cabin, 4 Cockpit, 2 Transom), Digital Cockpit Remote Control & Speaker Selector Switches
 Storage, In-Floor
 Wood Interior Package - Chestnut (Std), Cherry or Pecan Finished Cabinetry

GALLEY:

Countertop, Solid Surface w/Stainless Steel Sink & Single-Lever Faucet w/Pullout Sprayer
 Handrail, Stainless Steel
 Lighting, 12V
 Microwave 120V/60 Cycle
 Outlet, 12V Accessory
 Power Vent, 12V
 Refrigerator, Dual-Voltage - 120V/12V w/Stainless Steel Face
 Storage, Drawers w/Cutlery Insert
 Storage, Upper & Lower
 Stove, 120V Recessed Two Burner w/Solid-Surface Cover w/Dedicated Storage
 Trash Receptacle

HEAD:

Flooring - Simulated Teak
 Handrail, Stainless Steel
 Head (VacuFlush®)
 Head, Enclosed - Full Fiberglass w/Separate Shower Stall & Shower Door
 Mirror, Head Door - Full Length
 Mirror, Vanity
 Power Vent, 12V
 Storage, Medicine Cabinet
 Storage, Upper Shelves w/Stainless Steel Rails - Shower Area
 Vanity w/Sink, Solid-Surface Countertop, Single-Lever Faucet & Storage Below

MID-BERTH:

Curtain, Privacy (Hideaway)
 Mirrored Bulkhead
 Seating, Conversation Area - Converts to Double Berth w/Slide-Out Base & Dedicated Filler Cushion Storage
 Storage, Upper & Lower (Port & Starboard)
 Window - Fixed w/Curtain

SALON:

Lighting, 12V
Seating, Sofa - Converts to Bed
Storage, Gunwale Cabinets
Table - Sofa End - Solid Surface
Table - Solid Wood w/Dedicated Storage
TV, 32" LED / Smart w/Remote Blu-ray™ Player, DVD Storage, Coax Outlet & Gain Control

V-BERTH:

Berth, Double (Island Style) w/Electrically Actuated Extension & Posturepedic® Backrest w/Visco Elastic Foam Mattress & Storage Below
Curtain, Privacy (Hideaway)
Mirrored Rope Locker, Bulkhead
Sheet Set, Fitted (Neutral Color)
Storage Cabinet w/Shelves - Port
Storage, Hanging Locker - Starboard
Storage, Gunwale Cabinets

AIR CONDITIONING/HEATING:

Reverse-Cycle System (16,000 BTU)

HELM:

Alarms, High-Water - Bilge & Cabin
Compass
Emergency Start System - Engines
Horn

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray SmartCraft 4-in-1 Multi-gauges (2) w/Glass Lenses, Low-Glare Blue Night Lighting & Chrome Bezels (Includes: Fuel Level, Oil Pressure, Voltmeter & Water Temperature)
- SmartCraft System Speedometer (Includes: Air & Water Temperature, Combined Fuel Level Range, GPS Interface & Troll Control)
- SmartCraft System Tachometers (2) (Includes: Depth, Engine Alarms/ Hourmeters, Fuel Consumption/Usage, Trim Level & Troll Control)

SmartCraft® Digital Throttle & Shift (DTS)

Steering, Power-Assisted

Steering, Tilt Wheel

Switch Pads, Illuminated Weatherproof Electronic w/ISO Symbols & Dimmer Control

Tilt & Trim, Power (Sterndrives Only)

ELECTRICAL SYSTEMS:

Battery Charger/Converter, 120V/60 Cycle

Battery Solenoid Switches, (3)

Battery Trays w/Mounts

Breaker Panels, Waterproof - Power Module Enclosures & Dash Dimmer (Helm & Engine Room)

Isolators, Galvanic (2)

Mercathode II (Sterndrives Only)

Panel, DC Main Breaker

Panel, Main Distribution - AC/DC w/Voltage & Current Meters

Shore Power, Dual 30 Amp/120V/60 Cycle w/50' Cords & Adapters

TV Inlet w/TV Antenna & TV Shore Cord

Wiring, Color-Coded w/Chafe Protection

ELECTRONICS:

Electronics Circuit, 30 Amp w/Fuse Panel

VHF Radio w/8' Fiberglass Antenna & Stainless Steel Ratchet Mount

ENGINE ROOM:

Bilge Pump, 12V Automatic
 Bilge Pumps, 12V Automatic High-Water (1 Bilge, 1 Cabin)
 Blowers, 12V Bilge (2)
 Underwater Exhaust System, Patented (V-Drives Only)
 Fire Suppression System - Automatic w/Manual Pull
 Insulated & Gel-Coated Engine Room
 Ladder, Engine Room Access
 Lighting, 12V
 Oil Filters - Remote

FUEL SYSTEM:

Evaporative Emissions Fuel System
 Fuel Lines, USCG - Type A-1
 Fuel Tanks, Aluminum w/Electric Shutoff Valves & Mechanical Sending Units

UNDERWATER GEAR:

Propellers, Stainless Steel
 Trim Tabs, Hydraulic
 V-Drives (Optional):
 - Bonding System, w/Zinc Hull Plate
 - Propeller Shafts, Stainless Steel (2) - Aquamet 19
 - Propellers, 3-Blade
 - Rudders - Manganese-Bronze
 - Seacocks - Engines
 - Seawater Strainers - Engines
 - Shaft Logs, Dripless w/Extra Seal Carrier Kit
 - Struts, Manganese-Bronze

WASTE SYSTEM:

Head System (VacuFlush®)
 Holding Tank Level Indicator - MDP
 Holding Tank w/Dockside Pump-Out (28 Gallon)
 Sump Box w/Pump - Automatic

WATER SYSTEM:

Freshwater Washdown Spigot
 Pressure Water System w/High Volume 12V Pump
 Shower, Cockpit - Hot & Cold, Stainless Steel
 Water Heater, 120V (6 Gallon) w/Exchanger
 Water Inlet, Dockside
 Water Manifold System
 Water Tank (50 Gallon)

STANDARD PROPULSION

Twin MerCruiser® 8.2 MAG ECT* Bravo® III w/DTS Sterndrives
 (T-380 hp - 283 kW)

*Non-catalyzed engines available for select international markets.

Top speed at top RPM 42-46 MPH @ 4710 RPM
 Gallons per hour at cruise speed (per engine) 25.2 GPH @ 4000 RPM
 Propeller 15.25 x 26 G2 4LH / 13.75 x 26 G2 3RH

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

AXIUS® PROPULSION:

T-MerCruiser® 8.2 MAG ECT* Bravo IIIx w/Axius
(T-380 hp - 283 kW)

T-MerCruiser® 8.2 MAG ECT* SeaCore® Bravo IIIx w/Axius
(T-380 hp - 283 kW)

Axius Propulsion System Includes Axius Control Joystick, SmartCraft Digital Throttle & Shift & SmartCraft VesselView Display

*Non-catalyzed engines available for select international markets.

TWIN GASOLINE V-DRIVES:

T-VD-MerCruiser 8.2 Horizon ECT w/DTS
(T-375 hp - 280 kW)

TWIN DIESEL V-DRIVES:

T-VD-Yanmar® 6LPA-STP*
(T-301 hp - 228 kW)

*Raymarine® Tridata ST-60 (Depth Finder, Speed/Sumlog, & Water Temperature).
SmartCraft Systems N/A on Yanmar Diesel Engine Applications.

CANVAS OPTIONS

Toast Tweed Canvas (In Lieu of Black)

Cockpit Cover

Extended Aft Bimini

ELECTRONICS OPTIONS

Digital Dash - 9" Display; Includes Raymarine a95 Chartplotter

Digital Dash - 9" Display w/Radar; Includes Raymarine a95 Chartplotter w/Radar

SmartCraft VesselView Display (Gas Engines Only):

- Active Alarms/Details
- Alarm History/Details
- Environment & Navigation: GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information, Fuel to Waypoint Data & Navigation Data
- Propulsion: Engine Hour Meters, Engine Status, Performance & Fuel, Peak Performance, Boost Pressure (Optional), Troll Control & Cruise Control
- Vessel: Vessel Status, Tank Status, Steering Position, Generator Data & Start/Stop

GENERATOR OPTIONS

5.0 kW Kohler - Low Emission - Gas, 120V/60 Cycle

4.0 kW Kohler - Low Emission - Gas, 220V/50Hz (Int'l)

6.0 kW Kohler - Diesel, 120V/60 Cycle

6.0 kW Kohler - Diesel, 220V/50 Cycle (Int'l)

Includes Remote Start w/Muffler, Stainless-Steel Exhaust Outlet, Closed Cooling, Remote Fuel Filter, Seacock & Seawater Strainer

(Generator Manufacturer & Size May Vary Due to Product Availability)

INDIVIDUAL OPTIONS

Active Trim by Mercury Marine®
 Aft Enclosed Mid-Berth (2nd Berth)
 Anchor Washdown System
 Bow Rail, Split
 Bow Thruster (N/A w/Axius)
 Colored Hull (Onyx, Sea Ray Blue, Mahogany Brown, Mojave Tan or Horizon Grey)
 Fender Clip System - Quick Disconnect (6)
 Flagpole w/Base & US Flag
 Flooring For Cockpit & Swim Platform - Teak
 Flooring For Opt Extended Swim Platform - Teak
 Gel-Coated Dash
 Gourmet Station (Requires Optional Extended Swim Platform)
 Gray Water System
 Grill, Cockpit - Built-In (120V/60 Cycle) Stainless Steel
 Head, VacuFlush® w/Overboard Discharge (Int'l)
 Inverter, 120V/12V
 Lighting, Enhanced LED Package, White or Blue - Cockpit
 Lighting, Thru-Hull - Underwater
 Macerator w/Seacock Interlock System
 Passerelle System - PREP Only - Transom
 Portlights, Opening w/Screens (Salon & Galley)
 Rod Holders (4)
 Seating, Foldaway, Aft-Facing - Transom
 SiriusXM® Satellite Receiver w/Antenna (N/A Outside N. America)
 Spotlight, 5" Remote-Controlled
 Stereo, Premium Cabin & Cockpit Sound System - AM/FM/CD/DVD Player, Upgraded Component Speakers, Amplifiers, Subwoofers, TV Surround Sound (In Cabin) & Transom Stereo Remote
 Stereo Remote Control - Additional Unit on Transom
 Sun Pad w/Folding Backrest, Stainless Steel Deck Runners, Integrated iPod Speakers, & Beverage Holders - Forward Deck
 Sunroof & Opening Hatch for Std Hardtop
 Swim Platform - Extended
 Swim Platform, SeaLift™ - Hydraulic (V-Drive Only)
 TV, 24" LED / Smart w/Remote Blu-ray™ Player - Cockpit
 TV, 24" LED / Smart w/Remote Blu-ray™ Player - Mid-Berth
 Vacuum System, Central - 120V/60 Cycle
 Windlass System, All Chain (In Lieu of Std. Rope/Chain)
 Windshield w/Stainless-Steel Frame

CE Option

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	T-MerCruiser 8.2 MAG		T-380	Bravo 3X	13.75 x 26 G2 3RH 15.25 x 26 G2 4LH	2.00:1	42-46	4400-4800
Axius	T-MerCruiser 8.2 MAG		T-380	Bravo 3X	14.25 x 22.5 G2 3RH 15.75 x 22.5 G2 4LH	2.00:1	42-46	4400-4800
V-Drive	T-MerCruiser 8.2 Horizon		T-375	ZF 63 IV	18 x 21 x 5.25 #4C 18 x 21 x 5.25 #4C	2.00:1	37-39	4400-4600
V-Drive	T-Yanmar 6LPA-STP		T-300	ZF 63 IV	18 x 21 x 5.25 #4C 1.75" B 18 x 21 x 5.25 #4C 1.75" B	1.99:1	31-35	3900


Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).

Sport Yachts & Yachts


Sundancer 400	
Fly 400	
Sundancer 460	NEW
Fly 460	NEW
Sundancer 510	
Fly 510	
Sundancer 540	



Sunroom/Cockpit
Layout



Lower Cabin
Std Layout



Lower Cabin
Opt 2 Heads

SPECIFICATIONS

Overall length w/std integral swim platform	40' (12.2 m)
Overall length w/opt extended hydraulic swim platform	43'6" (13.26 m)
Beam	13'6" (4.11 m)
Draft (inboards)	40" (101 cm)
Dry weight (Diesel inboards)	31,391 lbs (12,935 kg)
Fuel capacity	344 gal (1,302 L)
Water capacity	100 gal (378 L)
Holding tank	42 gal (159 L)
Deadrise	17°

HEIGHT DIMENSIONS

Waterline to top of aux arch	13' 3" (4.04 m)
Keel to top of hard top (aux arch removed)	13' 6" (4.11 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
Bow Rail, 316 Stainless Steel w/Welded Stanchions
Cleats, Custom Sea Ray 10" Thru-Bolted, Stainless Steel (8)
Deck Fill Plates, Stainless Steel
Deck Rails, 316 Stainless Steel
Drain Plug, Threaded Brass - Garboard
Gel Coat Exterior Finish
Graphics, Striping
Handrails, 316 Stainless Steel
Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover
Hardtop, Fiberglass w/Electric Opening Sunroof
Hull Windows, Extra Large Fixed, One Opening w/Screen
Light, Stern
Lights, Navigation
Forward Deck Sunlounge w/Sunpad & Folding Backrest, Beverage Holders
& Canvas Cover
Rub Rail, PVC w/Stainless Steel Insert
Spotlight, Remote Controlled
Storage, Transom Wall for Fenders & Gear
Swim Platform, Integral w/Concealed Swim Ladder
Thru-Hull Fittings, Stainless Steel
Toe Rail, Molded Fiberglass - Deck
Vent System, Engine Room - Integral
Windshield, Tempered/Tinted Curved Glass (Bonded-In)
Windshield Wipers - Self Parking

CANVAS (SUNBRELLA®)

Canvas Colors - Blue, Black or Taupe
Canvas Bow Sunpad Cover
Canvas Cockpit Seat Covers

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Meets CE Category B

MOORING SYSTEM:

Anchor, Galvanized
Anchor Chute, Stainless Steel
Anchor Rope/Chain Storage w/Gas Assisted Hatch
Windlass, Rope/Chain w/Foot Switches

COCKPIT FEATURES

Beverage Holders
Coolers (2), Carry-On w/Designated Storage
Door, Cabin Entry, Lockable, with Flush Threshold
Door, Transom - Acrylic w/Stainless Steel Frame
Floor Liner, Fiberglass - Self-Bailing
Handrails, 316 Stainless Steel
Hatch, Engine Room - Electrically Actuated w/Emergency Support Arm
Lighting, Indirect, Blue/White Switchable
Lighting, Overhead, Blue/White Switchable
Outlet, 120V GFI Protected
Seating, Port w/Cup Holders & Storage Below
Seating with Storage
Steps, Boarding, Molded-In
Storage - Fenders & Gear

CABIN FEATURES

Audio System, 12V AM/FM Stereo, Wireless Bluetooth™, iPod Connector, Amplifier, Speakers (Cockpit, Salon), Digital Helm Remote Control & Speaker Selector Switches

Carbon Monoxide Monitor

Lighting, LED, Direct & Indirect

Lighting, LED Accents

Outlets, 120V GFI Protected

Pillows, Accent

Seating, Allante Fabric Interior

Storage, In-Floor

Vacuum System, Central, 120V

Window Treatments - Fabric Curtains

Wood Cabinetry: Chestnut

SUNROOM (ENCLOSED):

Blinds, Honeycomb, for Port & Starboard Windows

Curtain, Privacy - Aft Sunroom Door

Flooring, Wood

Lighting, LED 12V

Ottoman, Reversible, for Sofa

Seating, Sofa - Port & Stbd

Sunroof, Opening Electric

Storage

Table, Sofa End

TV, LED / Smart w/Remote Blu-ray™ Player, Coax Outlet & Gain Control

HELM AREA:

Cup Holders (5)

Flooring, Wood

Seating, Adjustable Bench Style for Two

Storage

GALLEY:

Countertop, Solid Surface (Light or Dark Choices) w/Stainless Steel Sink & Single Lever Faucet

Flooring, Wood

Lighting, 12V

Microwave, 120V

Outlet 12V - Accessory

Power Vent, 12V

Refrigerator/Freezer Combo - Dual Voltage 120V/12V

Storage, Upper w/Cutlery Insert

Storage, Lower Drawers and Upper Recessed Bottle Storage

Stove, 120V Flush Two Burner

Trash Receptacle

AFT STATEROOM:

Berths, 3 Twins (Forward Berth Slides Aft to Convert to Larger Bunk)

Curtains for Large Hull Windows

Door, Privacy

Flooring, Carpet

Pillows, Sheets, & Coordinated Spread

Storage, Large and Small Trays and Under Bunk

Storage - Hanging Locker

FORWARD STATEROOM:

Berth, Double Island Style w/Visco Elastic Foam Mattress & Storage Below

Curtains for Large Hull Windows

Door, Privacy

Flooring, Carpet

Pillows, Sheets, & Coordinated Spread
Storage, Deluxe Storage System w/Hanging Locker; Pull Out Vanity w/Mirror; Vanity
Stool & Accent Shelves - Stbd (Replaced w/Second Head Option)
Storage, Drawers Under Berth
Storage, Hanging Locker - Port
TV, 24" LED / Smart w/Remote Blu-ray™ Player

HEAD / SHOWER:

Bathroom Tissue Holder
Door, Privacy
Flooring, Simulated Teak & Tile
Head, Enclosed -Full Fiberglass w/Separate Shower Stall & Shower Door
Head, VacuFlush®
Mirror, Vanity
Portlight, Opening w/Screen
Power Vent, 12V
Shower Wand w/Vertical Adjustment
Storage, Medicine Cabinet
Storage, Upper Shelves w/Stainless Steel Rails - Shower Area
Vanity w/Sink, Single Lever Faucet & Storage Below

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Zone-Controlled Reverse-Cycle System (27,000 BTU - Upper; 16,000 BTU - Lower) w/
Custom Integral Vent System

HELM:

Alarms, High-Water - Bilge & Cabin
Compass
Defroster
Digital Remote Control for Audio System
Emergency Start System (Battery Parallel) - Engines
Horn
Instrument Panels
SmartCraft VesselView Display:
- Active Alarms/Details
- Alarm History/Details
- Environment & Navigation: GPS Interface, Depth & Water Temperature, Depth
Alerts, Trip Log Information, Fuel to Waypoint Data & Navigational Data
- Networked to Raymarine Display
- Propulsion Engine Hours Meters, Engine Status, Performance & Fuel, Peak
Performance, Boost Pressure (Optional) & Troll Control
- Vessel: Vessel Status, Tank Status, Steering Position, Generator Data & Start/
Stop
Steering, Power Assisted, Stainless Steel Tilt Wheel
w/Leather Grips
Switch Panel w/Illuminated Weatherproof Rockers
Throttle & Shift
USB Port - Powered
Windshield Washer
Windshield Wipers with Wiper Controls

ELECTRICAL SYSTEMS:

Battery Charger/Converter, 120V/40 Amp/12V
Battery Solenoid Switches (4)
Battery Trays w/Mounts
Breaker Panels, Waterproof - Power Module Enclosures
& Dash Dimmer (Helm & Engine Room)
Cable TV System w/Inlet, TV Shore Cord, Coax Outlets, Gain Control & Omni
Directional Antenna

Galvanic Isolators (2)
Panel, DC Main Breaker
Panel, Main Distribution - AC w/Voltage & Current Meters
Panel, Main Distribution - DC w/Voltage & Current Meters
Shore Power, 240V/50 Amp w/50' Cord & Glendenning® Cablemaster w/ Remote
Wiring, Color-Coded w/Chafe Protection

ELECTRONICS:

Electronics Circuit, 30 Amp/12V w/Fuse Panel
Raymarine® eS12 Widescreen 12.1" Color LCD, GPS/Chartplotter w/Integrated 4-kW
HD Closed Dome Radar
VHF Radio w/8' Fiberglass Antenna

ENGINE ROOM:

Bilge Pump, 12V Automatic
Bilge Pumps, 12V Automatic High- Water (1 Bilge, 1 Cabin)
Blowers, 12V Bilge (2)
Fire Suppression System - Automatic w/Manual Pull
Gel-Coated Engine Room
Insulation, Engine Room - 1"
Lighting, 12V
Step, Engine Room Access
Underwater Exhaust, Patent Pending

FUEL SYSTEM:

Fuel Filters, - Racor® - Remote
Fuel Lines, USCG - Type A-1
Fuel Tank(s) Aluminum w/Electric Shutoff Valves & Mechanical Sending Units

GENERATOR:

11.0 kW; SmartCraft Interfacing (120/240V/60 Cycle) w/Remote Start, Muffler,
Closed Cooling, Fuel Filter, Seacock & Seawater Strainer

UNDERWATER GEAR:

V-Drive Inboards:
- Bonding System w/Zinc Hull Plate
- Propellers, Nibral
- Propeller Shafts
- Rudders, Manganese-Bronze
- Seacocks - Engines
- Seawater Strainers - Engines
- Shaft Logs, Dripless w/Extra Seal Carrier Kit
- Struts, Manganese-Bronze
- Variable Running Surface (VRS Trim Tabs)

WASTE SYSTEM:

Head System (VacuFlush®)
Holding Tank Level Indicators - MDP
Holding Tank w/Dockside Pump-Out (42 gal)
Sump Box w/Pump - Automatic

WATER SYSTEM:

Freshwater Washdown Spigot - Transom
Manifold System w/Shutoff Valves
Pressure Water System w/High Volume 12V Pump
Shower, Cockpit - Single-Lever Hot & Cold, Stainless Steel Door
Water Heater, 120V (11 Gallon)
Water Inlet, Dockside
Water Tank (100 gal)

STANDARD PROPULSION

TWIN DIESEL V-DRIVES:

T-VD-Cummins® QSB 480 6.7 HO
(T-480 hp - 358 kW)

Top speed at top RPM	35-37.8 MPH @ 3360 RPM
Cruise speed	31-33 MPH @ 3000 RPM
Range at cruise speed	235 NM @ Cruise
Propeller	23x26.5 4BC

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

ELECTRONICS OPTIONS

Autopilot, Raymarine® - Interfaced w/Chartplotter
Raymarine AIS650 Transceiver
Raymarine CP 370 Fishfinder Module for eS12 Display
Raymarine eS12 Widescreen 12.1" Color LCD GPS/Chartplotter - Auxiliary Display
Raymarine Open Array Radar Scanner (In-lieu-of Closed Array)

INDIVIDUAL OPTIONS

Anchor, Stainless Steel (In Lieu of Galvanized)
Anchor Washdown System
Audio System for Foredeck Seating
Audio System Upgrade - Exterior: Includes Cockpit Premium Sound System w/
Remote Control Unit on Transom
Awning, Retractable Electric, SureShade® - Cockpit
Bow Thruster
Bow & Stern Thrusters
Canvas, Cockpit Isenglass Enclosure
Canvas, Mesh Windshield Shades
Carpet Runners, Interior (Sunbrella®)
Cockpit Upholstery Option: Elysee / Frost
Colored Hull (Black, Blue, Horizon or Shoreline)
Coolbox, Cockpit
Dynamic Running Surface™ (DRS Automated Trim Tab System)
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, Teak - Cockpit
Flooring, Teak - Integral Platform
Flooring, Teak - Optional Extended Swim Platform
Flooring, Teak - Optional Hydraulic Swim Platform
Fuel Transfer Pump - Electric
Gourmet Space on Transom Including Grill & Sink (Requires Optional Ext/Hyd Swim
Platform)
Grey Water System
Head, Optional Second Head w/Shower (Replaces Stbd Storage System in Fwd
Stateroom):
Bathroom Tissue Holder, Door Privacy, Flooring Simulated Teak, Head Enclosed
-Full Fiberglass w/Separate Shower Stall & Shower Door, Mirror Vanity, Power
Vent 12V, Shower Wand w/Vertical Adjustment, Storage, Medicine Cabinet,
Storage Upper Shelves w/Stainless Steel Rails - Shower Area, Vanity, Sink, Single
Lever Faucet & Storage Below, Opening Portlight

Head, VacuFlush® w/Overboard Discharge (Int'l)
Inverter
Joystick Docking System - Bow Thruster Only
Joystick Docking System - Bow & Stern Thrusters
Lighting, Underwater - Transom (2) (White or Blue)
Macerator w/Seacock Interlock System
Oil Changer System
Passerelle System - Transom
Passerelle System - Transom (Prep Only)
Rod Holders (2)
Safe
Screen for Sunroom Door
Seating, Salon Sofa w/Pull Out Bed
SiriusXM® Satellite Receiver w/Antenna (N/A Outside N. America)
Storage Cabinet, Aft Stateroom (in Place of Starboard Bunk)
Sunpad - Cockpit
Sun Shade - Foredeck
Swim Platform, Extended
Swim Platform w/Integrated Steps, Hydraulic, 500 lb Cap
Table, Hi-Low - Salon
Table, Natural Teak w/cover - Cockpit
TV, 24" LED, w/Remote Blu-ray™ Player - Aft Stateroom
Windlass, All-Chain (In Lieu of Std. Rope/Chain)
Windlass Capstan
Windows, Opening Portlights in Both Staterooms
Windshield w/Opening Side Windows, Manual - Port & Stbd
Wine Cooler/Chiller
Wood Cabinetry, Interior: Prestige Cherry Gloss or Pecan Woodline Matte

CE Option

PROPELLER & SPEED CHARTS


Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
V-Drive - Diesel	T-VD-Cummins® QSB 480 6.7 HO		T-480	ZF85 IV	23 x 26.5	2.0:1	35-37.8	4100-4200


Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).




Bridge Layout



Salon / Cockpit
Layout



Lower Cabin
Std Layout



Lower Cabin
Opt 2 Heads

SPECIFICATIONS

Overall length w/std integral swim platform	40' (12.2 m)
Overall length w/opt extended hydraulic swim platform	43' 6" (13.26 m)
Beam	13' 6" (4.11 m)
Draft	43" (109 cm)
Dry weight	33,693 lbs (15,282 kg)
Fuel capacity	344 gal (1,302 L)
Water capacity	100 gal (378 L)
Holding tank	42 gal (159 L)
Deadrise	17°

HEIGHT DIMENSIONS

Bridge Clearance - Waterline to top of highest fixed point	19' 0" (5.79 m)
Shipping - Keel to "top" vessel height	13' 6" (4.11 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
Bow Rail, 316 Stainless Steel w/Welded Stanchions
Cleats, Custom Sea Ray 10" Thru-Bolted, Stainless Steel (8)
Deck Fill Plates, Stainless Steel
Deck Rails, 316 Stainless Steel
Gel Coat Exterior Finish
Graphics, Striping
Handrails, 316 Stainless Steel
Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover
Hull Windows, Extra Large Fixed, One Opening w/Screen
Light, Stern
Lights, Navigation
Forward Deck Sunlounge w/Sunpad & Folding Backrest, Beverage Holders
& Canvas Cover
Rub Rail, PVC w/Stainless Steel Insert
Spotlight, Remote Controlled
Storage, Transom Wall for Fenders & Gear
Swim Platform, Integral w/Concealed Swim Ladder
Thru-Hull Fittings, Stainless Steel
Toe Rail, Molded Fiberglass - Deck
Vent System, Engine Room - Integral
Windshield, Tempered/Tinted Curved Glass (Bonded-In)
Windshield Wipers - Self Parking

CANVAS (SUNBRELLA®)

Canvas Colors - Blue, Black or Taupe
Canvas Bow Sunpad Cover
Canvas Bridge Seat & Console Covers
Canvas Cockpit Seat Covers

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Meets CE Category B

MOORING SYSTEM:

Anchor, Galvanized
Anchor Chute, Stainless Steel
Anchor Rope/Chain Storage w/Gas-Assisted Hatch
Windlass, Rope/Chain w/Foot Switches

BRIDGE FEATURES

Arch, Aft Facing
Beverage Holders
Control Station & Single Helm Seat w/Flip-up Thigh Rise Bolster
Forward Storage Area w/Glove Box
Handrails, 316 Stainless Steel
Hatch, Bridge Access
Lighting, Indirect, LED Blue/White Switchable
Outlet, 120V GFI Protected
Outlet, 12V Accessory
Seating w/Storage & Convertible Backrest
Seating, Aft C-Shape
Ship's Bell
Storage Cabinet w/Countertop
Table, Natural Teak w/Cover
USB Port - Powered

COCKPIT FEATURES

Beverage Holders
Bridge Steps w/Base; Frame; Handrails & Storage in Base
Coolers (2), Carry-On w/Designated Storage

Door, Cabin Entry, Lockable, with Flush Threshold
Door, Transom - Acrylic w/Stainless-Steel Frame
Floor Liner, Fiberglass - Self-Bailing
Handrails, 316 Stainless Steel
Hatch, Engine Room - Electrically Actuated w/Emergency Support Arm
Lighting, Indirect, LED Blue/White Switchable
Lighting, Overhead, Blue/White Switchable
Outlet, 120V GFI Protected
Seating, w/Storage
Steps, Boarding, Molded-In
Storage - Fenders & Gear

CABIN FEATURES

Audio System, 12V AM/FM Stereo, Wireless Bluetooth™, iPod Connector, Amplifier,
Speakers (Bridge, Cockpit, Salon), Digital Helm Remote Control (Upper & Lower) &
Speaker Selector Switches
Carbon Monoxide Monitor
Lighting, LED Direct & Indirect
Lighting, LED Accents
Outlets, 120V GFI Protected
Pillows, Accent
Seating, Allante Fabric Interior
Storage, In-Floor
Vacuum System, Central, 120V
Window Treatments - Fabric Curtains
Wood Cabinetry: Chestnut

UPPER SALON:

Blinds, Honeycomb, for Port & Starboard Windows
Curtain, Privacy - Aft Salon Door
Flooring, Wood
Lighting 12V, LED
Ottoman, Reversible, for Sofa
Seating, Sofa - Port & Stbd
Storage
Table, Sofa End
TV, LED / Smart w/Remote Blu-ray™ Player, Coax Outlet & Gain Control

HELM AREA:

Cup Holders (5)
Flooring, Wood
Seating, Adjustable Bench Style for Two
Storage

GALLEY:

Countertop, Solid Surface (Light or Dark Choices) w/Stainless Steel Sink & Single
Lever Faucet
Flooring, Wood
Lighting, 12V
Microwave, 120V
Outlet 12V - Accessory
Power Vent, 12V
Refrigerator/Freezer Combo - Dual Voltage 120V/12V
Storage, Upper w/Cutlery Insert
Storage, Lower Drawers and Upper Recessed Bottle Storage
Stove, 120V Flush Two Burner
Trash Receptacle

AFT STATEROOM:

Berths, 3 Twins (Forward Berth Slides Aft to Convert to Larger Bunk)
Curtains for Large Hull Windows
Door, Privacy

Flooring, Carpet
Pillows, Sheets, & Coordinated Spread
Storage, Large and Small Trays and Under Bunk
Storage - Hanging Locker

FORWARD STATEROOM:

Berth, Double Island Style w/Visco Elastic Foam Mattress & Storage Below
Curtains for Large Hull Windows
Door, Privacy
Flooring, Carpet
Pillows, Sheets, & Coordinated Spread
Storage, Deluxe Storage System w/Hanging Locker; Pull Out Vanity w/Mirror; Vanity
Stool & Accent Shelves - Stbd (Replaced w/Second Head Option)
Storage, Drawers Under Berth
Storage, Hanging Locker - Port
TV, 24" LED / Smart w/Remote Blu-ray™ Player

HEAD / SHOWER:

Bathroom Tissue Holder
Door, Privacy
Flooring, Simulated Teak Tile
Head, Enclosed -Full Fiberglass w/Separate Shower Stall & Shower Door
Head, VacuFlush®
Mirror, Vanity
Portlight, Opening w/Screen
Power Vent, 12V
Shower Wand w/Vertical Adjustment
Storage, Medicine Cabinet
Storage, Upper Shelves w/Stainless-Steel Rails - Shower Area
Vanity w/Sink, Single Lever Faucet & Storage Below

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Zone-Controlled Reverse-Cycle System (27,000 BTU - Upper; 16,000 BTU - Lower) w/
Custom Integral Vent System

LOWER CONTROL STATION:

Alarms, High-Water - Bilge & Cabin
Defroster
Digital Remote Control for Audio System
Emergency Start System (Battery Parallel) - Engines
Horn
Instrument Panels
SmartCraft VesselView Display:
- Active Alarms/Details
- Alarm History/Details
- Environment & Navigation: GPS Interface, Depth & Water Temperature, Depth
Alerts, Trip Log Information, Fuel to Waypoint Data & Navigational Data
- Networked to Raymarine Display
- Propulsion Engine Hours Meters, Engine Status, Performance & Fuel, Peak
Performance, Boost Pressure (Optional), Troll Control & Cruise Control
- Vessel: Vessel Status, Tank Status, Steering Position, Generator Data & Start/
Stop
Steering, Power Assisted, Stainless Steel Tilt Wheel w/Leather Grips
Switch Panel w/Illuminated Weatherproof Rockers
Throttle & Shift
USB Port - Powered
Windshield Wipers with Wiper Controls

UPPER (BRIDGE) CONTROL STATION:

Alarms, High-Water - Bilge & Cabin
Compass
Emergency Start System (Battery Paralleler) - Engines
Horn
Instrument Panels
Steering, Power Assisted, Stainless Steel Tilt Wheel w/Leather Grips
Switch Panel w/Illuminated Weatherproof Rockers
Throttle & Shift
USB Port - Powered

ELECTRICAL SYSTEMS:

Battery Charger/Converter, 120V/40 Amp/12V
Battery Solenoid Switches (4)
Battery Trays w/Mounts
Breaker Panels, Waterproof - Power Module Enclosures
& Dash Dimmer (Helm & Engine Room)
Cable TV System w/Inlet, TV Shore Cord, Coax Outlets, Gain Control & Omni
Directional Antenna
Galvanic Isolators (2)
Panel, DC Main Breaker
Panel, Main Distribution - AC w/Voltage & Current Meters
Panel, Main Distribution - DC w/Voltage & Current Meters
Shore Power, 240V/50 Amp w/50' Cord & Glendenning® Cablemaster w/ Remote
Wiring, Color-Coded w/Chafe Protection

ELECTRONICS - LOWER CONTROL STATION:

Electronics Circuit, 30 Amp/12V w/Fuse Panel
Raymarine® eS12 Widescreen 12.1" Color LCD, Radar/GPS/Chartplotter
VHF Radio

ELECTRONICS - UPPER CONTROL STATION:

Electronics Circuit, 30 Amp/12V w/Fuse Panel
Raymarine® eS12 Widescreen 12.1" Color LCD, GPS/Chartplotter w/Integrated
Quantum™ Solid State Radar
VHF Radio w/8' Fiberglass Antenna & Stainless-Steel Ratchet Mount

ENGINE ROOM:

Bilge Pump, 12V Automatic
Bilge Pumps, 12V Automatic High- Water (1 Bilge, 1 Cabin)
Blowers, 12V Bilge (2)
Fire Suppression System - Automatic w/Manual Pull
Gel-Coated Engine Room
Insulation, Engine Room - 1"
Lighting, 12V
Step, Engine Room Access
Underwater Exhaust, Patent Pending

FUEL SYSTEM:

Fuel Lines, USCG - Type A-1
Fuel Tank(s) Aluminum w/Electric Shutoff Valves & Mechanical Sending Units

GENERATOR:

11.0 kW w/SmartCraft Interfacing (240V/60 Cycle) w/Remote Start, Muffler, Closed
Cooling, Fuel Filter, Seacock & Seawater Strainer

WASTE SYSTEM:

Head System (VacuFlush®)
Holding Tank Level Indicators - MDP
Holding Tank w/Dockside Pump-Out (42 gal)
Sump Box w/Pump - Automatic

UNDERWATER GEAR:

V-Drive Inboards:

- Bonding System w/Zinc Hull Plate
- Propellers, Nibral
- Propeller Shafts
- Rudders, Manganese-Bronze
- Seacocks - Engines
- Seawater Strainers - Engines
- Shaft Logs, Dripless w/Extra Seal Carrier Kit
- Struts, Manganese-Bronze
- Variable Running Surface (VRS Trim Tabs)

WATER SYSTEM:

Freshwater Washdown Spigot - Transom
Manifold System w/Shutoff Valves
Pressure Water System w/High Volume 12V Pump
Shower, Cockpit - Single-Lever Hot & Cold, Stainless-Steel Door
Water Heater, 120V (11 Gallon)
Water Inlet, Dockside
Water Tank (100 gal)

STANDARD PROPULSION

TWIN DIESEL V-DRIVES:

T-Cummins® QSB 6.7 - 480 HO
(T-480 hp - 358 kW)

Top speed at top RPM	33-35 MPH @ 3400 RPM
Cruise speed	29-31 MPH @ 3100 RPM
GPH at cruise (per engine)	18.8 @ 3100 RPM @ Cruise
GPH at WOT (per engine)	25.4 @ 3400 RPM
Propeller	23x26.5 4BC

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

ELECTRONICS OPTIONS

Autopilot, Raymarine® - Interfaced w/Chartplotter
Raymarine AIS650 Transceiver
Raymarine CP 370 Fishfinder Module for eS12 Display
Raymarine eS12 Widescreen 12.1" Color LCD GPS/Chartplotter - Lower Control Station, Auxiliary Display
Raymarine eS12 Widescreen 12.1" Color LCD GPS/Chartplotter - Upper Control Station, Auxiliary Display
Raymarine Open Array Scanner (In-lieu-of Closed Array) (N/A w/Arch)

BRIDGE OPTIONS

Canvas, Bimini Top for Bridge
Canvas, Full Bridge Cover (Replaces Standard Bridge Seat & Console Covers)
Flooring, Infinity Seagrass™ - Bridge
Flooring, Teak - Bridge & Bridge Steps
Grill, Bridge (N/A w/ Transom Gourmet Station)
Refrigerator on Bridge, Stainless Steel, Drawer Style
Sink on Bridge
TV Outlet for Bridge

INDIVIDUAL OPTIONS

Anchor, Stainless Steel (In Lieu of Galvanized)
Anchor Washdown System
Audio System for Foredeck Seating
Audio System Upgrade - Exterior: Includes Bridge & Cockpit Premium Sound System w/ Remote Control Unit on Transom

Bow Rail, Split
Bow Thruster
Bow & Stern Thrusters
Canvas, Cockpit Isenglass Enclosure
Canvas, Mesh Windshield Shades
Carpet Runners, Interior (Sunbrella®)
Cockpit Upholstery Option: Elysee / Frost
Colored Hull (Black, Blue, Horizon or Shoreline)
Dynamic Running Surface™ (DRS Automated Trim Tab System)
Flagpole w/Base & US Flag
Flooring, Infinity Seagrass™ - Cockpit
Flooring, Teak - Cockpit
Flooring, Teak - Integral Platform
Flooring, Teak - Optional Extended Swim Platform
Flooring, Teak - Optional Hydraulic Swim Platform
Fuel Transfer Pump - Electric
Gourmet Space on Transom Including Grill & Sink (Requires Optional Extended Swim Platform)
Gray Water System
Head, Optional Second Head w/Shower (Replaces Stbd Storage System in Fwd Stateroom):
Bathroom Tissue Holder, Privacy Door, Simulated Teak Flooring, Head Enclosed -Full Fiberglass w/Separate Shower Stall & Shower Door, Mirror Vanity, Power Vent 12V, Shower Wand w/ Vertical Adjustment, Storage, Medicine Cabinet, Storage Upper Shelves w/Stainless Steel Rails - Shower Area, Vanity, Sink, Single Lever Faucet & Storage Below, Opening Portlight
Head, VacuFlush® w/Overboard Discharge (Int'l)
Icemaker in Cockpit (in lieu of Optional Refrigerator)
Inverter
Joystick Docking System - Bow Thruster Only
Joystick Docking System - Bow & Stern Thrusters
Lighting, Underwater - Transom (2) (White or Blue)
Macerator w/Seacock Interlock System
Oil Changer System
Opening Vent in Windshield, Manual - Port & Stbd
Passerelle System - Transom
Passerelle System - Transom (Prep Only)
Refrigerator in Cockpit, Stainless Steel, Drawer Style
Rod Holders (2)
Safe
Screen for Salon Door
Seating, Salon Sofa w/Pull Out Bed
SiriusXM® Satellite Receiver w/Antenna (N/A Outside N. America)
Storage Cabinet, Aft Stateroom (in Place of Starboard Bunk)
Sun Shade - Foredeck
Swim Platform, Extended
Swim Platform w/Integrated Steps, Hydraulic, 500 lb Cap
Table, Natural Teak w/cover - Cockpit
Table, Salon Hi/Low (Replaces Standard Ottoman)
TV, 24" LED, w/Remote Blu-ray™ Player - Aft Stateroom
Windlass, All-Chain (In Lieu of Std. Rope/Chain)
Windlass Capstan
Windows, Opening Portlights in Both Staterooms
Wine Cooler/Chiller
Wood Cabinetry, Interior: Prestige Cherry Gloss or Pecan Woodline Matte


CE Option

PROPELLER & SPEED CHARTS


Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
V-Drive - Diesel	T-Cummins QSB 6.7 - 480 HO		T-480	ZF85	23 x 25.5	2.0:1	33-35	3300

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SUNROOM/COCKPIT LAYOUT



LOWER CABIN LAYOUT

SPECIFICATIONS

Overall length w/Std extended swim platform	46'8" (14.22 m)
Overall length w/Opt Hydraulic extended swim platform	46'8" (14.22 m)
Beam	14'2" (4.32 m)
Draft (V-drive)	46.1" (117 cm)
Draft (Zeus drives)	51.7" (131.3 cm)
Dry weight (V-drive)	32,994 lbs (14,966 kg)
Dry weight (Zeus drives)	36,208 lbs (16,424 kg)
Fuel capacity	375 gal (1,419 L)
Fuel capacity (opt)	433 gal (1,638 L)
Water capacity	140 gal (530 L)
Holding tank	42 gal (159 L)
Deadrise	17°

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
Bow Rail, 316 Stainless Steel w/Welded Stanchions
Cleats, Custom Sea Ray 10" Thru-Bolted, Stainless Steel (8)
Deck Fill Plates, Stainless Steel
Deck Rails, 316 Stainless Steel
Gel Coat Exterior Finish
Handrails, 316 Stainless Steel
Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover
Hull Windows, Fixed Acrylic
Lights, Navigation
Portlights, Opening in Each Head
Recessed Bow Seating, w/Sunpad & Folding Backrest, Stainless Steel Deck Runners w/Beverage Holders
Rub Rail, PVC w/Stainless Steel Insert
Spotlight, Remote Controlled
Storage, Transom Wall
Swim Platform, Extended w/Concealed Swim Ladder
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Room - Integral
Windshield, Tempered/Tinted Curved Glass (Bonded-In)

CANVAS (SUNBRELLA®)

Canvas Colors - Blue, Black or Taupe
Canvas Bow Sunpad Cover
Canvas Cockpit Seat Covers

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Meets CE Category B

MOORING SYSTEM:

Anchor, Galvanized
Anchor Chute, Stainless Steel
Anchor Rope/Chain Storage w/Gas Assisted Hatch
Windlass, Rope/Chain w/Foot Switches

COCKPIT FEATURES

Beverage Holders
Door, Cabin Entry, Lockable, with Flush Threshold
Door, Transom - Acrylic w/Stainless Steel Frame
Floor Liner, Fiberglass - Self-Bailing
Handrails, 316 Stainless Steel
Hatch, Engine Room, Gas Assisted Day Hatch
Lighting, Indirect, Blue/White Switchable
Lighting, Overhead, Blue/White Switchable
Outlet, 12V Accessory
Outlet, 120V GFI Protected
Seating, Sliding Aft Cockpit - Electric
Seating w/Storage
Steps, Boarding, Molded-In
Storage - Fenders & Gear

CABIN FEATURES

Audio System, 12V AM/FM Stereo, Wireless Bluetooth™, iPod Connector, Amplifier, Speakers (Cockpit, Salon), Digital Helm Remote Control & SiriusXM® Satellite Receiver w/Antenna (N/A Outside N. America)
Carbon Monoxide Monitor
Lighting, LED Direct & Indirect
Lighting, LED Accents
Outlet, 12V Accessory
Outlets, 120V GFI Protected

Pillows, Accent
Storage, In-Floor
Vacuum System, Dyson
Window Treatments - Fabric Curtains
Wood Cabinetry: French Walnut, Satin

SUNROOM (ENCLOSED):

Curtain, Privacy - Aft Sunroom Door
Flooring, Wood
Lighting, 12V LED
Ottoman, Reversible, for Sofa
Seating, Sofas - Port & Stbd
Curtains for side Windows
Sunroof, Opening - Powered
Storage
TV, LED w/Remote Blu-ray™ Player, DVD Storage, Coax Outlet & Gain Control

HELM AREA:

Cup Holders (5)
Flooring, Wood
Pullout Visibility Platform
Seating, Adjustable Bench Style Seating for Two w/Armrests
Storage

GALLEY (AFT SUNROOM LAYOUT):

Countertop, Solid Surface w/Stainless Steel Sink & Single Lever Faucet w/ Pullout
Sprayer
Flooring, Wood
Lighting, 12V LED
Microwave/Convection Oven w/Stainless Steel Front - 120V/60 Cycle
Outlet 12V - Accessory
Power Vent, 12V
Refrigerator/Freezer (Side by Side), Dual Voltage 120V/12V
Storage, Drawers w/Cutlery Insert
Storage, Upper & Lower
Stove, Two Burner, 120V
Trash Receptacle

AFT MASTER STATEROOM (FULL BEAM):

Bed, Queen Size w/Innerspring Mattress, Pillows, Sheets, Coordinated Spreads & Drawer Storage Below
Door, Privacy
Flooring, Carpet
Private Head Access
Settee - Stbd
Sheet Set, Fitted (Neutral Color)
Storage Cabinets & Lockers w/Shelves
Storage, Hanging Lockers (2)
TV, 32" LED, w/Remote Blu-ray™ Player
USB Port - Powered

FORWARD STATEROOM:

Bunks, Twin Scissor (2) w/Mattresses, Pillows, Sheets & Coordinated Spread - Converts to Queen Size Bed w/Storage Below
Door, Privacy
Flooring, Carpet
Sheet Set, Fitted (Neutral Color)
Storage Cabinets & Lockers w/Shelves
Storage, Hanging Lockers (2)
USB Port - Powered

MASTER STATEROOM HEAD / SHOWER:

Bathroom Tissue Holder
Door, Privacy
Flooring, Tile
Handrail, Stainless Steel
Head, Enclosed -Full Fiberglass w/Separate Shower Stall & Shower Door
Head, VacuFlush®
Mirror, Vanity
Portlight, Opening
Power Vent, 12V
Shower Wand w/Vertical Adjustment
Storage, Medicine Cabinet
Storage, Upper Shelves w/Stainless Steel Rails - Shower Area
Towels - Sea Ray
Vanity w/Solid Surface Countertop, Sink, Single Lever Faucet & Storage Below

STARBOARD HEAD / SHOWER:

Bathroom Tissue Holder
Door, Privacy
Flooring, Tile
Handrail, Stainless Steel
Head, Enclosed -Full Fiberglass w/Separate Shower Stall & Shower Door
Head, VacuFlush®
Mirror, Vanity
Portlight, Opening
Power Vent, 12V
Shower Wand w/Vertical Adjustment
Storage, Medicine Cabinet
Storage, Upper Shelves w/Stainless Steel Rails - Shower Area
Towels - Sea Ray
Vanity w/Solid Surface Countertop, Sink, Single Lever Faucet & Storage Below

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Zone-Controlled Reverse-Cycle System (30,000 BTU - Upper; 20,000 BTU - Lower)
w/Custom Integral Vent System

HELM:

Alarms, High-Water - Bilge & Cabin
Compass
Defroster
Digital Remote Control for Audio System
Emergency Start System (Battery Parallel) - Engines
Horn
Instrument Panels
SmartCraft® VesselView Display:
- Active Alarms/Details
- Alarm History/Details
- Environment & Navigation: GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information, Fuel to Waypoint Data & Navigational Data
- Networked to Raymarine Display
- Propulsion Engine Hours Meters, Engine Status, Performance & Fuel, Peak Performance, Boost Pressure (Optional), Troll Control & Cruise Control
- Vessel: Vessel Status, Tank Status
Steering, Power Assisted, Stainless Steel Tilt Wheel w/Leather Grips
Switch Panel w/Illuminated Weatherproof Rockers
Throttle & Shift
USB Port - Powered
Vents, A/C
Windshield Wipers with Washer

ELECTRICAL SYSTEMS:

Battery Charger/Converter, 120V/40 Amp/12V
Battery Solenoid Switches
Battery Trays w/Mounts
Breaker Panels, Waterproof - Power Module Enclosures
& Dash Dimmer (Helm & Engine Room)
Cable TV System w/Inlet, TV Shore Cord, Coax Outlets, Gain Control & Omni
Directional Antenna
Disconnect w/Composite Enclosure
Galvanic Isolators (2)
Panel, DC Main Breaker
Panel, Main Distribution - AC/DC w/Voltage & Current Meters
Shore Power, 240V/50 Amp w/50' Cord & Glendenning® Cablemaster w/Remote
Wiring, Color-Coded w/Chafe Protection

ELECTRONICS:

Electronics Circuit, 30 Amp/12V w/Fuse Panel
Raymarine® eS12 Widescreen 12.1" Color LCD, GPS/Chartplotter w/Integrated 4-kW
HD Closed Dome Radar
VHF Radio w/8' Fiberglass Antenna & Stainless-Steel Ratchet Mount

ENGINE ROOM:

Bilge Pump, 12V Automatic
Bilge Pumps, 12V Automatic High- Water (1 Bilge, 1 Cabin)
Blowers, 12V Bilge (2)
Fire Suppression System - Automatic w/Manual Pull
Gel-Coated Engine Room
Insulation, Engine Room - 2" w.Vinyl Barrier
Ladder, Engine Room Access, Removable
Lighting, 12V
Underwater Exhaust System, Patent Pending

FUEL SYSTEM:

Fuel Filters, - Racor® - Remote
Fuel Lines, USCG - Type A-1
Fuel Tank(s) Aluminum w/Electric Shutoff Valves & Mechanical Sending Units

GENERATOR:

13.5-kW Diesel (120/240V, 60Hz) w/Remote Start, Muffler, Closed Cooling, Fuel
Filter, Seacock & Seawater Strainer & Sound Shield

UNDERWATER GEAR:

V-Drive Inboards:

- Bonding System w/Zinc Hull Plate
- Propellers, Nibral
- Propeller Shafts, (2)
- Rudders, Manganese-Bronze
- Seacocks - Engines
- Seawater Strainers - Engines
- Shaft Logs, Dripless w/Extra Seal Carrier Kit
- Struts, Manganese-Bronze

Trim Tabs, Hydraulic

WASTE SYSTEM:

Common Drain System
Head System (VacuFlush®)
Holding Tank Level Indicators - MDP
Holding Tank w/Dockside Pump-Out
Sump Box w/Pump - Automatic

WATER SYSTEM:

Freshwater Washdown Spigot - Transom, Engine Room & Anchor Locker
Manifold System w/Shutoff Valves
Pressure Water System w/ 12V Pump & Filtration System
Shower, Cockpit - Single-Lever Hot & Cold
Water Heater, 120V (11 Gallon)
Water Inlet, Dockside
Water Tank (120 gal)

STANDARD PROPULSION

TWIN DIESEL V-DRIVES:

T-VD-Cummins® QSB 6.7 - 550 HO
Diesel V-Drive Inboards
(T-528 php - 405 kW)

Top speed at top RPM	34-36 MPH @ 3400 RPM
Cruise speed	29-31 MPH @ 3100 RPM
GPH at cruise (per engine)	21.3 @ 3000 RPM @ Cruise
GPH at WOT (per engine)	29.1 @ 3300 RPM
Propeller	23x25.5

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

TWIN DIESEL ZEUS® DRIVES:

T-Zeus-Cummins QSB 6.7 - 550 HO
(T-528 php - 405 kW)
Zeus Propulsion Includes Helm Joystick Control & Integrated Autopilot

ELECTRONICS OPTIONS

Autopilot, Raymarine® - Interfaced w/Chartplotter (V-Drive Only)
Raymarine AIS650 Transceiver
Raymarine CP 370 Fishfinder Module for eS12 Display
Raymarine eS12 Widescreen 12.1" Color LCD GPS/Chartplotter - Auxiliary Display
Raymarine Open Array Radar Scanner (In-lieu-of Closed Array)

INDIVIDUAL OPTIONS

Anchor, Stainless Steel (In Lieu of Galvanized)
Audio System for Foredeck Seating
Audio Upgrade - Exterior: Includes Cockpit Premium Sound System w/ Remote Control Unit on Transom
Audio Upgrade - Interior: Includes Bose® SoundTouch® System w/DVD Player & Wireless Bluetooth™, Upgraded Speakers, Amplifiers & Subwoofer - Salon & Master
Awning, Retractable Electric, SureShade® - Cockpit
Bow Rail, Split
Bow Thruster (V-Drive Only)
Bow & Stern Thruster (V-Drive Only)
Canvas Cockpit Isenglass Enclosure
Canvas Mesh Windshield Shades
Carpet Runners, Interior (Sunbrella®)
Colored Hull (Black, Blue, Horizon or Shoreline)
Countertop Upgrade, Silestone® Natural Quartz Surface
Countertops (Dark Solid Surface In-lieu-of Light)
Digital Satellite TV System (KVH TracVision TV3)

Exterior Lighting Package
 Exterior Upholstery Treatment: Light Tone or Mid Tone (In-lieu-of Std Dark Tone)
 Flagpole w/Base & US Flag
 Flooring, Infinity Light or Mid-Tone - Cockpit
 Flooring, Teak - Swim Platform
 Flooring Teak, Cockpit
 Flooring, Teak - Optional Hydraulic Swim Platform
 Fuel Tanks, Extended Range (430 Gal Total)
 Fuel Transfer Pump - Electric
 Gray Water System
 Gourmet Space on Transom Including Grill & Sink
 Head, VacuFlush® w/Overboard Discharge (Int'l)
 Icemaker, Galley
 Inverter
 Interior Treatment: Windows - Aluminum Blinds, Wood Blinds (Cherry or Walnut) or Roman Shades
 Interior Treatment: Wood Cabinetry - Interior: Dark Cherry, High Gloss
 Joystick Docking System, V-Drive - Bow Thruster Only
 Joystick Docking System, V-Drive - Bow & Stern Thrusters
 Lighting, Underwater - Transom (2) (White or Blue)
 Macerator w/Seacock Interlock System
 Mattress Topper, Double - Forward Stateroom Bed
 Oil Changer System
 Opening Portlights in Both Staterooms
 Passerelle System - Transom
 Prop Holders - Spare (Zeus Only)
 Rod Holders (2)
 Safe
 Screen for Sunroom Door
 Storage Cabinet - Master Stateroom (Replaces Stbd Settee)
 Sunpad Filler Cushion - Cockpit
 Sun Shade - Foredeck
 Sunroom Sofa w/Pull Out Bed
 Swim Platform w/Integrated Steps, Hydraulic - 650 lb Cap.
 Table, Natural Teak w/cover - Cockpit
 Table, Hi-Low - Sunroom
 TV, 24" LED, w/Remote Blu-ray™ Player - Fwd Stateroom
 Washer / Dryer Combo Unit
 Windlass, All-Chain (In Lieu of Std. Rope/Chain)
 Windlass Capstan
 Windshield w/Opening Side Windows, Manual - Port & Stbd
 Wine Cooler/Chiller


CE Option

PROPELLER & SPEED CHARTS


Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
V-Drive - Diesel	T-V/D-Cummins® QSB 6.7 - 550HO	T-550	23 x 25.5	ZF 280 IV	M-14	2.063:1	34-36	3300
Zeus Druves - Diesel	T-Zeus-Cummins QSB 6.7 - 550 HO	T-550				2.24:1	37-39	3300


Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



BRIDGE / DECK LAYOUT



SALON / COCKPIT LAYOUT



LOWER CABIN LAYOUT

SPECIFICATIONS

Overall length w/Std extended swim platform	46'8" (14.22 m)
Overall length w/Opt Hydraulic extended swim platform	46'8" (14.22 m)
Beam	14'2" (4.32 m)
Draft (V-drive)	50.25" (127.6 cm)
Draft (Zeus drives)	55.9" (141.9 cm)
Dry weight (V-drive)	39,883 lbs (18,091 kg)
Dry weight (Zeus drives)	43,892 lbs (19,909 kg)
Fuel capacity	375 gal (1,419 L)
Fuel capacity (opt)	433 gal (1,638 L)
Water capacity	140 gal (530 L)
Holding tank	42 gal (159 L)
Deadrise	17°

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
Bow Rail, 316 Stainless Steel w/Welded Stanchions
Cleats, Custom Sea Ray 10" Thru-Bolted, Stainless Steel (8)
Deck Fill Plates, Stainless Steel
Deck Rails, 316 Stainless Steel
Gel Coat Exterior Finish
Graphics, Striping
Handrails, 316 Stainless Steel
Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover
Hull Windows, Fixed Acrylic
Lights, Navigation
Portlights, Opening in Each Head
Recessed Bow Seating, w/Sunpad & Folding Backrest, Stainless Steel Deck Runners
w/Beverage Holders
Rub Rail, PVC w/Stainless Steel Insert
Spotlight, Remote Controlled
Storage, Transom Wall for Fenders & Gear
Swim Platform, Integral w/Concealed Swim Ladder
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Room - Integral
Windshield, Bridge Venturi, Aluminium Framed
Windshield, Tempered/Tinted Curved Glass (Bonded-In)

CANVAS (SUNBRELLA®)

Canvas Colors - Blue, Black or Taupe
Canvas Bow Sunpad Cover
Canvas Bridge Seat & Console Covers
Canvas Cockpit Seat Covers

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification
Meets CE Category C

MOORING SYSTEM:

Anchor, Galvanized
Anchor Chute, Stainless Steel
Anchor Rope/Chain Storage w/Gas-Assisted Hatch
Windlass, Rope/Chain w/Foot Switches

BRIDGE FEATURES

Arch, Aft Facing
Beverage Holders
Control Station
Forward Storage Area w/Glove Box
Handrails, 316 Stainless Steel
Hatch, Bridge Access
Lighting, Indirect LED Blue/White Switchable
Outlet, 120V GFI Protected
Outlet, 12V Accessory
Seating w/Storage & Convertible Lounger
Seating, Helm
Ship's Bell
Storage Cabinet w/Countertop
Table, Natural Teak w/cover - Aft

COCKPIT FEATURES

Beverage Holders
Door, Cabin Entry, Lockable, with Flush Threshold
Door, Transom - Acrylic w/Stainless Steel Frame
Floor Liner, Fiberglass - Self-Bailing
Handrails, 316 Stainless Steel

Hatch, Engine Room - Gas Assisted
Lighting, Indirect, Blue/White Switchable
Lighting, Overhead, Blue/White Switchable
Outlet, 12V Accessory
Outlet, 120V GFI Protected
Seating, Sliding Aft Cockpit - Electric
Seating w/Storage
Steps, Boarding, Molded-In
Storage - Fenders & Gear

CABIN FEATURES

Audio System, 12V AM/FM Stereo, Wireless Bluetooth™, iPod Connector, Amplifier,
Speakers (Bridge, Cockpit & Salon), Digital Bridge Remote Control & SiriusXM®
Satellite Receiver w/Antenna (N/A Outside N. America)
Carbon Monoxide Monitor
Lighting, LED Direct & Indirect
Lighting, LED Accents
Outlet, 12V Accessory
Outlets, 120V GFI Protected
Pillows, Accent
Storage, In-Floor
Vacuum System, Dyson
Window Treatments - Fabric Curtains
Wood Cabinetry: French Walnut, Satin

UPPER SALON:

Curtain, Privacy - Aft Salon Door
Curtains for Side Windows
Flooring, Wood
Lighting 12V LED
Ottoman, Reversible, for Sofa
Seating, Sofas - Port & Stbd
Storage
TV, LED w/Remote Blu-ray™ Player, DVD Storage, Coax Outlet & Gain Control

HELM AREA (LOWER):

Cup Holders (5)
Flooring, Wood
Seating, Adjustable Bench Style Seating for Two w/Armrests
Storage

GALLEY:

Countertop, Solid Surface w/Stainless Steel Sink & Single Lever Faucet w/ Pullout
Sprayer
Dedicated Glass, Cutlery & Bottle Storage
Flooring, Wood
Lighting, 12V LED
Microwave/Convection Oven w/Stainless Steel Front - 120V/60 Cycle
Outlet 12V - Accessory
Power Vent, 12V
Refrigerator/Freezer (Side by Side), Dual Voltage 120V/12V
Storage, Drawers w/Cutlery Insert
Storage, Upper & Lower
Stove, Two Burner, 120V
Trash Receptacle

AFT MASTER STATEROOM (FULL BEAM):

Bed, Queen Size w/Innerspring Mattress, Pillows, Sheets, Coordinated Spreads &
Drawer Storage Below
Door, Privacy
Flooring, Carpet
Private Head Access
Settee - Stbd

Sheet Set, Fitted (Neutral Color)
Storage Cabinets & Lockers w/Shelves
Storage, Hanging Lockers (2)
TV, 32" LED w/Remote Blu-ray™ Player
USB Port - Powered

FORWARD STATEROOM:

Bunks, Twin Scissor (2) w/Mattresses, Pillows, Sheets & Coordinated Spread -
Converts to Queen Size Bed w/Storage Below
Door, Privacy
Flooring, Carpet
Sheet Set, Fitted (Neutral Color)
Storage Cabinets & Lockers w/Shelves
Storage, Hanging Lockers (2)
USB Port - Powered

PORT HEAD / SHOWER:

Bathroom Tissue Holder
Door, Privacy
Flooring
Handrail, Stainless Steel
Head, Enclosed -Full Fiberglass w/Separate Shower Stall & Shower Door
Head, VacuFlush®
Mirror, Vanity
Portlight, Opening
Power Vent, 12V
Shower Wand w/Vertical Adjustment
Storage, Medicine Cabinet
Storage, Upper Shelves w/Stainless Steel Rails - Shower Area
Towels - Sea Ray
Vanity w/Solid Surface Countertop, Sink, Single Lever Faucet & Storage Below

STARBOARD HEAD / SHOWER:

Bathroom Tissue Holder
Door, Privacy
Flooring
Handrail, Stainless Steel
Head, Enclosed -Full Fiberglass w/Separate Shower
Stall & Shower Door
Head, VacuFlush®
Mirror, Vanity
Portlight, Opening
Power Vent, 12V
Shower Wand w/Vertical Adjustment
Storage, Medicine Cabinet
Storage, Upper Shelves w/Stainless Steel Rails - Shower Area
Towels - Sea Ray
Vanity w/Solid Surface Countertop, Sink, Single Lever Faucet & Storage Below

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Zone-Controlled Reverse-Cycle System (30,000 BTU - Upper; 20,000 BTU - Lower)
w/Custom Integral Vent System

LOWER CONTROL STATION:

Alarms, High-Water - Bilge & Cabin

Compass

Defroster

Digital Remote Control for Audio System

Digital Throttle & Shift

Emergency Start System (Battery Paralleler) - Engines

Horn

Instrument Panels

SmartCraft® VesselView Display:

- Active Alarms/Details
- Alarm History/Details
- Environment & Navigation: GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information, Fuel to Waypoint Data & Navigational Data
- Propulsion Engine Hours Meters, Engine Status, Performance & Fuel, Peak Performance, Boost Pressure (Optional), Troll Control & Cruise Control
- Vessel: Vessel Status, Tank Status, Steering Position, Generator Data & Start/Stop

Steering, Power Assisted, Stainless Steel Tilt Wheel w/Leather Grips

Switch Panel w/Illuminated Weatherproof Rockers

USB Port - Powered

Vents, A/C

Windshield Wipers with Washer

UPPER (BRIDGE) CONTROL STATION:

Alarms, High-Water - Bilge & Cabin

Compass

Digital Throttle & Shift

Emergency Start System (Battery Paralleler) - Engines

Horn

Instrument Panels

SmartCraft® VesselView Display:

- Active Alarms/Details
- Alarm History/Details
- Environment & Navigation: GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information, Fuel to Waypoint Data & Navigational Data
- Networked to Raymarine Display
- Propulsion Engine Hours Meters, Engine Status, Performance & Fuel, Peak Performance, Boost Pressure (Optional), Troll Control & Cruise Control
- Vessel: Vessel Status, Tank Status, Steering Position, Generator Data & Start/Stop

Steering, Power Assisted, Stainless Steel Tilt Wheel
w/Leather Grips

Switch Panel w/Illuminated Weatherproof Rockers

USB Port - Powered

ELECTRICAL SYSTEMS:

Battery Charger/Converter, 120V/40 Amp/12V

Battery Solenoid Switches

Battery Trays w/Mounts

Breaker Panels, Waterproof - Power Module Enclosures
& Dash Dimmer (Helm & Engine Room)

Cable TV System w/Inlet, TV Shore Cord, Coax Outlets, Gain Control & Omni
Directional Antenna

Disconnect w/Composite Enclosure

Galvanic Isolators (2)

Panel, DC Main Breaker

Panel, Main Distribution - AC/DC w/Voltage & Current Meters

Shore Power, 240V/50 Amp w/50' Cord & Glendenning® Cablemaster W/Remote

Wiring, Color-Coded w/Chafe Protection

ELECTRONICS - LOWER CONTROL STATION:

Electronics Circuit, 30 Amp/12V w/Fuse Panel
Raymarine® eS12 Widescreen 12.1" Color LCD, Radar/GPS/Chartplotter
VHF Radio w/8' Fiberglass Antenna & Stainless-Steel Ratchet Mount

ELECTRONICS - UPPER CONTROL STATION:

Electronics Circuit, 30 Amp/12V w/Fuse Panel
Raymarine® e125 Widescreen 12.1" Color LCD, GPS/Chartplotter w/Quantum™ Solid State Radar
VHF Radio w/8' Fiberglass Antenna & Stainless-Steel Ratchet Mount

ENGINE ROOM:

Bilge Pump, 12V Automatic
Bilge Pumps, 12V Automatic High- Water (1 Bilge, 1 Cabin)
Blowers, 12V Bilge (2)
Fire Suppression System - Automatic w/Manual Pull
Gel-Coated Engine Room
Insulation, Engine Room - 2" w.Vinyl Barrier
Ladder, Engine Room Access, Removable
Lighting, 12V
Underwater Exhaust System, Patent Pending

FUEL SYSTEM:

Fuel Filters, - Racor® - Remote
Fuel Lines, USCG - Type A-1
Fuel Tank(s) Aluminum w/Electric Shutoff Valves & Mechanical Sending Units

GENERATOR:

13.5-kW Diesel (120/240V, 60Hz) w/Remote Start, Muffler, Closed Cooling, Fuel Filter, Seacock & Seawater Strainer & Sound Shield

UNDERWATER GEAR:

V-Drive Inboards:
- Bonding System w/Zinc Hull Plate
- Propellers, Nibral
- Propeller Shafts, (2)
- Rudders, Manganese-Bronze
- Seacocks - Engines
- Seawater Strainers - Engines
- Shaft Logs, Dripless w/Extra Seal Carrier Kit
- Struts, Manganese-Bronze
Trim Tabs, Hydraulic

WASTE SYSTEM:

Common Drain System
Head System (VacuFlush®)
Holding Tank Level Indicators - MDP
Holding Tank w/Dockside Pump-Out
Sump Box w/Pump - Automatic

WATER SYSTEM:

Freshwater Washdown Spigot - Transom, Engine Room & Anchor Locker
Manifold System w/Shutoff Valves
Pressure Water System w/ 12V Pump & Filtration System
Shower, Cockpit - Single-Lever Hot & Cold
Water Heater, 120V (11 Gallon)
Water Inlet, Dockside
Water Tank (140 gal)

STANDARD PROPULSION

TWIN DIESEL V-DRIVES:

T-Cummins® QSB 6.7 - 550 HO
(T-528 php - 405 kW)

Top speed at top RPM*	32-34 MPH @ 3400 RPM
Cruise speed*	27-29 MPH @ 3100 RPM
GPH at cruise (per engine)	21.3 @ 3000 RPM @ Cruise
GPH at WOT (per engine)	29.1 @ 3300 RPM
Propeller	

*Zeus Propulsion can Increase performance by approximately 2-3 MPH

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

TWIN DIESEL ZEUS® DRIVES:

T-Zeus-Cummins QSB 6.7 - 550 HO
(T-528 php - 405 kW)

Zeus Propulsion Includes Helm Joystick Control & Integrated Autopilot

ELECTRONICS OPTIONS

Autopilot, Raymarine® - Interfaced w/Chartplotter
Raymarine AIS650 Transceiver
Raymarine CP 370 Fishfinder Module for e125 Display
Raymarine eS12 Widescreen 12.1" Color LCD GPS/Chartplotter - Lower Control Station, Auxiliary Display
Raymarine eS12 Widescreen 12.1" Color LCD GPS/Chartplotter - Upper Control Station, Auxiliary Display
Raymarine Open Array Scanner (In-lieu-of Closed Array)

BRIDGE OPTIONS

Bridge Grill (N/A W/Transom Gourmet Space)
Bridge Sink
Bridge Grill & Sink (N/A W/Transom Gourmet Space)
Bridge Refrigerator (N/A w/ Bridge Air Conditioning)
Canvas Enclosure for Hardtop w/ Air Conditioning & Generator Upgrade
Canvas, Bimini Top (N/A w/ Hardtop)
Canvas, Full Bridge Cover (Replaces Standard Bridge Seat & Console Covers)
Flooring, Infinity Light or Dark Tone
Flooring, Teak - Bridge & Bridge Steps
Hardtop w/ Opening Skylight
Hardtop w/o Opening Skylight

INDIVIDUAL OPTIONS

Anchor, Stainless Steel (In Lieu of Galvanized)
Audio System for Foredeck Seating
Audio System Upgrade - Exterior: Includes Bridge & Cockpit Premium Sound System w/ Remote Control Unit on Transom
Audio System Upgrade - Interior: Includes Bose® SoundTouch® System w/DVD Player & Wireless Bluetooth™, Upgraded Speakers, Amplifiers & Subwoofer - Salon & Master
Bow Rail, Split
Bow Thruster (V-Drive Only)
Bow & Stern Thruster (V-Drive Only)

Canvas, Cockpit Isenglass Enclosure
 Canvas, Mesh Windshield Shades
 Carpet Runners, Interior (Sunbrella®)
 Colored Hull (Black, Blue, Horizon or Shoreline Tan)
 Countertop Upgrade, Silestone® Natural Quartz Surface
 Countertops (Dark Solid Surface In-lieu-of Light)
 Digital Satellite TV System (KVH TracVision TV3)
 Exterior Lighting Package
 Exterior Upholstery Treatment: Light Tone or Mid Tone (In-lieu-of Std Dark Tone)
 Flaggpole w/Base & US Flag
 Flooring, Infinity Light or Dark Tone - Cockpit
 Flooring, Teak - Cockpit
 Flooring, Teak - Swim Platform
 Flooring, Teak - Optional Hydraulic Swim Platform
 Fuel Tanks, Extended Range (430 Gal Total)
 Fuel Transfer Pump - Electric
 Gray Water System
 Gourmet Space on Transom Including Grill & Sink
 Head, VacuFlush® w/Overboard Discharge (Int'l)
 Ice maker, Galley
 Inverter
 Interior Treatment: Windows - Aluminum Blinds, Wood Blinds (Cherry or Walnut) or Roman Shades
 Interior Treatment: Wood Cabinetry - Interior: Dark Cherry, High Gloss
 Joystick Docking System, V-Drive - Bow Thruster Only
 Joystick Docking System, V-Drive - Bow & Stern Thrusters
 Lighting, Underwater - Transom (2) (White or Blue)
 Macerator w/Seacock Interlock System
 Oil Changer System
 Opening Portlights in Both Staterooms
 Passerelle System - Transom
 Passerelle System - Transom (Prep Only)
 Prop Holders - Spare
 Rod Holders (2)
 Safe
 Screen for Salon Door
 Seating, Salon Sofa w/Pull Out Bed
 Storage Cabinets - Master (In lieu of stbd settee)
 Sun Shade - Foredeck
 Swim Platform w/Integrated Steps, Hydraulic - 650 lb Cap
 Table, Natural Teak w/cover - Cockpit
 Table, Hi-Low - Salon
 TV, 24" LED, w/Remote Blu-ray™ Player - Fwd Stateroom
 Washer / Dryer
 Windlass, All-Chain (In Lieu of Std. Rope/Chain)
 Windlass Capstan
 Windshield w/Opening Side Windows, Manual - Port & Stbd
 Wine Cooler/Chiller


 CE Option

PROPELLER & SPEED CHARTS


Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
V-Drive - Diesel	T-VD-Cummins® QSB 6.7 - 550 HO		T-550	ZF 280 IV	24 x 24	2.063:1	32-34	3300
Zeus Druves - Diesel	T-Zeus-Cummins QSB 6.7 - 550 HO		T-550		M12	1.95:1	34-36	3300


Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



Cockpit/Sunroom Layout



Cabin Layout



Optional Three Stateroom
Cabin Layout

SPECIFICATIONS

Overall length w/std swim platform	50' 10" (15.49 m)
Overall length w/hydraulic swim platform	50' 10" (15.49 m)
Beam	14'8" (4.47 m)
Draft (Inboards)	49" (124 cm)
Draft (Zeus)	47" (119 cm)
Dry weight (Inboards)	38,985 lbs (17,683 kg)
Dry weight (Zeus)	41,423 lbs (18,789 kg)
Fuel capacity	400 gal (1,514 L)
Water capacity	110 gal (416 L)
Holding tank	60 gal (227 L)
Deadrise	19°

HEIGHT DIMENSIONS

Waterline to top of spoiler	10'9" (3.27 m)
Waterline to top of radar	12'9" (3.88 m)
Keel to top of spoiler	14' (4.26 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
Bow Rail, 316 Stainless Steel w/Welded Stanchions, Intermediate Rails & Life Lines
Cleats, Thru- Bolted - Stainless Steel (8)
Deck Fill Plates, Stainless Steel
Deck Rails, 316 Stainless Steel
Gel Coat: Hull - Arctic White
Graphics, Striping
Handrails, 316 Stainless Steel
Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover (Trapezoid)
Hull Windows, Fixed, Smoked Acrylic
Lights, Navigation
Portlights, (6)
Rub Rail, PVC w/Stainless-Steel Insert
Spotlight w/Dual Halogen Bulbs - Remote Controlled (ACR®)
Storage, Transom Wall (For Fenders & Gear)
Stringer System, Fiberglass
Sun Pad w/Adjustable Backrest - Forward Deck
Swim Platform, Bolt-On w/Concealed Stainless-Steel Four-Step Swim Ladder w/
Integral Grab Handle
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Room - Integral w/Stainless-Steel Vents
Windshield, Tempered/Tinted Curved Glass w/Aluminum Frame
Windshield Washer System
Windshield Wipers w/Delay & Speed Control

CANVAS (SUNBRELLA®)

Canvas Colors - Blue, Black or Taupe
Canvas, Cockpit Seat Covers
Canvas, Windshield Cover

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification

MOORING SYSTEM:

Anchor, Galvanized
Anchor Chute, Stainless Steel
Anchor Rope/Chain Storage w/Gas-Assisted Hatches (2)
Anchor Washdown Spigot w/Hose
Windlass, Rope/Chain w/Foot Switches

COCKPIT FEATURES

Beverage Holders
Door, Transom - Stainless Steel
Handrails, 316 Stainless Steel
Hatch, Engine Service - Gas Assisted
Lighting, Indirect - Blue / White Switchable LED
Outlet, 120V GFI Protected
Seating, U-Shaped Bench w/Storage Below
Ship's Bell
Steps, Boarding (Molded-In)

SUNROOM FEATURES

Beverage Holders
Door, Frameless Sunroom Entry w/Stainless-Steel Accents & Tempered/Tinted Glass
(Sliding & Lockable)
Flooring, Wood
Hardtop, Fiberglass w/Pneumatic Retractable Sunroof & Overhead Lighting
Lighting, Indirect LED
Outlet, 12V Accessory
Outlet, 120V GFI Protected
Refrigerator, 120V, Stainless-Steel Drawer Style

Seating, Pivoting Helm (2) w/Armrest, Reclining Backrests, Teak Footrests, Heavy-Duty Adjustable Pedestals
Table, Wood
TV, 32" LED / Smart w/Remote Blu-ray™ Player
Wet Bar w/ Sink, Faucet, Solid-Surface Countertop, Stainless-Steel Handrail, Trash Receptacle, & Storage Cabinet

CABIN FEATURES

Carbon Monoxide Monitors
Carpet, 55-Ounce 100% Stainmaster® BCF Nylon w/Dupont® Advanced Teflon Repel System
Handrails, Stainless Steel
Lighting, 12V Indirect
Lighting, 12V Main - Overhead
Outlet & Switch Plates - Polished Nickel Finish
Outlets, 120V GFI Protected
Outlets, 12V Accessory
Pillows, Accent
Vacuum System, Dyson
Wall Treatment

INTERIOR FINISHES & TREATMENTS:

Wood Cabinetry: French Walnut, Satin
Window Treatment: Fabric Curtains (Sunroom); Aluminum Blinds (Lower Accom)

SALON (LOWER CABIN):

Entertainment Center
- Gaming System Port
- iPod® Interface w/Docking Station
- MP3 Port w/USB
- 12V Outlet
- Audio System: 12V AM/FM Stereo, Wireless Bluetooth™, SiriusXM® Satellite Receiver w/Antenna, Amplifier, Subwoofer, Speakers (4), Digital Cockpit Remote Control & Speaker Selector Switches
- Storage Cabinet - CD/DVD
- TV, 32" LED / Smart w/Remote Blu-ray™ Player
Flooring, Wood
Mirror, Wall Accent
Seating, L-Shaped Sofa w/Pull-Out Bed - Starboard, w/Storage Below
Steps, Entryway - Alum w/ Wood Treads
Storage, Gunwale Cabinets
Storage, In-Floor

GALLEY:

Coffeemaker, Keurig®
Countertop, Solid-Surface w/Stainless-Steel Sink, Faucet & Sink Cover
Flooring, Wood
Handrail, Stainless Steel
Microwave/Convection Oven w/Stainless-Steel Front - 120V
Power Vent, 12V w/Stainless-Steel Grille
Refrigerator/Freezer, Upright w/Stainless-Steel Front - Dual Voltage 120V/12V
Storage, Drawers w/Cutlery Insert
Storage, Upper & Lower
Stove, Two Burner (Recessed to flush PUPS®) 120V
Trash Receptacle

FORWARD STATEROOM:

Bed, Full-Size Island Style w/Electrically Actuated Extension & Posturepedic Backrest; Elastic Foam Mattress & Drawer Storage Below
Door, Privacy
Flooring, Carpet
Hanging Lockers, Mirrored (2), Cedar Lined w/Lights & Shelves
Headboard, Lattice Style

Storage, Gunwale Cabinets
Storage, Side Shelves
TV, 24" LED, w/Remote Blu-ray™ Player
USB Port - Powered

FORWARD STATEROOM HEAD / SHOWER:

Curtain, Shower
Door, Access from Salon
Flooring, Tile
Handrails, Stainless Steel
Head, VacuFlush®
Portlight, Opening
Power Vent, 12V
Robe Hook
Shower w/ Seat, Adjustable Wand & Acrylic Door
Storage, Medicine Cabinet - Mirrored
Towel Bar
Towel Cabinet
Towels - Sea Ray
Vanity w/Solid-Surface Countertop, Vessel Sink, Faucet & Storage Below

MID MASTER STATEROOM:

Bed, Queen Size w/ Innerspring Mattress, Pillows, Sheets & Coordinated Spread, & Storage Below
Door, Privacy w/Full Length Mirror
Flooring, Carpet
Hanging Locker, Cedar Lined w/Light
Mirror, Wall Accent
Nightstands, Built-In w/Countertops
Hull Windows - Port & Stbd
Storage, Medicine Cabinet - Mirrored
Storage, Towel Cabinet
TV, 32" LED / Smart w/Remote Blu-ray™ Player
USB Port - Powered
Vanity w/Solid-Surface Countertop, Vessel Sink, Faucet & Storage Below

MID STATEROOM HEAD / SHOWER:

Curtain, Shower
Door, Mirrored w/Access from Mid-Stateroom
Flooring, Tile
Handrails, Stainless Steel
Head, VacuFlush®
Portlight, Opening
Power Vent, 12V
Robe Hook
Shower w/Seat, Adjustable Wand & Acrylic Door
Towel Bar
Towels - Sea Ray

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Custom Integral Vent System
Zone-Controlled Reverse-Cycle System (32,000 BTU) Lower Cabin
Zone-Controlled Reverse-Cycle System (27,000 BTU) Upper Sunroom

CONTROL STATION:

Alarms, High-Water - Bilge, Cabin & Sump
Battery Parallel Switch - Engines
Compass
Dash, Gel Coated
Electronic Throttle & Shift Controls (ETS)
Horn, Air - (Concealed) Dual Trumpet

Instrument Panel

SmartCraft Diagnostics:

- Instrumentation, Custom Sea Ray SmartCraft w/Low-Glare Blue Night Lighting & Chrome Bezels
- 4-in-1 Multigauges (2) (Includes: Fuel Level, Oil Pressure, Voltmeter & Water Temperature)
- Tachometers (2)

SmartCraft VesselView Display:

- Propulsion: Engine Hour Meters, Engine Status, Performance & Fuel, Peak Performance, Boost Pressure (Optional), Trol Control & Cruise Control
- Vessel: Vessel Status, Tank Status, Steering Position & Generator Data
- Environment & Navigation: GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information, Fuel to Waypoint Data & Navigation Data
- Active Alarms/Details
- Alarm History/Details

Steering, Power w/Tilt Wheel

Switch Panel (Backlit)

Switches, Illuminated Weatherproof Rockers & Electronic Dimmer Control

USB Port - Powered

Windshield Defrosters

ELECTRICAL SYSTEMS:

Batteries, 8-D w/Boxes (2)

Battery Charger/Converter 120V/50 Amp/12V

Battery Switches, 2-Way Solenoid Activated (MDP & Engine Room)

Cable TV System w/Inlet, TV Shore Cord, Coax Outlets, Gain Control & Omni Directional Antenna

Enclosure, Weatherproof Main Solenoid Disconnect w/Composite Enclosure

Panel, DC Circuit Breaker - Remote

Panel, DC Main Breaker

Panel, Main Distribution - AC

Shore Power, Cablemaster™ (Glendinning) 240V/50 Amp w/75' Cord & Wireless

Remote (Cablemaster N/A w/220V/50 Cycle Shore Power)

Transformer, Shore Power Isolation - 240V/50 Amp

ELECTRONICS:

Electronics Circuit, 50 Amp/12V

Raymarine® eS12 Widescreen 12.1" Color LCD, Radar/GPS/Chartplotter w/Integrated 4-kW HD Open Array Scanner

VHF Radio w/Remote Speaker, 8' Fiberglass Antenna & GPS Antenna

ENGINE ROOM:

Bilge Pumps, 12V Automatic (3)

Bilge Pumps, 12V Automatic High- Water (1 Engine Room, 1 Cabin)

Blowers, 12V Bilge (2)

Exhaust, Wet w/ Dual Stage Lift Mufflers

Fire Suppression System - Automatic w/Manual Pull

Gel-Coated Engine Room

Insulation, Engine Room - 2" w/Loaded Vinyl Barrier

Ladder, Stainless Steel - Removable

Lighting, 12V

FUEL SYSTEM:

Diesel Fuel System - Electric w/Transfer Pump

Fuel Filters - Remote (Racor®)

Fuel Lines, USCG - Type A-1

Fuel Tanks, Aluminum w/Manual Shutoff Valves & Ultrasonic Sending Units

GENERATOR:

11.5 kW Onan® Diesel (120/240V/60 Cycle) w/Sound Shield, Remote Start, Muffler, Freshwater Cooling, Fuel Filter w/Crossover Fuel, Seacock & Seawater Strainer

UNDERWATER GEAR:

V-Drives:

- Bonding System w/Zinc Hull Plate
- Propellers, Nibral 4-Blade
- Propeller Shafts, 2.25" Stainless Steel (2) - Aquamet 22
- Rudders, Manganese-Bronze
- Seacocks - Engines
- Seawater Strainers - Engines
- Shaft Logs, Dripless w/Extra Seal Carrier Kit
- Struts, Manganese-Bronze

Trim Tabs, Hydraulic

Zeus Drives (Optional):

- Propellers, Stainless Steel
- Trim Tabs, Hydraulic (Integrated w/Zeus Pod Drives)

WASTE SYSTEM:

Common Drain System

Head System (VacuFlush®)

Holding Tank Level Indicators - MDP

Holding Tank w/Dockside Pump-Out

Sump Box w/Pump - Automatic

WATER SYSTEM:

Freshwater Washdown Spigots w/Hoses - Transom, Engine Room & Anchor Locker

Manifold System w/Shutoff Valves

Pressure Water System w/12V Pump & Charcoal Filtration System

Shower, Cockpit - Single-Lever Hot & Cold w/Stainless-Steel Door, Braided Hose &

Ergonomic Shower Wand

Water Heater, 240V (11 Gallon)

Water Inlet, Dockside

STANDARD PROPULSION

TWIN DIESEL V-DRIVES:

T-VD-Cummins® QSC 8.3 T3 - 550 HO w/DTS

(T-526 hp - 392 kW)

Top speed at top RPM. 29-32 MPH @ 3060 RPM

Gallons per hour at cruise speed (per engine) 22.9 GPH @ 2700 RPM

Propeller 25x27 4BL

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

TWIN DIESEL V-DRIVES:

T-VD-Cummins QSC 8.3 T3 - 600 HO w/DTS

(T-574 hp - 428 kW)

TWIN DIESEL ZEUS® DRIVES:

T-Zeus-Cummins QSC 8.3 - 550 HO

(T-526 hp - 392 kW)

T-Zeus-Cummins QSC 8.3 - 600 T3

(T-574 hp - 428 kW)

Zeus Propulsion Includes Helm Joystick, Skyhook® Station Keeper & Integrated Autopilot

ELECTRONICS OPTIONS

Autopilot, Raymarine® Evolution (V-Drives Only) (Interfaces w/Chartplotter)
Raymarine AIS650 Transceiver
Raymarine® CP 370 Fishfinder Module for eS12
Raymarine eS12 12.1" Widescreen GPS/Chartplotter - Auxiliary Display
Raymarine gS125 Widescreen GPS/Chartplotter Upgrade -
2 Displays

INDIVIDUAL OPTIONS

Air Conditioner Upgrade - Sunroom
Anchor, Stainless Steel (In-Lieu-of Galvanized)
Audio System Speaker Upgrade, Cockpit Exterior
Audio System Upgrade - Master Stateroom and Salon
Bow Thruster (w/Batteries & Charger) (N/A w/Zeus)
Bow & Stern Thruster (w/Batteries & Charger) (N/A w/Zeus)
Canvas, Cockpit Enclosure
Canvas, Dash Cover
Canvas, Mesh Windshield Shades
Carpet Runners, Interior (Sunbrella)
Colored Hull - Gelcoat (Black, Blue, Horizon or Shoreline)
Colored Hull - Painted (Check for Color Availability)
Countertop Upgrade, Silestone® Natural Quartz Surface
Countertops (Dark Solid Surface In-lieu-of Light)
Door, Sunroom Entry - Stainless Steel
Digital Satellite TV System (KVH TracVision HD7) w/ Receivers - All Staterooms
Flooring, Cockpit w/Entry Steps - Teak
Flooring, Infinity Light or Dark Tone - Cockpit
Flooring, Swim Platform - Teak
Grey Water System (N/A w/ Washer/Dryer)
Grill - Cockpit, Built-In 240V/60
Icemaker, 120V - Cockpit
Interior Treatment: Wood Cabinetry Finishes - Dark Cherry, High Gloss
Interior Treatment: Windows - Wood Blinds (Cherry or Walnut) or Roman Shades
Joystick Docking Control for V-Drives (Coupled w/Bow Thruster)
Joystick Docking Control for V-Drives (Coupled w/Bow & Stern Thrusters)
Lighting, Underwater - Transom (4) (White or Blue)
Macerator w/Seacock Interlock System
Oil Changer System - Engines & Generator
Ottoman, Salon
Portlights, Opening - Salon & Galley
Prop Holders - For Spare Zeus Props (Props Not Included)
Prop Holders - w/Spare Props (V-Drive Only)
Remote Control, Universal - Logitech Harmony
Rig for Passerelle System - Transom
Rod Holders (2)
Sun Pad Filler Cushions - Cockpit
Sunroof Sunshades, Manual - Sunroom
Sunshade, Retractable, Electric - Aft Cockpit (SureShade®)
Swim Platform, Hydraulic Marine Lift w/Remote & Manual Pump - 600 lb Cap
Table, Natural Teak w/Cover - Cockpit
Table, Oversized Natural Teak Table w/Cover - Cockpit
Table, Coffee (Movable) w/High-Gloss Wood Surface & Storage Below - Interior
Third Stateroom Option
Transformer, Shore Power Isolation Boost - 240V/50 Amp
Vent, Manual Hardtop Overhead
Washer/Dryer Combo, 120V (N/A w/Gray Water System)
Windlass, All-Chain (In Lieu of Std Rope/Chain)
Windlass Capstan
Windshield w/Opening Side Windows - Port & Stbd
Yacht Flag & Flagpole


CE Option

PROPELLER & SPEED CHARTS


Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
V-Drive	T-Cummins QSC 8.3 - 550 HO		T-526	ZF-286-IV	25x27 4 blade	2.04:1	31.8	3000-3100
V-Drive	T-Cummins QSC 8.3 - 600 HO		T-574	ZF-286-IV	25x28 4 blade	2.04:1	34.4	3000-3100
Zeus	T-Cummins QSC 8.3 - 550 HO		T-526	Zeus 3800	M8/M8	1.95:1	35.5	3000-3100
Zeus	T-Cummins QSC 8.3 - 600 HO		T-574	Zeus 3800	M11/M11	1.95:1	38.3	3000-3100


Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



Bridge Layout



Upper Cabin &
Cockpit Layout



Lower Cabin Layout

SPECIFICATIONS

Overall length w/Std or Opt swim platform	50' 10" (15.49 m)
Beam	15' 4" (4.67 m)
Draft (Inboards)	52" (132 cm)
Draft (Zeus)	50" (127 cm)
Dry weight (Inboards)	44,623 lbs (20,240 kg)
Dry weight (Zeus) est.	46,800 lbs (21,228 kg)
Fuel capacity	500 gal (1,892 L)
Water capacity	130 gal (492 L)
Holding tank	68 gal (257 L)
Deadrise	17°

HEIGHT DIMENSIONS

Waterline to top of spoiler	15' 2" (4.62 m)
Waterline to top of radar	16' 10" (5.13)
Keel to top of spoiler	18' 2" (5.53 m)
Waterline to top of mast light in up position	20' 4" (6.19)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
Bow Rail, 316 Stainless Steel w/Welded Stanchions,
Intermediate Rails & Life Lines
Cleats, Thru-Bolted - Stainless Steel (8)
Deck Fill Plates, Stainless Steel
Deck Rails, 316 Stainless Steel
Gel Coat, Arctic White
Graphics, Striping
Handrails, 316 Stainless Steel
Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover
Hull Windows, Smoked Acrylic
Lights, Navigation
Portlights (2, Opening)
Resin, High-Performance Vinylester
Rub Rail, PVC w/Stainless-Steel Insert
Spotlight w/Dual Halogen Bulbs - Remote Controlled (ACR®)
Storage, Transom Wall (For Lines & Gear)
Sun Pad w/Drink Holders - Forward Deck
Swim Platform, Integral/Extended w/Concealed Stainless-Steel Four-Step Swim
Ladder w/Integral Grab Handle
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Room - Integral
Windshield, Bridge Venturi
Windshield, Tempered/Tinted Curved Glass

CANVAS (SUNBRELLA®)

Canvas Colors - Blue, Black or Taupe
Bridge Seats & Console Covers
Cockpit Seat Covers

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards
NMMA Certification

MOORING SYSTEM:

Anchor, Galvanized
Anchor Chute, Stainless Steel
Anchor Rope/Chain Storage w/Gas-Assisted Hatches
Anchor Washdown Spigot
Windlass, Rope/Chain w/Foot Switches

BRIDGE FEATURES

Beverage Holders
Console Glove Box
Handrails, 316 Stainless Steel
Hatch, Sliding Bridge Access
Lighting, Indirect LED
Outlet, 12V Accessory
Outlet, 120V GFI Protected
Radar Arch
Refrigerator, 120V
Seating, Helm
Seating, Convertible w/Storage Below
Ship's Bell
Sunpad
Table, Molded Fiberglass - Aft

COCKPIT FEATURES

Beverage Holders
Door, Frameless Cabin Entry w/Stainless Steel Accents & Tempered/Tinted Glass
(Sliding & Lockable)
Door, Transom

Floor Liner, Self-Bailing Fiberglass
Handrails, 316 Stainless Steel
Lazarette w/Dedicated Line & Fender Stowage
Lighting, Blue/White Switchable LED
Outlet, 120V GFI Protected
Seating, Aft Bench
Steps, Boarding (Molded-In)
Steps, Exterior Bridge Access w/Stainless-Steel Handrail & Storage Below

CABIN FEATURES

Carbon Monoxide Monitors
Carpet, 100% Stainmaster®
Doors, Wood
Handrails, Stainless Steel
Lighting, 12V Indirect - LED
Outlets, 12V Accessory
Outlets, 120V GFI Protected
Outlet & Switch Plates - Polished Nickel Finish
Pillows, Accent
Storage, In-Floor
Vacuum System, Dyson

INTERIOR FINISHES & TREATMENTS:

Wood Cabinetry: French Walnut, Satin
Window Treatment: Fabric Curtains (Salon); Aluminum Blinds (Lower Accom)

SALON:

Control Station - Lower Helm w/Single Stidd Helm Seat
Entertainment Center:
- Gaming System Port, iPod® Interface w/Docking Station, MP3 Port w/USB,
12V Outlet, Stereo - 12V AM/FM, Wireless Bluetooth™, SiriusXM® Satellite
Receiver w/Antenna, Amplifier, Subwoofer, Speakers (4), Digital Cockpit
Remote Control & Speaker Selector Switches
- Storage Cabinet - CD & DVD
- TV, 50" LED / Smart w/Remote Blu-ray™ Player
Flooring, Wood
Seating, Sofa - Opposing
Storage Cabinets
Table, Folding Wood

GALLEY:

Coffeemaker, Keurig®
Countertop, Solid Surface w/Sink, Faucet & Sink Cover
Flooring, Wood
Freezer w/Icemaker & Stainless Steel Front - 120V
Microwave/Convection Oven w/Stainless-Steel Front - 120V
Power Vent, 12V
Refrigerator w/Stainless-Steel Front - Dual Voltage (120V/12V)
Storage, Drawers
Storage, Galley Pantry
Stove, Two-Burner - 240V
Trash Receptacle

MASTER STATEROOM (FULL BEAM, MID-SHIP):

Bed, Queen Size w/Innerspring Mattress, Pillows, Sheets, Coordinated Spreads &
Drawer Storage Below
Door, Privacy w/Full Length Mirror
Dressers - Port & Starboard
Flooring, Carpet
Headboard, Lattice Style
Mirrored Hanging Locker, Cedar Lined w/Light
TV, 32" LED / Smart w/Remote Blu-ray™ Player
USB Port - Powered

MASTER STATEROOM HEAD/SHOWER:

Door, Access from Master Stateroom
Flooring, Tile
Handrails, Stainless Steel
Head, VacuFlush®
Power Vent, 12V
Robe Hook, Head Door
Shower w/Adjustable Shower Wand & Acrylic Door
Storage, Medicine Cabinet - Mirrored
Towel Bar
Towels - Sea Ray
Vanity w/Solid-Surface Countertop, Sink, Faucet & Storage Below

FORWARD STATEROOM:

Bed, Queen-Size w/Innerspring Mattress, Pillows, Sheets, Coordinated Spread & Storage
Door, Privacy
Door, Access to Fwd Head/Shower
Flooring, Carpet
Hanging Lockers, Mirrored and Cedar Lined w/Light
Storage, Lower Cabinet
TV, 24" LED, w/Remote Blu-ray™ Player
USB Port - Powered

FORWARD HEAD/SHOWER:

Door, Access from Companionway
Flooring, Tile
Handrails, Stainless Steel
Head, VacuFlush®
Power Vent, 12V
Robe Hook, Head Door
Shower w/Adjustable Shower Wand & Acrylic Door
Storage, Medicine Cabinet - Mirrored
Towel Bar
Towels - Sea Ray
Vanity w/Solid-Surface Countertop, Sink, Faucet & Storage Below

MID STATEROOM:

Convertible Twin Beds, Pillows, Sheets, Coordinated Spreads & Storage Below
Door, Privacy
Flooring, Carpet
Hanging Locker, Cedar Lined w/Light
Mirror
Storage, Drawers

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Zone-Controlled Reverse-Cycle System, 240V (40,000 BTU)
Custom Integral Vent System

BRIDGE CONTROL STATION:

Alarms, High Water - Bilge & Cabin
Battery Parallel Start System - Engines
Compass
Dash, Gel Coated
Electronic Throttle & Shift Controls (ETS)
Horn, Air - 12V
Instrument Panel
SmartCraft® Diagnostics:
- Instrumentation, Custom Sea Ray® SmartCraft w/Low-Glare Blue Night Lighting & Chrome Bezels
- 4-in-1 Multigauges (2) (Includes: Fuel Level, Oil Pressure, Voltmeter & Water Temperature)
- Tachometers (2)

SmartCraft VesselView Display:

- Propulsion: Engine Hour Meters, Engine Status, Performance & Fuel, Peak Performance, Boost Pressure (Optional), Trol Control & Cruise Control
- Vessel: Vessel Status, Tank Status, Steering Position & Generator Data
- Environment & Navigation: GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information, Fuel to Waypoint Data & Navigation Data
- Active Alarms/Details
- Alarm History/Details

Steering, Power Assisted Hydraulic w/Tilt Wheel

Switch Panel, Backlit

Switches, Illuminated Weatherproof Rockers & Electronic Dimmer Control

USB Port - Powered

ELECTRONICS (BRIDGE):

Electronics Circuit, 12V/50 Amp

Raymarine® eS12 Widescreen 12.1" Color LCD, Radar/GPS/Chartplotter w/
Integrated 4-kW HD Open Array Scanner

VHF Radio w/Remote Speaker & 8' Fiberglass Antenna

LOWER CONTROL STATION:

Alarms, High Water - Bilge & Cabin

Battery Parallel Start System - Engines

Compass

Dash, Gel Coated

Defroster

Electronic Throttle & Shift Controls (ETS)

Horn, Air - 12V

Instrument Panel - High Gloss

SmartCraft® Diagnostics:

- Instrumentation, Custom Sea Ray® SmartCraft w/Low-Glare Blue Night Lighting & Chrome Bezels
- 4-in-1 Multigauges (2) (Includes: Fuel Level, Oil Pressure, Voltmeter & Water Temperature)
- Tachometers (2)

SmartCraft Digital Throttle & Shift (DTS)

SmartCraft VesselView Display:

- Propulsion: Engine Hour Meters, Engine Status, Performance & Fuel, Peak Performance, Boost Pressure (Optional), Trol Control & Cruise Control
- Vessel: Vessel Status, Tank Status, Steering Position & Generator Data
- Environment & Navigation: GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information, Fuel to Waypoint Data & Navigation Data
- Active Alarms/Details
- Alarm History/Details

Steering, Power Assisted Hydraulic w/Tilt Wheel

Switch Panel, Backlit - High Gloss

Switches, Illuminated Weatherproof Rockers & Electronic Dimmer Control

USB Port - Powered

Windshield Wipers w/Wiper Controls

ELECTRONICS (LOWER):

Electronics Circuit, 12V/50 Amp

Raymarine® eS12 Widescreen 12.1" Color LCD, Radar/GPS/Chartplotter

VHF Radio w/Remote Speaker & 8' Fiberglass Antenna

ELECTRICAL SYSTEMS:

Batteries, 8-D Type w/Trays

Battery Charger/Converter, 120V/60 Amp/12V

Battery Solenoid Switches, 12V (3)

Cable Television System w/Inlet, TV Shore Cord, Coax Outlets, Gain Control &
Omni Directional Antenna Enclosure, Weatherproof Main Solenoid

Panel, Circuit Breaker - Remote

Panel, DC Main Breaker

Panel, Main Distribution - AC

Panel, Main Distribution - DC

Shore Power, Cablemaster™ (Glendinning) 240V/50 Amp w/75' Cord & Wireless Remote (Cablemaster N/A w/220V/50 Cycle Shore Power)
Shore Power, Additional Inlet - 120V/50 Amp w/75' Cord and 6kva Transformer
Transformer, Shore Power Isolation - 240V/50 Amp

ENGINE ROOM:

Bilge Pumps, 12V Automatic
Bilge Pumps, 12V Automatic High-Water
Blowers, 12V Bilge (2)
Fire Suppression System - Automatic w/Diesel Shutdown, Override & Manual Pull
Gel-Coated Engine Room
Insulation, Engine Room - 2" w/Loaded Vinyl Barrier
Ladder, Stainless Steel - Removable
Lighting, 12V

FUEL SYSTEM:

Diesel Fuel System - Electric w/Transfer Pump
Fuel Filters, Remote (Racor®)
Fuel Lines, USCG - Type A-1
Fuel Tanks, Aluminum w/Manual Shut-Off Valves & Sending Units

GENERATOR:

17 kW Onan® - Diesel (120V/240V/60 Cycle) w/Sound Shield, Remote Start, Muffler, Closed Cooling, Fuel Filter, Seacock & Seawater Strainer

UNDERWATER GEAR:

V-Drives:

- Bonding System w/Zinc Hull Plate
- Propellers, Nibral 4-Blade
- Propeller Shafts, 2.25" Stainless Steel (2) - Aquamet 22
- Rudders, Manganese-Bronze
- Seacocks - Engines
- Seawater Strainers - Engines
- Shaft Logs, Dripless w/Extra Seal Carrier Kit
- Struts, Manganese-Bronze
- Trim Tabs, Hydraulic

Zeus Drives (Optional):

- Propellers, Stainless Steel
- Trim Tabs, Hydraulic (Integrated w/Zeus Pod Drives)

WASTE SYSTEM:

Common Drain System
Head System (VacuFlush®)
Holding Tank Level Indicators - MDP
Holding Tank w/Dockside Pump-Out (68 Gallon)
Sump Box w/Automatic Pump & Hinged Service Lid

WATER SYSTEM:

Freshwater Washdown Spigots w/Hoses - Transom, Engine Room & Anchor Locker
Pressure Water System w/12V Pump & Charcoal Filtration System
Shower, Cockpit - Single-Lever Hot & Cold w/Stainless-Steel Door, Braided Hose & Ergonomic Shower Wand
Water Heater, 240V (20 Gallon)
Water Inlet, Dockside
Water Manifold System

STANDARD PROPULSION

TWIN DIESEL V-DRIVES:

T-Cummins® QSC 8.3 T3 - 600 HO
(T-574 hp - 428 kW)

Top speed at top RPM 28-31 MPH @ 3070 RPM
Gallons per hour at cruise speed (per engine) 19.3 GPH @ 2400 RPM
Propeller 27x25 4 Blade
This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

TWIN DIESEL V-DRIVES:

T-VD-Cummins QSM 11 T3 - 715 HO
(T-684 hp - 510 kW)

TWIN DIESEL ZEUS® DRIVES:

T-Zeus-Cummins QSC T3 8.3 - 600 HO
(T-574 hp - 428 kW)

ELECTRONICS OPTIONS

Raymarine® AIS650 Transceiver
Raymarine Evolution Autopilot (V-Drives Only) (Interfaced with e125 Displays)
Raymarine CP 370 Fishfinder Module (Interfaced with e125 Displays)
Raymarine eS12 Widescreen GPS/Chartplotter - Auxiliary Display (Lower Station)
Raymarine eS12 Widescreen GPS/Chartplotter - Auxiliary Display (Bridge)
Raymarine gS125 Widescreen GPS/Chartplotter Upgrade - 3 Displays
Raymarine gS125 Widescreen GPS/Chartplotter Upgrade -Secondary Upper
Auxiliary
Raymarine Aft Facing Bridge Camera (Interfaced with eS12 Displays)

BRIDGE OPTIONS

Canvas, Bimini Top - Bridge
Canvas, Full Bridge Cover
Flooring, Infinity Light or Dark Tones
Flooring, Teak - Bridge
Grill & Sink - Bridge
Grill (only) - Bridge (N/A w/Cockpit Grill)
Hardtop w/Lighting, Sunroof & Electrically Retractable Skylight
Hardtop, Extended w/Lighting, Polycarbonate Canvas Enclosure, Air Conditioning
Hardtop, Extended w/Lighting, Sunroof, Polycarbonate Canvas Enclosure, Air
Conditioning
Table, Natural Teak w/ Cover - Aft Bridge (In Lieu of Std. Table)
Table, Natural Teak w/ Cover - Fwd Port Bridge Area

INDIVIDUAL OPTIONS

Anchor, Polished Stainless Steel (In Lieu of Galvanized)
Bow Rail, Split
Bow Thruster (w/Batteries & Charger) (N/A w/Zeus)
Bow & Stern Thruster (w/Batteries & Charger) (N/A w/Zeus)
Cabin Audio Upgrade Harman Kardon® / Bose Speakers
Canvas, Cockpit Enclosure
Canvas, Dash Cover (For Lower Helm)
Canvas, Mesh Windshield Shades
Carpet Runners, Interior (Sunbrella®)
Chairs, Folding (2) Storable Dinette Seating
China, Place Settings

Colored Hull - Gelcoat (Black, Blue, Horizon or Shoreline)
 Colored Hull - Painted (Check for Color Availability)
 Countertop Upgrade, Silestone® Natural Quartz Surface
 Countertops (Dark Solid Surface In-lieu-of Light)
 Crew Quarters:
 Single Bunk; Hatch; Vacuflush Head System; 12VDC Lighting; 120V Outlet;
 Opening Stainless-Steel Portlight; Air Conditioning/Heating (6,000 BTU); Sink &
 Shower (Only Available w/V-Drive Propulsion)
 Digital Satellite TV System (KVH TracVision HD7)
 Door, Cabin Entry - Stainless Steel (In-Lieu-of Standard Powder Coated Aluminum)
 Flooring, Infinity Light or Dark Tones - Cockpit
 Flooring, Teak - Cockpit & Bridge Steps
 Flooring, Teak - Deck Catwalks
 Flooring, Teak - Swim Platform
 Grey Water System
 Grill - Cockpit
 Ice maker, Cockpit, 120V
 Interior Treatment: Countertop Silestone® Upgrade (Light or Dark)
 Interior Treatment: Wood Cabinetry Finishes - Dark Cherry, High Gloss
 Interior Treatment: Windows: Wood Blinds (Cherry or Walnut) or Roman Shades
 Inverter, 120V/60 Cycle
 Joystick Docking Control for V-Drives (Coupled w/Bow Thruster)
 Joystick Docking Control for V-Drives (Coupled w/Bow & Stern Thrusters)
 Lights, Underwater - Transom (4) (White or Blue)
 Macerator w/Seacock Interlock System
 Multi Station Docking - Cockpit Controls - V-Drives
 Multi Station Docking - Cockpit Controls - Zeus
 Oil Changer System, Engines & Generator
 Passerelle System, Telescoping - Transom
 Portlights, Opening - Each Stateroom
 Propellers, Spare w/Holder (Pair) for V-Drives
 Propeller Holder For Spare Zeus Props (Props Not Included)
 Refrigerator, Cockpit
 Refrigerator & Freezer Upgrade - Galley (To Drawer Style)
 Remote Control, Universal - Logitech Harmony
 Rod Holders (2) - Cockpit
 Salon Ottoman
 Seakeeper® Gyroscopic Stabilizer w/Generator Upgrade
 Seating, Additional Cockpit - Portside
 Seating, Opposing w/Storage & Table - Master Stateroom (Replaces Stbd Dresser)
 Seating, Salon Sofa w/Pullout Bed
 Stereo System Upgrade - Salon & Master Stateroom
 Speaker Upgrade, Exterior - Cockpit & Bridge
 Sun Pad Filler Cushions - Bridge & Aft Seating Areas
 Swim Platform, Hydraulic Marine Lift w/Remote & Manual Pump
 (1,000 lb Capacity)
 Table, Natural Teak w/Cover - Cockpit
 Table, High/Low - Salon
 TV, 24" LED, w/Remote Blu-ray™ Player - Mid Stateroom
 Washer/Dryer Combo, 120V
 Windlass, All-Chain
 Windlass, Capstan
 Windlass - Stern
 Windshield w/Manual Opening Side Window
 Wine Cooler/Chiller
 Yacht Flag & Flagpole


CE Option

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
V-Drive	T-Cummins QSC 8.3 - 600 HO		T-574	ZF-286 IV	27x24 4 Blade	2.01:1	31 - 32	3000-3080
V-Drive	T-Cummins QSM 11 - 715 HO		T-684	ZF-325 IV	29x33 4 Blade	2.03:1	33 - 35	2500-2550
Zeus	T-Cummins QSC 8.3 - 600 HO		T-574	Zeus 3800	M8/M8	1.95:1	33 - 35.7	3000-3080

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



Cockpit Layout



Cabin Layout



Optional Three Stateroom
Cabin Layout

SPECIFICATIONS

Overall length w/std. integral extended swim platform.....	54'9" (16.70 m)
Beam.....	15'3" (4.65 m)
Draft (inboards).....	51" (129 cm)
Draft (Zeus).....	49" (117 cm)
Dry weight (inboards).....	49,032 lbs (22,241 kg)
Dry weight (Zeus).....	46,901 lbs (21,274 kg)
Fuel capacity.....	600 gal (2,271 L)
Water capacity.....	150 gal (568 L)
Holding tank.....	68 gal (257 L)
Deadrise.....	18°

HEIGHT DIMENSIONS

Waterline to top of windshield.....	9'5" (2.9 m)
Waterline to top of spoiler.....	12'7" (3.8 m)
Waterline to top of opt. radar on spoiler.....	13'7" (4.1 m)
Waterline to top of mast light.....	16' 2" (4.9 m)
Keel to top of windshield.....	13'5" (4.1 m)
Keel to top of spoiler.....	15'8" (4.8 m)
Keel to top of opt. radar on spoiler.....	16'8" (5.1 m)
Zeus Tip to top of mast light.....	20'3" (6.2 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint

Bow Rail, 316 Stainless Steel w/Welded Stanchions, Intermediate Rails & Life Lines

Cleats, Thru-Bolted Bollard Style - Stainless Steel (8)

Deck Fill Plates, Stainless Steel

Deck Rails, 316 Stainless Steel

Gel Coat - Arctic White

Graphics, Striping

Handrails, 316 Stainless Steel

Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover (Trapezoid)

Hull Windows, Large Molded Acrylic w/Opening Portlights - Salon, Galley & Aft Head

Lights, Navigation

Resin, High-Performance Vinylester

Rub Rail, PVC w/Stainless-Steel Insert

Skylight, Flush Mount w/Retractable Sunshade - Salon

Spotlight w/Dual Halogen Bulbs - Remote Controlled (ACR®)

Stringer System, Fiberglass

Sun Pad, Forward Deck w/Adjustable Backrests, Cover & Built-In Drink Holders

Swim Platform, Extended w/Concealed Stainless-Steel Four-Step Swim Ladder

Thru-Hull Fittings, Stainless Steel

Vent System, Engine Room w/Stainless-Steel Grills

Windshield, Tempered/Tinted Curved Glass w/Electric Front Vent & Side Windows

Windshield Washer System

Windshield Wipers, 24V

CANVAS (SUNBRELLA®)

Canvas Colors - Blue, Black or Taupe

Aft Curtain w/Stratoglass Window

Windshield Shades

CERTIFICATIONS:

Meets Applicable USCG & ABYC Standards

NMMA Certification

MOORING SYSTEM:

Anchor, Galvanized

Anchor Chute, Stainless Steel

Anchor Rope/Chain Storage w/Gas-Assisted Hatches

Windlass, Rope/Chain w/Foot Switches

COCKPIT FEATURES

Beverage Holders
Door, Cabin Entry w/Color-Matched Frame & Tempered/Tinted Glass (Sliding & Lockable w/Screen)
Door, Transom - Acrylic w/Stainless-Steel Frame
Floor Liner, Self-Bailing Fiberglass w/Gas-Assisted Engine Room Service Hatch
Handrails, 316 Stainless Steel
Hardtop, Fiberglass w/Retractable Sunroof, Overhead Lighting & Electronic Dimmer
Icemaker, 120V
Lighting, White
Outlet, 12V Accessory
Outlet, 120V GFI Protected
Outlet, Cable TV
Seating, Helm (2) w/Armrests, Reclining Backrests, Teak Footrests & Heavy-Duty Adjustable Pedestals
Seating, Starboard Lounger - Forward
Seating, Aft - L-Shaped w/Fiberglass Storage Bases & Hinged Cushions
Steps, Boarding (Molded-In) - Starboard
Steps, Molded Deck Access (From Transom)
Stereo, 12V AM/FM:

- Wireless Bluetooth™
- SiriusXM® Satellite Receiver w/Antenna
- iPod® Interface w/Docking Station
- MP3 Port
- Amplifier, Subwoofer, Speakers (4)
- Digital Cockpit Remote Control

Storage, Side Panel - Port Cockpit
Sun Pad, Aft Cockpit Conversion w/Upper & Lower Storage Below
Table, Cockpit - Fiberglass
Wet Bar w/Fiberglass Sink, Faucet, Stainless-Steel Handrail, Solid-Surface Countertop, Trash Receptacle w/Trash Chute & Carry-On Cooler - Starboard

CABIN FEATURES

Carbon Monoxide Monitors
Carpet, 55-Ounce 100% Stainmaster® BCF Nylon w/Dupont® Advanced Teflon Repel System
Doors, High-Gloss Solid Wood
Handrails, Stainless Steel
Lighting, 24V LED
Lighting, 24V Indirect LED
Lighting, 120V LED
Outlet, 12V Accessory
Outlets, 120V GFI Protected
Outlets, Phone
Outlet & Switch Plates - Polished Chrome Finish
Pillows, Accent
Storage, In-Floor
Vacuum System, Central - 120V (Beam®)

INTERIOR FINISHES & TREATMENTS:

Wood Cabinetry: Walnut
Window Treatment: Silver Alloy Blinds
Carpet: Dark or Light

SALON:

Entertainment Center:

- Bose Direct Reflecting SoundBar; Acoustimass Module & SA-3 Amplifier
- TV, 50" LED / Smart w/Remote Blu-ray™ Player

Flooring, Wood

Seating, Sofa w/Pullout Bed - Starboard

Steps, Entryway - Teak w/Stainless-Steel Handrail

Storage, Gunwale Cabinets

Table, Convertible Dining/Coffee (Movable) w/High-Gloss Wood Surface & Storage Below

Wainscotting, Forward Salon Bulkhead

GALLEY:

Coffeemaker, Keurig®

Countertop, Solid Surface w/Stainless-Steel Sink, Faucet w/Pullout Spray Head & Solid-Surface Sink Cover

Flooring, Wood

Freezer, Under Counter - 120V

Microwave/Convection Oven w/Stainless-Steel Face - 120V

Power Vent, 24V

Refrigerator, Under Counter - 120V

Storage, Drawers w/Cutlery Insert

Storage, Cabinets - Upper & Lower

Stove - Two Burner w/Pop-Up Cookware Retainers

Trash Receptacle

FORWARD STATEROOM:

Bed, Queen-Size Island Style w/Innerspring Mattress, Pillows, Sheets & Coordinated Spread w/Storage Below

Entertainment Center:

- Bose Direct Reflecting SoundBar; Acoustimass Module & SA-3 Amplifier
- TV, 24" LED, w/Remote Blu-ray™ Player

Flooring, Wood

Hanging Locker, Cedar Lined w/Shoji Doors

Storage, Gunwale Shelves

FORWARD STATEROOM HEAD / SHOWER:

Bath Accessories - Towel Bar, Bathroom Tissue Holder, Soap Dish & Robe Hook

Flooring, Tile

Handrails, Stainless Steel

Head, (VacuFlush) - Electric

Power Vent, 24V

Shower w/Teak Seat, Adjustable Shower Wand & Acrylic Door

Storage, Medicine Cabinet - Mirrored

Towels - Sea Ray

Vanity w/Solid-Surface Countertop, Tile Backsplash, Undermount Sink w/ Faucet & Storage Below w/Trash Receptacle

MID MASTER STATEROOM:

Bed, Queen-Size w/Innerspring Mattress, Pillows, Sheets, Coordinated Spread, Drawers & Storage Below

Entertainment Center:

- Bose Direct Reflecting SoundBar; Acoustimass Module & SA-3 Amplifier
- TV, 32" LED / Smart w/Remote Blu-ray™ Player

Mirror, Large - Trimmed

Storage Cabinet w/Shelves

MID STATEROOM HEAD/SHOWER:

Bath Accessories - Towel Rings (2), Bathroom Tissue Holder, Soap Dish & Robe Hooks (3)

Door, Access from Master Stateroom

Flooring, Tile - Shower & Head

Handrails, Stainless Steel

Head, (VacuFlush®) - Electric

Hanging Locker, Cedar Lined w/Drawer Storage Below

Mirror, Large, Full Length

Power Vent, 24V

Shower w/Teak Seat, Adjustable Shower Wand & Acrylic Door

Storage, Shelves - Dedicated Toiletry

Towels - Sea Ray

Vanity w/Solid-Surface Countertop, Tile Backsplash, Undermount Sink w/ Faucet & Storage Below w/Trash Receptacle

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Zone-Controlled Reverse-Cycle System, 240V (32,000 BTU) w/Custom Integral Vent System - Cabin

Zone-Controlled Reverse-Cycle System, 240V (32,000 BTU) - Cockpit

CONTROL STATION:

Battery Parallel Switch - Engines

Bow Thruster, 24V

Compass

Dash, Gel Coated

Fuel Gauges (2)

Horn, Air - 24V

Instrument Panels

Outlet, DC

SmartCraft® Digital Throttle & Shift (DTS)

SmartCraft VesselView Display (2):

- Propulsion: Engine Hour Meters, Engine Status, Performance & Fuel, Peak Performance, Boost Pressure (Optional), Trol Control & Cruise Control
- Vessel: Vessel Status, Tank Status, Steering Position & Generator Data
- Environment & Navigation: GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information, Fuel to Waypoint Data & Navigation Data
- Active Alarms/Details
- Alarm History/Details

Steering, Power Assisted w/Tilt Wheel

Switches, Illuminated Weatherproof Rockers & Electronic Dimmer Control

Switch Panels, Backlit

ELECTRICAL SYSTEMS:

Batteries, 8-D w/Boxes (4)
 Battery Charger/Converter, 240V/50 Amp/24V
 Battery Charger Overcurrent Protection
 Battery Equalizer, 65 Amp (2)
 Battery Solenoid Switches, 12V (2) & 24V (3)
 Cable Television System w/Inlet (Includes Phone Inlet & Phone Shore Cord), TV
 Shore Cord, Coax Outlets, Gain Control & Antenna
 Panel, Circuit Breaker - Remote
 Panel, DC Main Breaker
 Panel, Main Distribution - AC
 Shore Power, Cablemaster™ (Glendinning), 240V/50 Amp w/75' Cord & Wireless
 Remote (Cablemaster N/A w/220V/50 Cycle Shore Power)
 Shore Power, Secondary - 50 Amp/ 120V/60-Cycle w/75' Cord
 Transformer, Shore Power Isolation - 120V/50 Amp, 240V/50 Amp
 Wiring, Color-Coded w/Chafe Protection

ELECTRONICS:

Autopilot, Raymarine® Evolution (Interfaced w/Chartplotter)
 Electronics Circuit, 50 Amp/24V
 Raymarine® eS12 Widescreen, 12.1" Color LCD Radar/GPS/Chartplotter w/
 Integrated 4-kW HD Open Array Scanner - Primary Display
 Raymarine eS12 Widescreen, 12.1" Color LCD GPS/Chartplotter - Auxiliary
 Display
 VHF Radio w/Remote Speaker & 8' Fiberglass Antenna

ENGINE ROOM:

Bilge Pumps, 24V Automatic (2)
 Bilge Pumps, 24V Automatic High Water (1 Bilge, 1 Cabin)
 Blowers, 24V Bilge (2)
 Engine Drip Sumps
 Exhaust w/Lift System Mufflers
 Fire Suppression System - Automatic w/Diesel Shutdown, Override
 & Manual Pull
 Gel-Coated Engine Room
 Insulation, Engine Room - 2" w/Loaded Vinyl Barrier
 Ladder, Stainless Steel - Removable
 Lighting, 24V

FUEL SYSTEM:

Diesel Fuel System - Electric w/Transfer Pump
 Fuel Filters, (3) Racor® - (2) 75-900MAX (Dual) for Engines, (1) 500MAX for
 Generator
 Fuel Lines, USCG - Type A-1
 Fuel Tanks, Aluminum w/Manual Shutoff Valves

GENERATOR:

21.5 kW Onan® Diesel (240V/60 Cycle) w/Sound Shield, Remote Start, Muffler, Closed Cooling, Fuel Filter, Seacock & Seawater Strainer

UNDERWATER GEAR:

V-Drives:

- Bonding System w/Zinc Hull Plate
- Propellers, Nibral 4-Blade
- Propeller Shafts, 2.25" Stainless Steel (2) - Aquamet 22
- Rudders, Manganese-Bronze
- Seacocks - Engines
- Seawater Strainers - Engines
- Shaft Logs, Dripless w/Extra Seal Carrier Kit
- Struts, Manganese-Bronze
- Trim Tabs, Hydraulic

Zeus Drives (Optional):

- Propellers, Stainless Steel
- Trim Tabs, Hydraulic (Integrated w/Zeus Pod Drives)

WASTE SYSTEM:

Central Drain System

Head System (VacuFlush®) - Electric

Holding Tank Level Indicators - MDP

Holding Tank w/Dockside Pump-Out (68 Gallon)

Sump Box w/Automatic Pump & Hinged Service Lid

WATER SYSTEM:

Freshwater Washdown Spigots w/Hoses - Transom, Engine Room & Anchor Locker

Pressure Water System w/24V Pump & Charcoal Filtration System

Shower, Cockpit - Single-Lever Hot & Cold w/Stainless-Steel Door, Braided Hose & Ergonomic Shower Wand

Water Heater, 240V (20 Gallon)

Water Inlet, Dockside

Water Manifold System

STANDARD PROPULSION

TWIN DIESEL V-DRIVES:

T-VD-Cummins® QSM 11 - 715 T2 w/DTS
(T-684 hp - 510 kW)

Top speed at top RPM 30-33 MPH @ 2540 RPM

Gallons per hour at cruise speed (per engine) 31.0 GPH @ 2300 RPM

Propeller 30x33

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

TWIN DIESEL ZEUS® DRIVES:

T-Zeus-Cummins QSC 8.3 - 600 HO
(T-574 hp - 420 kW)

Zeus Propulsion Includes Helm Joystick, Skyhook® Station Keeper & Integrated Autopilot

ELECTRONICS OPTIONS

Raymarine CP 370 Fishfinder Module

Raymarine Dual e165 15.4" Widescreen Color LCDs, Radar/GPS/Chartplotter w/
Integrated 4-KW HD Open Array Scanner

Raymarine Network Interface Cameras (Engine Room & Cockpit)

Raymarine Sirius® Weather Module

Raymarine i50 Depth Display

Raymarine T300 Thermal Night Vision Camera

INTERIOR LAYOUT OPTION

THREE STATEROOM (DIVIDES STD MASTER):

Port Stateroom:

Bed, Queen-Size w/Innerspring Mattress, Pillows, Sheets, Coordinated Spread
& Storage Below

Door, Privacy

Entertainment Center:

- Bose Direct Reflecting SoundBar

- TV, 24" LED w/Remote Blu-ray™ Player

Hanging Locker, Cedar Lined w/Light

Storage, End Table

Starboard Stateroom:

Bed, Lower Bunk w/Mattress, Pillows, Sheets, Coordinated Spread & Storage
Below

Bed, Fold-Down Upper Bunk w/Mattress, Pillows, Sheets & Coordinated Spread

Door, Privacy

Storage, Cabinet

TV, 24" LED / w/Remote Blu-ray™ Player

INDIVIDUAL OPTIONS

Anchor, Polished Stainless Steel (In Lieu of Galvanized)
 Bow & Stern Thruster (N/A w/Zeus)
 Cablemaster™, Secondary w/Wireless Remote (Cablemaster N/A w/220V/50-Cycle Shore Power)
 Carpet Runners, Interior (Sunbrella)
 China, Place Settings, Glasses & Flatware Set w/Custom Dedicated Storage
 - Includes: Includes 6 sets of Dinnerware, 8 Sets of Glassware and 45 Piece Flatware Set
 Cockpit Seat Covers
 Colored Hull (Black, Blue, Horizon or Patina)
 Digital Satellite System (DSS TV)
 Digital Satellite System - KVH D7 TracVision® for True HD
 Flooring, Infinity Light or Dark Tones - Cockpit
 Flooring, Teak - Deck Walkways
 Flooring, Teak - Lower Cockpit & Upper Transom Steps
 Flooring, Teak - Swim Platform
 Flooring, Teak - Upper Cockpit
 Grey Water System
 Grill, Built-In w/Fiberglass Lid (240V) - Cockpit
 Interior Treatment: Roman Shades
 Interior Treatment: Wood Blinds - Dark Cherry or Walnut
 Interior Treatment: Wood Cabinetry Finishes - High Gloss Dark Cherry
 Inverter, 120V/60 Cycle
 Joystick Docking Control for V-Drives (Coupled w/Bow Thruster)
 Joystick Docking Control for V-Drives (Coupled w/Bow & Stern Thrusters)
 Lighting, Underwater - Transom (4)
 Macerator w/Seacock Interlock System
 Oil Changer System - Engines & Generator
 Passerelle System, Transom - Port
 Prop Holders - For Spare Zeus Props (Props Not Included)
 Prop Holders - w/Spare Props (V-Drive Only)
 Refrigerator, Stainless Steel Drawer-Style Dual Voltage - Cockpit
 Remote Control, Universal - Logitech Harmony
 Rod Holders (2)
 Seating, Teak Folding Chairs (2) - Cockpit
 Swim Platform, Hydraulic Marine Lift w/Remote & Manual Pump
 Table, High-Gloss Teak w/ Cover - Cockpit
 Table, Oversized Teak Table w/ Cover - Cockpit
 Transformer, Shore Power Isolation Boost - 50 Amp/240V/60 Cycle
 TV, 24" LED, w/Remote Blu-ray™ Player - Cockpit
 TV, 58" LED / Smart - Salon (Replaces std TV)
 Washer/Dryer Combo, 120V
 Water Purifier System - Galley & Ice maker
 Windlass, All-Chain (In Lieu of Std. Rope/Chain)
 Windlass Capstan
 Windshield Defroster
 Yacht Flag & Flagpole

CE Option

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
V-Drive Zeus	T-Cummins QSM11 - 715 HO T-Cummins QSC 8.3 - 600 HO		T-684	ZF-325 IV	30x33	2.01:1	33.2	2500-2550
			T-574	Zeus 3800	M8/M9	1.95:1	36.2	3000-3080


Due to changes in Mercury propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).

L-Class

L550	NEW
L550 Fly	NEW
L590	
L590 Fly	
L650	
L650 Fly	



Exterior



Sunroom / Cockpit Layout



Lower Cabin Layout

SPECIFICATIONS

Overall length w/extended swim platform	56'3" (17.14 m)
Beam	15'7" (4.75 m)
Draft	48" (122 cm)
Dry weight	57,800 lb (26,218 kg)
Fuel capacity	580 gal (2,195 L)
Water capacity	150 gal (568 L)
Holding tank	68 gal (257 L)
Deadrise	17°

HEIGHT DIMENSIONS

Waterline to top of fixed mast light on hardtop (Bridge Clearance)	18'2" (5.53 m)
Keel to top of fixed hardtop	15'10" (4.83 m)
Overall height from lowest point on underwater gear to fixed mast light	22'9" (6.93 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
Bow Rail, 316 Stainless Steel w/Welded Stanchions, Intermediate Rails & Life Lines
Bow & Stern Thrusters - 24V Electric
Cleats, Custom Sea Ray Thru-Bolted-Stainless Steel (8)
Deck Fill Plates, Stainless Steel - Port & Starboard
Deck Rails, 316 Stainless Steel
Gel Coat Exterior Finish
Graphics, L-Class and lit Sea Ray emblem
Handrails, 316 Stainless Steel
Hatch, Deck
Hull Windows
Lazarette with Dedicated Storage for Fenders, Lines, Cleaning Supplies & Tools
Lights, Navigation (LED)
Lighting, Underwater, Blue or White LED - Transom (4)
Portlights, Flush Opening in each head
Rub Rail, PVC w/ Stainless Steel Insert
Seating, Recessed Foredeck Wrap Around Bench Seating with Cushions and Stowable Backrests
Spotlight, Halogen -Remote Controlled
Storage, Foredeck
Stringer System, Composite Material
Swim Platform, Hydraulic Marine Lift with Remote & Manual Pump (1,000 LB Capacity) with Concealed Swim Ladder w/Integral Grab Handle
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Room
Windshield, Bridge Venturi W/ Stainless Steel Frame
Windshield, Tempered/Tinted-Curved Glass (Bonded-In) with two pane forward windshield, Electric Starboard Drop-Down Side Window
Windshield Defroster
Windshield Washer System
Windshield Wipers, 24V

CANVAS (SUNBRELLA®)

Cockpit Seating Covers
Foredeck Seating Covers
Windshield Shades

CERTIFICATIONS:

CE, Category B
Meets Applicable USCG & ABYC Standards
NMMA Certification

MOORING SYSTEM:

Anchor, Galvanized
Anchor Chute, Stainless Steel
Anchor Chain Storage w/Gas-Assisted Hatches
Anchor Washdown Spigot w/Hose
Windlass, Chain w/Foot Switches

COCKPIT FEATURES

Awning, Electric Retractable - Covers Cockpit Seating
Beverage Holders
Door, Opacmare® Stainless Steel Cabin Entry, Sliding & Lockable w/Flush Threshold
Door, Transom
Floor Liner, Self-Bailing Fiberglass
Gates, Side Boarding - Port & Stbd
Handrails, 316 Stainless Steel
Hatch, Engine Room - Gas-Assisted

Lighting, Overhead, Blue/White LED, Switchable
 Outlet, 120V GFI Protected
 Refrigerator, 120V
 Seating w/Storage
 Ship's Bell
 Speakers (2) w/Control from Salon Audio
 Steps, Boarding (Molded-In)
 Storage, Fenders & Gear
 Entertainment Center w/ Grill, Solid-Surface Countertop, Stainless Steel Handrail & Trash Receptacle
 Yacht Flag w/Pole & Holder

CABIN FEATURES

Carbon Monoxide Monitors
 Carpet, 55-Ounce 100% Stainmaster®
 Curtains, Custom
 Doors, Wood
 Handrails, Stainless Steel
 Lighting, Direct & Indirect, LED
 Outlets, 12V Accessory
 Outlets, 120V GFI Protected
 Outlet & Switch Plates - Polished Chrome Finish
 Pillows, Accent
 Storage, In-Floor
 Vacuum, Dyson Cordless
 Washer & Dryer, Combo

INTERIOR FINISHES & TREATMENTS:

Window Treatment: Silver Alloy Blinds
 Wood Cabinetry: Quarter Walnut

SALON SUNROOM:

Countertop, Silestone® Natural Quartz Surface
 Entertainment Center:
 - Bose® SoundTouch® System
 - SiriusXM® Satellite Receiver w/Antenna
 - TV, 50" LED Smart Flatscreen & Blu-ray™ Player
 Flooring, Wood
 Handrail, Stainless Steel
 Ottomans w/Storage and Movable Top (2)
 Outlet, 120V
 Seating - Sofa w/Storage
 Seating w/Storage
 Skylight, Opening with shade
 Storage Cabinets
 Windows, Oversized Deckhouse
 Window, Electric Opening - Starboard Side

GALLEY:

Bar Stools (2)
 Coffemaker, Keurig
 Countertop, Silestone® Natural Quartz Surface w/Sink, Single-Lever Faucet & Wood Sink Cover/Cutting Board
 Flooring, Wood
 Freezer w/Icemaker, Under Counter Drawer - 120V
 Handrail, Stainless Steel
 Microwave/Convection Oven - 120V
 Power Vent, 24V
 Refrigerator, Under Counter Drawer - 120V
 Storage, Cabinets - Upper & Lower
 Storage, Drawers w/Cutlery Insert

Storage, Designated Plate & Glass
Stove, Two-Burner Induction
Trash Receptacle

MASTER STATEROOM (FULL BEAM - AFT):

Accent Wall w/Light
Bed, Queen Size w/Innerspring Mattress, Pillows, Sheets, Coordinated Spreads &
Drawer Storage Below
Closet System, Cedar Lined w/Light & Full Length Mirror
Door, Privacy
Entertainment Center:
- Bose® SoundTouch® System
- TV, 40" LED Flatscreen & Blu-ray™ Player
Flooring, Carpet
Hull Windows
Night Stands
Seating, L-Shaped Lounge w/Storage
Storage, Dresser w/Drawers
USB Port - Powered

MASTER STATEROOM HEAD/SHOWER:

Door, Pocket Style
Flooring, Tile
Handrail, Stainless Steel
Head, VacuFlush®
Lighting, Vanity
Portlight, Opening
Power Vent, 24V
Robe Hook
Shower with Rain Shower & Acrylic Door
Soap Dish
Storage, Medicine Cabinet - Mirrored
Tissue Holder
Towel Ring
Towels - Sea Ray
Vanity w/Silestone® Natural Quartz Surface Countertop, Sink, Faucet, Storage &
Trash Receptacle

FORWARD (GUEST) STATEROOM:

Bed, Queen-Size with Innerspring Mattress, Pillows, Sheets, Coordinated Spreads
& Storage
Door, Privacy
Door - Access to Fwd Head/Shower
Flooring, Carpet
Hanging Lockers, Cedar Lined w/Light & Full Length Mirrors (2)
Hull Windows
Storage, Side Shelves w/Decorative Rails
Storage, Drawers (Under Bunk)
TV, 32" LED Flatscreen & Blu-ray™ Player
USB Port - Powered

GUEST HEAD/SHOWER:

Door, Privacy, Mirrored
Flooring, Tile
Handrail, Stainless Steel
Head, VacuFlush®
Portlight, Opening
Power Vent, 24V
Robe Hook
Shower with Seat, Shower & Radius Acrylic Door
Soap Dish

Storage, Medicine Cabinet - Mirrored
Tissue Holder
Towel Rings / Bars
Towels - Sea Ray
Vanity w/Silestone® Natural Quartz Surface Countertop, Sink, Faucet, Storage & Trash Receptacle

MID STATEROOM:

Beds (2), Twin w/Pillows, Sheets, Coordinated Spreads & Storage (Converts to form Large Bed)
Door, Privacy
Flooring, Carpet
Hanging Locker, Cedar Lined w/Light & Mirror
Storage, Cabinet
Storage, Shelf
TV, 24" LED Flatscreen w/Remote Blu-ray™ Player

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Zone-Controlled Reverse-Cycle System, 240V (68,000 BTU)
Custom Integral Vent System

CONTROL STATION:

A/C Vents on Dash Panels
Alarms, High-Water - Bilge & Cabin"
Bow & Stern Thruster Control
Compass
Dash, Gel Coated
Defroster, Windshield
Horn, Air - 24V
Instrumentation:
- Digital Switching w/Custom Sea Ray Interface & Tablet Control
- Caterpillar® 7" Color Display
- Engine and Alarm Data (Displayed on Chartplotter)
- Fuel Status

Instrument Panel, High Gloss
Parallel Start System - Engines
Power Steering with Tilt Wheel
Seating, Helm (2) with Armrests, Reclining Backrests, Stainless-Steel Fold-Down Footrests & Heavy-Duty Pedestals w/Slides, Swivels & Vertical Adjustment
Shift & Throttle Controls, Electronic
Spotlight Remote Control
Switch Panel, High-Gloss (Backlit)
Switches, Illuminated Weatherproof & Electronic Dimmer Control
Systems Monitor - For Pump Monitoring (On Raymarine Displays)
Visor, Upholstered
Wiper Controls

ELECTRICAL SYSTEMS:

Batteries, 8-D Type w/Trays & Group 27 for Genset
Battery Charger/Converter, 120V/10 Amp/12V
Battery Charger Over-Current Protection
Battery Equalizer, 60 Amp (2)
Battery Solenoid Switches, 12V (2), 24V (2)
Cable TV Inlet
Panel, Circuit Breaker - Remote
Panel, Main Distribution - AC
Panel, Main Distribution - DC
Shore Power, Cablemaster™ (Glendinning®) 240V/50 Amp w/75' Cord & Wireless Remote (Cablemaster N/A w/220V/50 Cycle Shore Power)

Shore Power, Secondary, Cablemaster 50 Amp/120V/60 Cycle w/50' Cord Transformer, Shore Power Isolation - 120V/50 Amp, 240V/50 Amp Wiring, Color-Coded w/Chafe Protection

ELECTRONICS:

Autopilot
Electronics Circuit, 12V/50 Amp
Hailer Horn, Raymarine 220
Raymarine eS12 Widescreen, 12.1" Color LCD Radar/GPS/Chartplotter with Integrated 4-kW HD Open Array Scanner
Raymarine eS12 Widescreen, 12.1" Color LCD GPS/Chartplotter Auxiliary Display
VHF Radio w/Remote Speaker & 8' Fiberglass Antenna

ENGINE ROOM:

Bilge Pumps, 24V Automatic
Bilge Pumps, 24V Automatic High-Water (1 Bilge, 1 Cabin)
Blowers, Delta "T" 24V Bilge (2)
Exhaust, Power Pac Lift Muffler System
Fan, Oscillating - 120V
Fire Extinguishers
Fire Suppression System - Automatic w/Diesel Shutdown, Override & Manual Pull
Flooring, Diamond Plate
Freshwater Cooling
Gel-Coated Engine Room
Insulation, Engine Room - 2" w/Loaded Vinyl Barrier
Ladder, Stainless Steel - Removable/Swing-Away
Light, Cord Reel
Lighting, 24V LED

FUEL SYSTEM:

Crossover Fuel System
Diesel Fuel System - w/Electric Transfer Pump
Fuel Filters, (3) Racor® - (2) 75-1000MAX (Dual) for Engines (1) 500MA for Generator
Fuel Lines, USCG - Type A-1
Fuel Tanks, Aluminum w/Port & Starboard Fills, Manual Shut-Off Valves & Sending Units

GENERATOR:

Onan® 21.5 kW Diesel (240V/60 Cycle) w/Sound Shield, Remote Start, Muffler, Closed Cooling, Fuel Filter, Seacock & Seawater Strainer

UNDERWATER GEAR:

Bonding System w/ Zinc Hull Plate
Propeller Shafts (2)
Propellers (2)
Rudders (2)
Seacocks on all Underwater Fittings
Seawater Strainers
Shaft Logs, Dripless w/Extra Seal Carrier Kit
Struts
Trim Tabs, Hydraulic

WASTE SYSTEM:

Common Drain System
Head System (VacuFlush®)
Holding Tank Level Indicator - MDP
Holding Tank w/Dockside Pump-Out (68 Gallon)
Macerator w/Seacock Interlock System
Sump Box w/Automatic Pump & Hinged Service Lid

WATER SYSTEM:

Freshwater Washdown Spigots w/Hoses - Transom, Engine Room & Anchor Locker
 Manifold System w/Shutoff Valves
 Pressure Water System w/24V Pump & Charcoal Filtration System
 Shower, Cockpit - Hot & Cold w/Door
 Water Heater, 240V (20 Gallon)
 Water Inlet, Dockside
 Water Purifier System - Galley & Icemakers

STANDARD PROPULSION

TWIN DIESEL INBOARDS:

Twin Caterpillar® 850 C12.9L
 In-line 6, 4-Stroke, Tier 3 Diesel Engines
 (T-850 hp - 634 kW)

Top speed at WOT TBD
 Gallons per hour at cruise speed (Both engines) 63.2 GPH
 Propeller TBD

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

ELECTRONICS OPTIONS

Caterpillar gplink® Satellite Remote Tracking/Monitoring System
 Raymarine® P70RS Autopilot Display
 Raymarine AIS650 Transceiver
 Raymarine Dual gS165 Widescreen, Color LCD GPS/Chartplotter Primary & Auxiliary Displays (In lieu of eS12)
 Raymarine Fishfinder Module (Interfaced with Chartplotter Display)
 Raymarine i70S Depth Display
 Raymarine Network Interface Cameras (Bilge & Cockpit)
 Raymarine Sirius Weather Module
 Raymarine T300 Thermal Night Vision Camera
 SAT Telephone / Data System

CREW QUARTERS (REPLACES LAZARETTE)

Air Conditioning/Heating (240V/60)
 Bunk (single)
 Transom Entrance
 Head (VacuFlush®)
 Lighting, 24V
 Outlet, 120V GFI Protected
 Portlight, Stainless Steel (Opening)
 Power Vent
 Window - Large Bonded in
 Storage w/Hanging Locker
 Vanity w/Sink and Shower

INDIVIDUAL OPTIONS

Air Conditioning/Heating Upgrade
 Anchor, Stainless Steel (In Lieu of Standard Galvanized)
 Audio System - Bow Seating
 Audio System - Fwd Stateroom Bose® SoundTouch® System
 Bidet/Toilet Combination - Master Head
 Canvas, Cockpit Isenglass Enclosure
 Carpet Runners, Interior (Sunbrella®)
 China Place Settings w/Storage
 Colored Hull, Painted
 Desalinator
 Digital Satellite TV System (DSS), KVH TracVision HD7 w/Receivers for all rooms
 DSS - Spare HD7 Dome
 Flooring, Infinity Light or Dark Tones - Cockpit
 Flooring, Teak - Cockpit
 Flooring, Teak - Deck Catwalks
 Flooring, Teak - Foredeck Seating Area
 Flooring, Teak - Swim Platform
 Fuel Tanks, Extended Range (800 Gal Total)
 Generator Upgrade - 29 kW
 Icemaker - Cockpit (In-lieu-of Refrigerator)
 Interior Treatment: Wood Cabinetry Finish - Dark Cherry w/High Gloss
 Interior Treatment: Windows - Walnut Wood Blinds, Dark Cherry Wood Blinds or Roman Shades
 Inverter, 120V/60 Cycle (Requires Generator Upgrade)
 Joystick Docking Control for Inboards, Electric
 (Coupled w/Bow & Stern Thrusters)
 Master Stateroom Dresser (In-lieu-of Port Seating)
 Multi Station Docking - Cockpit Controls
 Oil Changer System - Engines, Transmissions & Generator
 Passerelle - Transom (Envelope Style)
 Portlights, Opening, All Staterooms
 Refrigerator - Master Stateroom
 Spare Propellers (2) w/Holders
 Safe - Master Stateroom
 Salon Sofa w/ Pullout Bed
 Seakeeper® Gyroscopic Stabilizer (Requires Generator Upgrade)
 Stairway, Expanding (for Std Hydraulic Swim Platform)
 Sun Shade, Bow Seating
 Sunpad Filler Cushion - Foredeck
 Table, High-Gloss Teak w/ Cover - Cockpit
 Table, High-Gloss Teak w/ Cover - Bow Seating
 Table, Natural Teak w/ Cover - Bow Seating
 Table, Natural Teak w/ Cover - Cockpit
 Table, Salon
 Transformer, Shore Power Isolation Boost - 240V/50 Amp
 Upgraded Carpet - Cabin
 Upgraded Seating Fabric - Cabin
 Washer/Dryer, Side-by-Side (In Lieu of Std Combo)
 Windlass Capstan Style (In Lieu of Std)
 Windlass System - Stern Capstans (1 port, 1 stbd)
 Wine Cooler/Chiller

CE Option

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Inboard	Twin Caterpillar 850 C12.9L		T-850	ZF 360 A	TBD	1.964:1	TBD	2300


Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



Bridge Layout



Upper Cabin/Cockpit
Layout



Lower Cabin Layout

SPECIFICATIONS

Overall length w/extended swim platform	56'3" (17.14 m)
Beam	15'7" (4.75 m)
Draft	54" (137 cm)
Dry weight	59,500 lb (26,989 kg)
Fuel capacity	580 gal (2,195 L)
Water capacity	150 gal (568 L)
Holding tank	68 gal (257 L)
Deadrise	17°

HEIGHT DIMENSIONS

Waterline to top of fixed mast light on hardtop (Bridge Clearance)	23'6" (7.16 m)
Keel to top of hardtop	21'3" (6.48 m)
Keel to top of bridge cap surface	14'4" (4.36 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
Bow Rail, 316 Stainless Steel w/Welded Stanchions, Intermediate Rails & Life Lines
Bow & Stern Thrusters - 24V Electric
Cleats, Custom Sea Ray Thru-Bolted-Stainless Steel (8)
Deck Fill Plates, Stainless Steel - Port & Starboard
Deck Rails, 316 Stainless Steel
Gel Coat Exterior Finish
Graphics, L-Class and lit Sea Ray emblem
Handrails, 316 Stainless Steel
Hatch, Deck
Hull Windows
Lazarette with Dedicated Storage for Fenders, Lines, Cleaning Supplies & Tools
Lights, Navigation (LED)
Lighting, Underwater, Blue or White LED - Transom (4)
Portlights, Flush Opening in each head
Rub Rail, PVC w/ Stainless Steel Insert
Seating, Recessed Foredeck Wrap Around Bench Seating with Cushions and Stowable Backrests
Spotlight, Halogen -Remote Controlled
Storage, Foredeck
Stringer System, Composite Material
Swim Platform, Hydraulic Marine Lift with Remote & Manual Pump (1,000 LB Capacity) with Concealed Swim Ladder w/Integral Grab Handle
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Room
Windshield, Bridge Venturi W/ Stainless Steel Frame
Windshield, Tempered/Tinted-Curved Glass (Bonded-In) with two pane forward windshield, Electric Starboard Drop-Down Side Window
Windshield Defroster
Windshield Washer System
Windshield Wipers, 24V
Yacht Flag & Flagpole

CANVAS (SUNBRELLA®)

Bridge Seating & Console Covers
Cockpit Seating Covers
Foredeck Seating Covers
Windshield Shades

CERTIFICATIONS:

CE, Category B
Meets Applicable USCG & ABYC Standards
NMMA Certification

MOORING SYSTEM:

Anchor, Galvanized
Anchor Chute, Stainless Steel
Anchor Chain Storage w/Gas-Assisted Hatch
Anchor Washdown Spigot w/Hose
Windlass, Chain w/Foot Switches

BRIDGE FEATURES

Beverage Holders
Control Station
Glove Box Storage
Grill

Handrails, 316 Stainless Steel
Hardtop, Fiberglass with Electric Opening Canvas Skylight
Hatch, Bridge Access
Lighting, Overhead, Blue/White Switchable LED
Outlet, 12V Accessory
Outlet, 120V GFI Protected
Refrigerator, 120V
Seating, Single Helm Seat w/Arm Rests, Pedestal w/Slide, Swivel & Vertical Adjustment
Seating w/Storage
Sunpad - Forward of Helm
Ship's Bell
Audio System, 12V Bluetooth™ Stereo w/Speakers (4) & Subwoofer
Storage, Under Seating
Table, Bridge, Hinged - Natural Teak w/Cover
Wet Bar w/Sink, Faucet, Solid-Surface Countertop, Stainless Steel Handrail & Trash Receptacle

COCKPIT FEATURES

Beverage Holders
Door, Opacmare® Stainless Steel Cabin Entry, Sliding & Lockable w/Flush Threshold Door, Transom
Floor Liner, Self-Bailing Fiberglass
Gates, Side Boarding - Port & Stbd
Handrails, 316 Stainless Steel
Hatch, Engine Room - Gas-Assisted
Lighting, Overhead, Blue/White LED, Switchable
Outlet, 120V GFI Protected
Refrigerator, 120V
Seating w/Storage
Speakers (2) w/Control from Salon Audio
Steps, Boarding (Molded-In)
Steps, Molded Exterior Bridge Access w/Stainless Steel Handrail & Storage
Storage, Fenders & Gear

CABIN FEATURES

Carbon Monoxide Monitors
Carpet, 55-Ounce 100% Stainmaster®
Curtains, Custom
Doors, Wood
Handrails, Stainless Steel
Lighting, Direct & Indirect, LED
Outlets, 12V Accessory
Outlets, 120V GFI Protected
Outlet & Switch Plates - Polished Chrome Finish
Pillows, Accent
Storage, In-Floor
Vacuum, Dyson Cordless
Washer & Dryer, Combo

INTERIOR FINISHES & TREATMENTS:

Window Treatment: Silver Alloy Blinds
Wood Cabinetry: Quarter Walnut

SALON:

Countertop, Silestone® Natural Quartz Surface
Entertainment Center:
- Bose® SoundTouch® System
- SiriusXM® Satellite Receiver w/Antenna
- TV, 50" LED Smart Flatscreen & Blu-ray™ Player

Flooring, Wood
Handrail, Stainless Steel
Ottomans w/Storage and Movable Top (2)
Outlet, 120V
Seating - Sofa w/Storage
Seating w/Storage
Storage Cabinets
Windows, Oversized Deckhouse
Window, Electric Opening - Starboard Side

GALLEY:

Bar Stools (2)
Coffemaker, Keurig
Countertop, Silestone® Natural Quartz Surface w/Sink, Single-Lever Faucet & Wood Sink Cover/Cutting Board
Flooring, Wood
Freezer w/Icemaker, Under Counter Drawer - 120V
Handrail, Stainless Steel
Microwave/Convection Oven - 120V
Power Vent, 24V
Refrigerator, Under Counter Drawer - 120V
Storage, Cabinets - Upper & Lower
Storage, Drawers w/Cutlery Insert
Storage, Designated Plate & Glass
Stove, Two-Burner Induction
Trash Receptacle

MASTER STATEROOM (FULL BEAM - AFT):

Accent Wall w/Light
Bed, Queen Size w/Innerspring Mattress, Pillows, Sheets, Coordinated Spreads & Drawer Storage Below
Closet System, Cedar Lined w/Light & Full Length Mirror
Door, Privacy
Entertainment Center:
- Bose® SoundTouch® System
- TV, 40" LED Flatscreen & Blu-ray™ Player
Flooring, Carpet
Hull Windows
Night Stands
Portlights, Opening (2)
Seating, L-Shaped Lounge w/Storage
Storage, Dresser w/Drawers
USB Port - Powered

MASTER STATEROOM HEAD/SHOWER:

Door, Pocket Style
Flooring, Tile
Handrail, Stainless Steel
Head, VacuFlush®
Lighting, Vanity
Power Vent, 24V
Robe Hook
Shower with Rain Shower & Acrylic Door
Soap Dish
Storage, Medicine Cabinet - Mirrored
Tissue Holder
Towel Ring
Towels - Sea Ray
Vanity w/Silestone® Natural Quartz Surface Countertop, Sink, Faucet, Storage & Trash Receptacle

FORWARD (GUEST) STATEROOM:

Bed, Queen-Size with Innerspring Mattress, Pillows, Sheets, Coordinated Spreads & Storage
Door, Privacy
Door - Access to Fwd Head/Shower
Flooring, Carpet
Hanging Lockers, Cedar Lined w/Light & Full Length Mirrors (2)
Hull Windows
Storage, Side Shelves w/Decorative Rails
Storage, Drawers (Under Bunk)
TV, 32" LED Flatscreen & Blu-ray™ Player
USB Port - Powered

GUEST HEAD/SHOWER:

Door, Privacy, Mirrored
Flooring, Tile
Handrail, Stainless Steel
Head, VacuFlush®
Portlight, Opening
Power Vent, 24V
Robe Hook
Shower with Seat, Shower & Radius Acrylic Door
Soap Dish
Storage, Medicine Cabinet - Mirrored
Tissue Holder
Towel Rings / Bars
Towels - Sea Ray
Vanity w/Silestone® Natural Quartz Surface Countertop, Sink, Faucet, Storage & Trash Receptacle

MID STATEROOM:

Beds (2), Twin w/Pillows, Sheets, Coordinated Spreads & Storage (Converts to form Large Bed)
Door, Privacy
Flooring, Carpet
Hanging Locker, Cedar Lined w/Light & Mirror
Storage, Cabinet
Storage, Shelf
TV, 24" LED Flatscreen w/Remote Blu-ray™ Player

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Zone-Controlled Reverse-Cycle System,
240V (68,000 BTU)
Custom Integral Vent System

BRIDGE CONTROL STATION:

Alarms, High-Water - Bilge & Cabin"
Bow & Stern Thruster Control
Compass
Dash, Gel Coated
Horn, Air - 24V
Instrumentation:
- Digital Switching w/Custom Sea Ray Interface & Tablet Control
- Caterpillar® 7" Color Display
- Engine and Alarm Data (Displayed on Chartplotter)
- Fuel Status

Instrument Panel, High Gloss
 Parallel Start System - Engines
 Power Steering with Tilt Wheel
 Shift & Throttle Controls, Electronic
 Spotlight Remote Control
 Storage, Captain's
 Switch Panel, High-Gloss (Backlit)
 Switches, Illuminated Weatherproof & Electronic Dimmer Control
 Systems Monitor - For Pump Monitoring (On Raymarine Displays)

LOWER CONTROL STATION:

A/C Vents on Dash Panels
 Alarms, High-Water - Bilge & Cabin"
 Bow & Stern Thruster Control
 Compass
 Dash, Gel Coated
 Defroster, Windshield
 Horn, Air - 24V

Instrumentation:

- Digital Switching w/Custom Sea Ray Interface & Tablet Control
- Caterpillar® 7" Color Display
- Engine and Alarm Data (Displayed on Chartplotter)
- Fuel Status

Instrument Panel, High Gloss
 Parallel Start System - Engines
 Power Steering with Tilt Wheel
 Seating, Helm (2) with Armrests, Reclining Backrests, Fold-Down Footrests &
 Heavy-Duty Pedestals w/Slides, Swivels & Vertical Adjustment
 Shift & Throttle Controls, Electronic
 Spotlight Remote Control
 Switch Panel, High-Gloss (Backlit)
 Switches, Illuminated Weatherproof & Electronic Dimmer Control
 Systems Monitor - For Pump Monitoring (On Raymarine Displays)
 Visor, Upholstered
 Wiper Controls

ELECTRICAL SYSTEMS:

Batteries, 8-D Type w/Trays & Group 27 for Genset
 Battery Charger/Converter, 120V/10 Amp/12V
 Battery Charger Over-Current Protection
 Battery Equalizer, 60 Amp (2)
 Battery Solenoid Switches, 12V (2), 24V (2)
 Cable TV Inlet
 Panel, Circuit Breaker - Remote
 Panel, Main Distribution - AC
 Panel, Main Distribution - DC
 Shore Power, Cablemaster™ (Glendinning®) 240V/50 Amp w/75' Cord & Wireless
 Remote (Cablemaster N/A w/220V/50 Cycle Shore Power)
 Shore Power, Secondary, Cablemaster 50 Amp/120V/60 Cycle w/50' Cord
 Transformer, Shore Power Isolation - 120V/50 Amp, 240V/50 Amp
 Wiring, Color-Coded w/Chafe Protection

ELECTRONICS (BRIDGE CONTROL STATION):

Autopilot
 Electronics Circuit, 12V/50 Amp
 Hailer Horn, Raymarine 220
 Raymarine eS12 Widescreen, 12.1" Color LCD Radar/GPS/Chartplotter with
 Integrated 4-kW HD Open Array Scanner
 VHF Radio w/Remote Speaker & 8' Fiberglass Antenna

ELECTRONICS (LOWER CONTROL STATION):

Autopilot
Electronics Circuit, 12V/50 Amp
Hailer Horn, Raymarine 220
Raymarine® eS12 Widescreen, 12.1" Color LCD Radar/GPS/Chartplotter with
Integrated 4-kW HD Open Array Scanner - Primary Display
Raymarine eS12 Widescreen, 12.1" Color LCD GPS/Chartplotter Auxiliary Display
VHF Radio w/Remote Speaker & 8' Fiberglass Antenna

ENGINE ROOM:

Bilge Pumps, 24V Automatic
Bilge Pumps, 24V Automatic High-Water (1 Bilge, 1 Cabin)
Blowers, Delta "T" 24V Bilge (2)
Exhaust, Power Pac Lift Muffler System
Fan, Oscillating - 120V
Fire Extinguishers
Fire Suppression System - Automatic w/Diesel Shutdown, Override & Manual Pull
Flooring, Diamond Plate
Freshwater Cooling
Gel-Coated Engine Room
Insulation, Engine Room - 2" w/Loaded Vinyl Barrier
Ladder, Stainless Steel - Removable/Swing-Away
Light, Cord Reel
Lighting, 24V LED

FUEL SYSTEM:

Crossover Fuel System
Diesel Fuel System - w/Electric Transfer Pump
Fuel Filters, (3) Racor® - (2) 75-1000MAX (Dual) for Engines (1) 500MA for Generator
Fuel Lines, USCG - Type A-1
Fuel Tanks, Aluminum w/Port & Starboard Fills, Manual Shut-Off Valves & Sending
Units

GENERATOR:

Onan® 21.5 kW Diesel (240V/60 Cycle) w/Sound Shield, Remote Start, Muffler,
Closed Cooling, Fuel Filter, Seacock & Seawater Strainer

UNDERWATER GEAR:

Bonding System w/ Zinc Hull Plate
Propeller Shafts (2)
Propellers (2)
Rudders (2)
Seacocks on all Underwater Fittings
Seawater Strainers
Shaft Logs, Dripless w/Extra Seal Carrier Kit
Struts
Trim Tabs, Hydraulic

WASTE SYSTEM:

Common Drain System
Head System (VacuFlush®)
Holding Tank Level Indicator - MDP
Holding Tank w/Dockside Pump-Out (68 Gallon)
Macerator w/Seacock Interlock System
Sump Box w/Automatic Pump & Hinged Service Lid

WATER SYSTEM:

Freshwater Washdown Spigots w/Hoses - Transom, Engine Room & Anchor Locker
Manifold System w/Shutoff Valves
Pressure Water System w/24V Pump & Charcoal Filtration System
Shower, Cockpit - Hot & Cold w/Door

Water Heater, 240V (20 Gallon)
Water Inlet, Dockside
Water Purifier System - Galley & Ice makers

STANDARD PROPULSION

TWIN DIESEL INBOARDS:

Twin Caterpillar® 850 C12.9L
In-line 6, 4-Stroke, Tier 3 Diesel Engines
(T-850 hp - 634 kW)

Top speed at WOT 34-35 mph @ 2300 rpm
Gallons per hour at cruise speed (Both engines) 63.2 gph
Propeller 30x35.5 (5 blade)

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

ELECTRONICS OPTIONS

Caterpillar gplink® Satellite Remote Tracking/Monitoring System
Raymarine® P70RS Autopilot Displays (2)
Raymarine AIS650 Transceiver
Raymarine eS12 Widescreen, 12.1" Color LCD
GPS/Chartplotter (Auxiliary - Bridge Control Station)
Raymarine gS165 16.1" Upgrade (Replaces Upper & Lower Displays) (3 Displays)
Raymarine gS165 Widescreen, 16.1" Color LCD
GPS/Chartplotter (Auxiliary - Bridge Control Station)
Raymarine Fishfinder Module (Interfaced with Chartplotter Display)
Raymarine i70S Depth Display
Raymarine Network Interface Cameras
(Bilge & Cockpit)
Raymarine Sirius Weather Module
Raymarine T300 Thermal Night Vision Camera
SAT Telephone / Data System

BRIDGE OPTIONS

Awning, Electric Retractable - Covers Bridge Aft Seating (N/A w/Extended Hardtop)
Canvas Bridge Cover
Flooring, Infinity Light or Dark Tones - Bridge
Flooring, Teak
Hardtop, Extended w/Lighting, Polycarbonate Canvas Enclosure & Air Conditioning
Hardtop, Extended w/Lighting, Sunroof, Polycarbonate Canvas Enclosure & Air Conditioning
Ice maker (In-lieu-of Refrigerator)
Table, High-Gloss Teak w/ Cover - Aft Seating Area - In Lieu of Standard Teak Table

CREW QUARTERS (REPLACES LAZARETTE)

Air Conditioning/Heating (240V/60)
Bunk (single)
Transom Entrance
Head (VacuFlush®)
Lighting, 24V
Outlet, 120V GFI Protected
Portlight, Stainless Steel (Opening)

Power Vent
Window - Large Bonded in
Storage w/Hanging Locker
Vanity w/Sink and Shower

INDIVIDUAL OPTIONS

Air Conditioning/Heating Upgrade
Anchor, Stainless Steel (In Lieu of Standard Galvanized)
Audio System - Bow Seating
Audio System - Fwd Stateroom Bose® SoundTouch® System
Bidet/Toilet Combination - Master Head
Canvas, Cockpit Isenglass Enclosure
Carpet Runners, Interior (Sunbrella®)
China Place Settings w/Storage
Colored Hull, Painted
Desalinator
Digital Satellite TV System (DSS), KVH TracVision HD7 w/Receivers for all rooms
DSS - Spare HD7 Dome
Flooring, Infinity Light or Dark Tones - Cockpit
Flooring, Teak - Cockpit & Bridge Steps
Flooring, Teak - Deck Catwalks
Flooring, Teak - Foredeck Seating Area
Flooring, Teak - Swim Platform
Fuel Tanks, Extended Range (800 Gal Total)
Generator Upgrade - 29 kW (Required w/Extended Hardtop w/Bridge AC)
Icemaker - Cockpit (In-lieu-of Refrigerator)
Interior Treatment: Wood Cabinetry Finish - Dark Cherry w/High Gloss
Interior Treatment: Windows - Walnut Wood Blinds, Dark Cherry Wood Blinds or Roman Shades
Inverter, 120V/60 Cycle (Requires Generator Upgrade)
Joystick Docking Control for Inboards, Electric
(Coupled w/Bow & Stern Thrusters)
Master Stateroom Dresser (In-lieu-of Port Seating)
Multi Station Docking - Cockpit Controls
Oil Changer System - Engines, Transmissions & Generator
Passerelle - Transom (Envelope Style)
Portlights, Opening, All Staterooms
Refrigerator - Master Stateroom
Spare Propellers (2) w/Holders
Safe - Master Stateroom
Salon Sofa w/ Pullout Bed
Seakeeper® Gyroscopic Stabilizer (Requires Generator Upgrade)
Stairway, Expanding (for Std Hydraulic Swim Platform)
Sun Shade, Bow Seating
Sun Shade, Cockpit Seating
Sunpad Filler Cushion - Foredeck
Table, High-Gloss Teak w/ Cover - Cockpit
Table, High-Gloss Teak w/ Cover - Bow Seating
Table, Natural Teak - Bow Seating
Table, Natural Teak w/Vinyl Cover - Cockpit
Table, High/Low - Salon
Transformer, Shore Power Isolation Boost -
240V/50 Amp
Upgraded Carpet - Cabin
Upgraded Seating Fabric - Cabin
Washer/Dryer, Side-by-Side (In Lieu of Std Combo)
Windlass Capstan Style (In Lieu of Std)
Windlass System - Stern Capstans (1 port, 1 stbd)
Wine Cooler/Chiller

CE Option

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Inboard	Twin Caterpillar 850 C12.9L		T-850	ZF 360 A	30x35.5 (5 blade)	1.964:1	34-35	2300

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



Cockpit/Sunroom Layout



Cabin Layout

SPECIFICATIONS

Overall length w/extended swim platform.....	58'10" (17.93 m)
Beam.....	16' (4.87 m)
Draft (Zeus Drives).....	56" (143 cm)
Dry weight (Zeus Drives).....	58,000 lb (26,308 kg)
Fuel capacity.....	1,050 gal (3,975 L)
Water capacity.....	200 gal (757 L)
Holding tank.....	70 gal (265 L)
Deadrise.....	17.5°

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
 Bow Rail, 316 Stainless Steel w/Welded Stanchions,
 Intermediate Rails & Life Lines
 Cleats, Thru-Bolted - Stainless Steel (10)
 Deck Fill Plates, Stainless Steel
 Deck Rails, 316 Stainless Steel
 Gel Coat, Arctic White
 Graphics, Striping
 Handrails, 316 Stainless Steel
 Hardtop, Fiberglass w/Electric Retracting Glass Sunroof and Sunshades
 Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover
 Hull Windows, Smoked Acrylic
 Lights, Navigation
 Lighting, Exterior Indirect LED (Switchable White or Blue)
 Lighting, Underwater, Blue (Std) or White - Transom
 Portlights (Opening in Master Stateroom & Each Head)
 Rub Rail, PVC w/Stainless Steel Insert
 Seating, Recessed w/Cushions - Foredeck
 Swim Platform, Hydraulic Marine Lift (1,200 lb Capacity) w/Remote; Manual Pump;
 Concealed Swim Ladder & Integral Grab Handle
 Thru-Hull Fittings, Stainless Steel
 Vent System, Engine Room
 Windshield, Tempered/Tinted Glass w/Opening Side Vent (Helm)
 Windshield Washer System
 Windshield Wipers, 24V
 Yacht Flag & Flagpole

CANVAS (SUNBRELLA®)

Cockpit Seating Covers
 Foredeck Seating Covers
 Windshield Shades

CERTIFICATIONS:

CE, Category B
 Meets Applicable USCG & ABYC Standards
 NMMA Certification

MOORING SYSTEM:

Anchor, Galvanized
 Anchor Chute, Stainless Steel
 Anchor Chain Storage w/Gas-Assisted Hatches
 Anchor Washdown Spigot w/Hose
 Windlass, Chain w/Foot Switches

COCKPIT FEATURES

Awning, Electric Retractable
 Beverage Holders
 Door, Opacmare® Stainless Steel Cabin Entry, Frameless 4-Pane, Sliding & Lockable
 w/Flush Threshold
 Door, Transom
 Floor Liner, Self-Bailing Fiberglass
 Grill, Electric

Handrails, 316 Stainless Steel
Hatch, Engine Service - Gas-Assisted
Lighting, Blue/White Switchable - LED
Outlet, 120V GFI Protected
Refrigerator
Seating w/Storage
Steps, Boarding (Molded-In)
Storage Box, Fender

CABIN FEATURES

Blinds, Custom
Carbon Monoxide Monitors
Carpet, 55-Ounce 100% Stainmaster®
Doors, Solid Wood
Handrails, Stainless Steel
Hatch, Engine Service - Gas-Assisted
Lighting, LED
Outlets, 12V Accessory
Outlets, 120V GFI Protected
Outlet & Switch Plates - Polished Chrome Finish
Pillows, Accent
Storage, In-Floor
Vacuum System, Dyson
Washer & Dryer, Combo

INTERIOR FINISHES & TREATMENTS:

Wood Cabinetry: Quarter Walnut
Window Treatment: Silver Alloy Blinds

SALON SUNROOM:

Area Rug
Countertop, Solid Surface Top
Entertainment Center:
- Bose® Soundbar
- TV, 40" LED Smart Flatscreen & Blu-ray™ Player
- Stream Surfer Tablet A/V Control

Flooring, Wood
Handrail, Stainless Steel
Outlet, 120V
Seating, Sofa w/Storage
Storage Cabinets

DINETTE:

Flooring, Wood
Seating w/Storage Below
Storage, Cabinets with Slide-Out Drawers & Glass Racks
Table, Folding Dinette with High-Gloss Wood Surface

GALLEY:

Countertop, Silestone® Natural Quartz Surface w/Sink, Single-Lever Faucet & Sink Cover
Flooring, Wood
Freezer w/Icemaker, Under Counter - 120V
Handrail, Stainless Steel
Microwave/Convection Oven - 120V
Power Vent, 24V

Refrigerator, Under Counter - 120V
 Storage, Cabinets
 Storage, Drawers w/Cutlery Insert
 Storage, Designated Plate & Glass
 Stove, Two-Burner Induction
 Trash Receptacle

MASTER STATEROOM (FULL BEAM - AFT):

Bed, Queen Size w/Innerspring Mattress, Pillows, Sheets, Coordinated Spreads & Drawer Storage Below
 Door, Privacy
 Entertainment Center:
 - Bose® Soundbar
 - Remote Control, Universal - Logitech Harmony
 - TV, 40" LED Flatscreen & Blu-ray™ Player
 Flooring, Carpet
 Closet System, Cedar Lined w/Light & Full Length Mirror
 Night Stands with Drawer Storage Below
 Portlight, Opening (2)
 L-Shape Lounge (Port) with Workstation/Vanity and Storage
 USB Port - Powered

MASTER STATEROOM HEAD/SHOWER:

Door, Privacy
 Flooring, Tile
 Handrails, Stainless Steel
 Head, VacuFlush®
 Mirror, Full Length
 Portlight, Opening (2)
 Power Vent, 24V
 Robe Hooks
 Shower w/Seat, Adjustable Shower Wand, Rain Shower & Acrylic Door
 Storage, Medicine Cabinet - Mirrored
 Towel Ring
 Towels - Sea Ray
 Vanity w/Silestone® Natural Quartz Surface Countertop, Sink, Faucet, Storage & Trash Receptacle

FORWARD (GUEST) STATEROOM:

Bed, Queen-Size with Innerspring Mattress, Pillows, Sheets, Coordinated Spreads & Storage Below
 Door, Privacy
 Door - Access to Head/Shower
 Flooring, Carpet
 Hanging Lockers, Cedar Lined w/Light & Full Length Mirrors
 Skylight w/Shade
 Storage, Side Shelves
 Storage, Drawers
 TV, 32" LED Flatscreen & Blu-ray™ Player & Bose Soundbar
 USB Port - Powered (2)

GUEST HEAD/SHOWER:

Door, Privacy
 Flooring, Tile
 Handrail, Stainless Steel
 Head, VacuFlush®
 Portlight, Opening
 Power Vent, 24V

Robe Hooks

Shower w/Seat, Adjustable Shower Wand & Acrylic Door

Storage, Medicine Cabinet - Mirrored

Towel Bar & Ring

Towels - Sea Ray

Vanity w/Silestone® Natural Quartz Surface Countertop, Sink, Faucet, Storage & Trash Receptacle

MID STATEROOM:

Beds (2), Twin w/Pillows, Sheets, Coordinated Spreads & Storage (Converts to form Queen Size Bed)

Door, Privacy

Flooring, Carpet

Hanging Locker, Cedar Lined w/Light & Mirror

Storage, Cabinet

Storage, Shelf

TV, 24" LED Flatscreen w/Remote Blu-ray™ Player

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Zone-Controlled Reverse-Cycle System, 240V (86,000 BTU)

Custom Integral Vent System

Directional A/C Vents - Interior

CONTROL STATION:

Alarms, High Water - Bilge & Cabin

Battery Parallel Start System - Engines

Compass

Defroster, Windshield

Horn, Air - 24V

Instrument Panel

Joystick Control, Zeus® w/Skyhook® Station Keeping

SmartCraft® Diagnostics

SmartCraft Digital Throttle & Shift (DTS)

SmartCraft VesselView 702 Hybrid Touch Display:

GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information,

Fuel to Waypoint Data, Navigation Data; Engine Hour Meters, Engine Status,

Performance & Fuel, Peak Performance Boost Pressure (optional), Troll Control,

Cruise Control; Vessel Status, Tank Status, Steering Position, Generator Data and

Start/Stop

Seating, Helm Seats (2) w/Armrests, Reclining Backrest, Stainless Steel Fold-Down

Footrest & Heavy-Duty Pedestal with Slide, Swivel & Vertical Adjustment

Spotlight w/Dual Halogen Bulbs - Remote Controlled

Steering, Power w/Tilt Wheel

Switch Panel, Backlit

Switches, Illuminated Weatherproof Rockers & Electronic Dimmer Control

Systems Monitor, Digital LCD - For Pump Monitoring

USB Port - Powered

Wiper Controls

ELECTRICAL SYSTEMS:

Batteries, 8-D Type w/Trays & Group 27 for Genset
 Battery Charger/Converter, 120V/10 Amp/12V
 Battery Charger Over-Current Protection
 Battery Equalizer, 60 Amp (2)
 Battery Solenoid Switches, 12V (2), 24V (2)
 Cable TV Inlet
 Panel, Circuit Breaker - Remote
 Panel, Main Distribution - AC
 Panel, Main Distribution - DC
 Shore Power, Cablemaster™ (Glendinning®) 240V/50 Amp w/75' Cord & Wireless
 Remote (Cablemaster N/A w/220V/50 Cycle Shore Power)
 Shore Power, Secondary, Cablemaster 50 Amp/120V/60 Cycle w/50' Cord
 Transformer, Shore Power Isolation - 120V/50 Amp, 240V/50 Amp
 Wiring, Color-Coded w/Chafe Protection

ELECTRONICS:

Autopilot (Integrated w/Zeus)
 Electronics Circuit, 12V/50 Amp
 Hailer Horn, Raymarine® 220
 Raymarine® eS12 Widescreen, 12.1" Color LCD Radar/GPS/Chartplotter with
 Integrated 4-kW HD Open Array Scanner - Primary Display
 Raymarine eS12 Widescreen, 12.1" Color LCD GPS/Chartplotter Auxiliary Display
 VHF Radio w/Remote Speaker & 8' Fiberglass Antenna

ENGINE ROOM:

Bilge Pumps, 24V Automatic
 Bilge Pumps, 24V Automatic High-Water (1 Bilge, 1 Cabin)
 Blowers, 24V Bilge (2)
 Exhaust, Power Pac Lift Muffler System
 Fan, Oscillating - 120V
 Fire Extinguishers
 Fire Suppression System - Automatic w/Diesel Shutdown, Override & Manual Pull
 Flooring, Fiberglass Diamond Plate
 Freshwater Cooling
 Gel-Coated Engine Room
 Insulation, Engine Room - 2" w/Loaded Vinyl Barrier
 Ladder, Stainless Steel - Removable/Swing-Away
 Lighting, 24V

FUEL SYSTEM:

Crossover Fuel System
 Fuel Filters, (3) Racor® - (2) 75-1000MAX (Dual) for Engines (1) 500MA for Generator
 Fuel Lines, USCG - Type A-1
 Fuel Tanks, Aluminum w/Manual Shut-Off Valves & Ultrasonic Sending Units

GENERATOR:

21.5kW Onan® Diesel (240V/60 Cycle) w/Sound Shield, Remote Start, Muffler,
 Closed Cooling,
 Fuel Filter, Seacock & Seawater Strainer

UNDERWATER GEAR:

Zeus Drives:

- Propellers, Stainless Steel
- Trim Tabs, Hydraulic (Integrated w/Zeus Pod Drives)

WASTE SYSTEM:

Common Drain System
Head System (VacuFlush®)
Holding Tank Level Indicator - MDP
Holding Tank w/Dockside Pump-Out (70 Gallon)
Macerator w/Seacock Interlock System
Sump Box w/Automatic Pump & Hinged Service Lid

WATER SYSTEM:

Freshwater Washdown Spigots w/Hoses - Transom, Engine Room & Anchor Locker
Manifold System w/Shutoff Valves
Pressure Water System w/24V Pump & Charcoal Filtration System
Shower, Cockpit - Hot & Cold w/Door
Water Heater, 240V (20 Gallon)
Water Inlet, Dockside
Water Purifier System - Galley & Ice makers

STANDARD PROPULSION

TRIPLE DIESEL ZEUS® DRIVES:

Triple Cummins® QSC 8.3 - 600
In-line 6, Diesel Zeus Drives
(Tri-593 hp - 442 kW)

Top speed at WOT 37-38
Gallons per hour at cruise speed (Total) 73.6 GPH
Propeller M12 x M11
This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

ENGINE OPTION

TWIN INBOARD MAN® DIESELS:

T-IB MAN 1000 CRM V8
(T-955 php - 737 kW)

ELECTRONICS OPTIONS

Raymarine AIS650 Transceiver
Raymarine P70R Autopilot Head Unit (Optional Inboards Only)
Raymarine® gS165 Upgrade (Primary & Auxiliary Displays) (2)
Raymarine Fishfinder Module (Interfaced with Chartplotter Display)
Raymarine i50 Depth Sounder
Raymarine Network Interface Cameras (Bilge & Cockpit)
Raymarine Sirius Weather Module
Raymarine T300 Thermal Night Vision Camera

INDIVIDUAL OPTIONS

Anchor, Stainless Steel (In Lieu of Standard Galvanized)
 Audio System, Bow Seating
 Bidet/Toilet Combination - Master Stateroom Head
 Bow Rail, Split/Open Style
 Bow Thruster, 24V
 Canvas, Cockpit Isenglass Enclosure
 Carpet Runners, Interior (Sunbrella®)
 China Place Settings, Glasses & Flatware Set w/Custom Dedicated Storage -
 Includes: 8 Accent Plates, 8 Dinner Plates, 8 Dessert Plates, 8 Coffee Mugs, 8
 Rice Bowls, 8 Rocks Glasses, 8 Wine Glasses, 8 Piece Highball Glasses & 45 Piece
 Flatware Set
 Colored Hull, Painted
 Crews Quarters (Only Available w/IB Engine Option)
 Desalinator (400 Gallons Per Day)
 Dishwasher
 DSS - KVH® TracVision® HD7 TRUE HD - All Staterooms
 DSS - Spare HD7 Dome
 Flooring, Infinity Light or Dark Tones - Cockpit
 Flooring, Teak - Cockpit
 Flooring, Teak - Deck Catwalks
 Flooring, Teak - Foredeck Seating Area
 Flooring, Teak - Swim Platform
 Generator Upgrade - 27.5 kW (Required w/Gyro and/or Inverter Opt)
 Icemaker - Cockpit (In Lieu of Std Refrigerator)
 Interior Treatment: Wood Cabinetry Finishes - Dark Cherry, High Gloss
 Interior Treatment: Windows: Walnut Wood Blinds (Light or Dark), American
 Walnut Wood Blinds or Roman Shades
 Inverter, 120V/60 Cycle (Requires Generator Upgrade)
 Joystick Docking Control for Inboards (Coupled w/Bow & Stern Thrusters) - Electric
 Joystick Docking Control for Inboards (Coupled w/Bow & Stern Thrusters) - Hydraulic
 Multi Station Docking - Cockpit Controls
 Oil Changer System - Engines, Transmissions & Generator
 Passerelle - Transom (Envelope Style)
 Portlights, Opening, Forward & Mid Staterooms
 Propellers, Spare Set w/Holders (IB Only)
 Seakeeper® Gyroscopic Stabilizer (Requires Generator Upgrade)
 Spare Propeller Holder (Zeus Only)
 Refrigerator - Master Stateroom
 Safe - Master Stateroom
 Salon Sofa w/ Pullout Bed
 SAT Telephone / Data System
 Sun Shade, Bow Seating
 Sunpad, Cockpit, Table Conversion w/Filler Cushions
 Table, High-Gloss Teak w/ Cover - Cockpit
 Table, High-Gloss Teak w/ Cover - Bow Seating
 Table, Natural Teak - Bow Seating
 Table, Natural Teak w/ Cover - Cockpit
 Table, Salon w/Movable Top & Storage
 Transformers, Shore Power Isolation Boost - 240V/50 Amp
 Upgraded Carpet - Cabin
 Upgraded Seating Fabric - Cabin
 Washer/Dryer, Stackable (In Lieu of Std)
 Windlass Capstan Style (In Lieu of Std)
 Windlass System - Stern (1 port, 1 stbd)
 Wine Cooler/Chiller

CE Option

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Zeus Inboard	Triple Cummins® QSC 8.3 - 600 Twin MAN 1000 CRM V8		Tri-593	Zeus 3800	M12 x M11	1.95:1	37-38	3000-3100
			T-986	ZF500-1A	32x37 (5 Blade)	1.964:1	~35-37	2300

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



Bridge Layout



Upper Cabin/Cockpit
Layout



Lower Cabin Layout

SPECIFICATIONS

Overall length w/extended swim platform	58'10" (17.93 m)
Beam	16' (4.87 m)
Draft (Zeus Drives)	57" (145 cm)
Dry weight (Zeus Drives)	64,000 lbs (29,030 kg)
Fuel capacity	1,050 gal (3,975 L)
Water capacity	200 gal (757 L)
Holding tank	70 gal (265 L)
Deadrise	17.5°

HEIGHT DIMENSIONS

Waterline to top of fixed mast light	24'2" (7.37 m)
Keel to top of radar arch	21'4" (6.5 m)
Overall height from lowest point on underwater gear to fixed mast light	28'2" (8.58 m)
Keel to top of bridge cap surface	14'11" (4.55 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
 Bow Rail, 316 Stainless Steel w/Welded Stanchions,
 Intermediate Rails & Life Lines
 Cleats, Thru-Bolted - Stainless Steel (10)
 Deck Fill Plates, Stainless Steel
 Deck Rails, 316 Stainless Steel
 Gel Coat, Arctic White
 Graphics, Striping
 Handrails, 316 Stainless Steel
 Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover
 Hull Windows, Smoked Acrylic
 Lights, Navigation
 Lighting, Exterior Indirect LED (Switchable White or Blue)
 Lighting, Underwater, Blue (Std) or White - Transom
 Portlights (Opening in Master Stateroom & Each Head)
 Rub Rail, PVC w/Stainless Steel Insert
 Seating, Recessed w/Cushions - Foredeck
 Storage - Foredeck
 Swim Platform, Hydraulic Marine Lift (1,200 lb Capacity) w/Remote; Manual Pump;
 Concealed Swim Ladder & Integral Grab Handle
 Thru-Hull Fittings, Stainless Steel
 Vent System, Engine Room
 Windshield, Bridge Venturi
 Windshield, Tempered/Tinted Glass w/Opening Side Vent (Starboard)
 Windshield Washer System
 Windshield Wipers, 24V
 Yacht Flag & Flagpole

CANVAS (SUNBRELLA®)

Bridge Seating & Console Covers
 Cockpit Seating Covers
 Foredeck Seating Cover
 Windshield Shades

CERTIFICATIONS:

CE, Category B
 Meets Applicable USCG & ABYC Standards
 NMMA Certification

MOORING SYSTEM:

Anchor, Galvanized
 Anchor Chute, Stainless Steel
 Anchor Chain Storage w/Gas-Assisted Hatches
 Anchor Washdown Spigot w/Hose
 Windlass, Chain w/Foot Switches

BRIDGE FEATURES

Beverage Holders
 Control Station
 Glove Box
 Grill
 Handrails, 316 Stainless Steel
 Hardtop, Fiberglass with Electric Opening Canvas Skylight
 Hatch, Sliding Bridge Access
 Ice maker, 120V
 Lighting, Indirect LED

L590

FLY

Sea Ray
2017

Outlet, 12V Accessory
Outlet, 120V GFI Protected
Seating, Single Helm Seat & Pedestal with Slide & Swivel Adjustment
Seating w/Storage
Sunpad - Forward of Helm
Ship's Bell
Stereo, 12V AM/FM with Bluetooth® Connectivity, SiriusXM® Satellite Receiver with Antenna, iPod® interface, MP3 Port, Amplifier, Subwoofer, Speakers (4 Bridge, 2 Cockpit) & Bridge Remote Control
Storage, Under Seating
Table, Fiberglass - Aft
Table, Fiberglass - Fwd
Wet Bar w/Sink, Faucet, Solid-Surface Countertop, Stainless Steel Handrail & Trash Receptacle

COCKPIT FEATURES

Beverage Holders
Door, Opacmare® Stainless Steel Cabin Entry, Frameless 4-Pane, Sliding & Lockable w/Flush Threshold
Door, Transom
Floor Liner, Self-Bailing Fiberglass
Gates, Side Boarding - Port & Stbd
Handrails, 316 Stainless Steel
Hatch, Engine Service - Gas-Assisted
Lighting, Blue/White Switchable - LED
Outlet, 120V GFI Protected
Seating w/Storage
Steps, Boarding (Molded-In)
Steps, Molded Exterior Bridge Access w/Stainless Steel Handrail & Storage
Vacuum, Exterior Wet/Dry

CABIN FEATURES

Carbon Monoxide Monitors
Carpet, 55-Ounce 100% Stainmaster®
Blinds, Custom
Doors, Solid Wood
Handrails, Stainless Steel
Lighting, LED
Outlets, 12V Accessory
Outlets, 120V GFI Protected
Outlet & Switch Plates - Polished Chrome Finish
Pillows, Accent
Storage, In-Floor
Vacuum, Dyson Cordless
Washer & Dryer, Combo

INTERIOR FINISHES & TREATMENTS:

Wood Cabinetry: Quarter Walnut
Window Treatment: Silver Alloy Blinds

SALON:

Area Rug
Countertop, Silestone® Natural Quartz Surface
Entertainment Center:
- Bose® Soundbar
- TV, 40" LED Smart Flatscreen & Blu-ray™ Player
- Stream Surfer Tablet A/V Control
Flooring, Wood
Handrail, Stainless Steel
Outlet, 120V
Seating - Sofa w/Storage
Storage Cabinets

DINETTE:

Flooring, Wood
Seating w/Storage Below
Storage, Cabinets with Slide-Out Drawers & Glass Racks
Table, Folding Dinette with High-Gloss Wood Surface

GALLEY:

Countertop, Silestone® Natural Quartz Surface w/Sink, Single-Lever Faucet & Sink Cover
Flooring, Wood
Freezer w/Icemaker, Under Counter - 120V
Handrail, Stainless Steel
Microwave/Convection Oven - 120V
Power Vent, 24V
Refrigerator, Under Counter - 120V
Storage, Cabinets
Storage, Drawers w/Cutlery Insert
Storage, Designated Plate & Glass
Stove, Two-Burner Induction
Trash Receptacle

MASTER STATEROOM (FULL BEAM - AFT):

Bed, Queen Size w/Innerspring Mattress, Pillows, Sheets, Coordinated Spreads & Drawer Storage Below
Door, Privacy
Entertainment Center:
- Bose® Soundbar
- Remote Control, Universal - Logitech Harmony
- TV, 40" LED Flatscreen & Blu-ray™ Player
Flooring, Carpet
Closet System, Cedar Lined w/Light & Full Length Mirror
Night Stands with Drawer Storage Below
Portlight, Opening (2)
L-Shape Lounge (Port) with Workstation/Vanity and Storage
USB Port - Powered

MASTER STATEROOM HEAD/SHOWER:

Door, Privacy
Flooring, Tile
Handrails, Stainless Steel
Head, VacuFlush®
Mirror, Full Length
Portlight, Opening (2)
Power Vent, 24V
Robe Hooks

L590

FLY

Sea Ray
2017

Shower w/Seat, Adjustable Shower Wand, Rain Shower & Acrylic Door
Storage, Medicine Cabinet - Mirrored
Towel Ring
Towels - Sea Ray
Vanity w/Silestone® Natural Quartz Surface Countertop, Sink, Faucet, Storage & Trash Receptacle

FORWARD (GUEST) STATEROOM:

Bed, Queen-Size with Innerspring Mattress, Pillows, Sheets, Coordinated Spreads & Storage
Door, Privacy
Door - Access to Head/Shower
Flooring, Carpet
Hanging Lockers, Cedar Lined w/Light & Full Length Mirrors
Skylight w/Shade
Storage, Side Shelves
Storage, Drawers
TV, 32" LED Flatscreen & Blu-ray™ Player & Bose Soundbar
USB Port - Powered

GUEST HEAD/SHOWER:

Door, Privacy
Flooring, Tile
Handrail, Stainless Steel
Head, VacuFlush®
Portlight, Opening
Power Vent, 24V
Robe Hooks
Shower w/Seat, Adjustable Shower Wand & Acrylic Door
Storage, Medicine Cabinet - Mirrored
Towel Bar & Ring
Towels - Sea Ray
Vanity w/Silestone® Natural Quartz Surface Countertop, Sink, Faucet, Storage & Trash Receptacle

MID STATEROOM:

Beds (2), Twin w/Pillows, Sheets, Coordinated Spreads & Storage (Converts to form Queen Size Bed)
Door, Privacy
Flooring, Carpet
Hanging Locker, Cedar Lined w/Light & Mirror
Storage, Cabinet
Storage, Shelf
TV, 24" LED Flatscreen w/Remote Blu-ray™ Player

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Zone-Controlled Reverse-Cycle System, 240V (86,000 BTU)
Custom Integral Vent System
Integrated A/C Vents - Interior

BRIDGE CONTROL STATION:

Alarms, High Water - Bilge & Cabin
Battery Parallel Start System - Engines
Compass
Horn, Air - 24V
Instrument Panel
Joystick Control, Zeus® w/Skyhook® Station Keeping

SmartCraft® Digital Throttle & Shift (DTS)

SmartCraft VesselView 702 Hybrid Touch Display:

GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information, Fuel to Waypoint Data, Navigation Data; Engine Hour Meters, Engine Status, Performance & Fuel, Peak Performance Boost Pressure (optional), Troll Control, Cruise Control; Vessel Status, Tank Status, Steering Position, Generator Data and Start/Stop

Spotlight w/Dual Halogen Bulbs - Remote Controlled

Steering, Power w/Tilt Wheel

Switch Panel, Backlit

Switches, Illuminated Weatherproof Rockers & Electronic Dimmer Control

Systems Monitor, Digital LCD - For Pump Monitoring

USB Port - Powered

LOWER CONTROL STATION:

Alarms, High Water - Bilge & Cabin

Battery Parallel Start System - Engines

Compass

Defroster, Windshield

Horn, Air - 24V

Instrument Panel

Joystick Control, Zeus® w/Skyhook® Station Keeping

SmartCraft Digital Throttle & Shift (DTS)

SmartCraft VesselView 702 Hybrid Touch Display:

GPS Interface, Depth & Water Temperature, Depth Alerts, Trip Log Information, Fuel to Waypoint Data, Navigation Data; Engine Hour Meters, Engine Status, Performance & Fuel, Peak Performance Boost Pressure (optional), Troll Control, Cruise Control; Vessel Status, Tank Status, Steering Position, Generator Data and Start/Stop

Seating, Helm Seats (2) w/Armrests, Reclining Backrest, Stainless Steel Fold-Down

Footrest & Heavy-Duty Pedestal with Slide, Swivel & Vertical Adjustment

Spotlight w/Dual Halogen Bulbs - Remote Controlled

Steering, Power w/Tilt Wheel

Switch Panel, Backlit

Switches, Illuminated Weatherproof Rockers & Electronic Dimmer Control

Systems Monitor, Digital LCD - For Pump Monitoring

USB Port - Powered

Wiper Controls

ELECTRICAL SYSTEMS:

Batteries, 8-D Type w/Trays & Group 27 for Genset

Battery Charger/Converter, 120V/10 Amp/12V

Battery Charger Over-Current Protection

Battery Equalizer, 60 Amp (2)

Battery Solenoid Switches, 12V (2), 24V (2)

Cable TV Inlet

Panel, Circuit Breaker - Remote

Panel, Main Distribution - AC

Panel, Main Distribution - DC

Shore Power, Cablemaster™ (Glendinning®) 240V/50 Amp w/75' Cord & Wireless Remote (Cablemaster N/A w/220V/50 Cycle Shore Power)

Shore Power, Secondary, Cablemaster 50 Amp/120V/60 Cycle w/50' Cord

Transformer, Shore Power Isolation - 120V/50 Amp, 240V/50 Amp

Wiring, Color-Coded w/Chafe Protection

ELECTRONICS (BRIDGE CONTROL STATION):

Autopilot (Integrated w/Zeus)

Electronics Circuit, 12V/50 Amp

Hailer Horn, Raymarine 220

Raymarine® eS12 Widescreen, 12.1" Color LCD

GPS/Chartplotter - Auxiliary Display

VHF Radio w/Remote Speaker & 8' Fiberglass Antenna

ELECTRONICS (LOWER CONTROL STATION):

Autopilot (Integrated w/Zeus)
Electronics Circuit, 12V/50 Amp
Hailer Horn, Raymarine 220
Raymarine eS12 Widescreen, 12.1" Color LCD Radar/GPS/Chartplotter with
Integrated 4-kW HD Open Array Scanner - Primary Display
Raymarine e125 Widescreen, Color LCD
GPS/Chartplotter - Auxiliary Display
VHF Radio w/Remote Speaker & 8' Fiberglass Antenna

ENGINE ROOM:

Bilge Pumps, 24V Automatic
Bilge Pumps, 24V Automatic High-Water (1 Bilge, 1 Cabin)
Blowers, 24V Bilge (2)
Exhaust, Power Pac Lift Muffler System
Fan, Oscillating - 120V
Fire Extinguishers
Fire Suppression System - Automatic w/Diesel Shutdown, Override & Manual Pull
Flooring, Fiberglass Diamond Plate
Freshwater Cooling
Gel-Coated Engine Room
Insulation, Engine Room - 2" w/Loaded Vinyl Barrier
Ladder, Stainless Steel - Removable/Swing-Away
Lighting, 24V

FUEL SYSTEM:

Crossover Fuel System
Fuel Filters, (3) Racor® - (2) 75-1000MAX (Dual) for Engines (1) 500MA for Generator
Fuel Lines, USCG - Type A-1
Fuel Tanks, Aluminum w/Manual Shut-Off Valves & Ultrasonic Sending Units

GENERATOR:

21.5kW Onan® Diesel (240V/60 Cycle) w/Sound Shield, Remote Start, Muffler,
Closed Cooling,
Fuel Filter, Seacock & Seawater Strainer

UNDERWATER GEAR:

Zeus Drives:

- Propellers, Stainless Steel
- Trim Tabs, Hydraulic (Integrated w/Zeus Pod Drives)

WASTE SYSTEM:

Common Drain System
Head System (VacuFlush®)
Holding Tank Level Indicator - MDP
Holding Tank w/Dockside Pump-Out (70 Gallon)
Macerator w/Seacock Interlock System
Sump Box w/Automatic Pump & Hinged Service Lid

WATER SYSTEM:

Freshwater Washdown Spigots w/Hoses - Transom, Engine Room & Anchor Locker
Manifold System w/Shutoff Valves
Pressure Water System w/24V Pump & Charcoal Filtration System
Shower, Cockpit - Hot & Cold w/Door
Water Heater, 240V (20 Gallon)
Water Inlet, Dockside
Water Purifier System - Galley & Ice makers

STANDARD PROPULSION

TRIPLE DIESEL ZEUS® DRIVES:

Triple Cummins® QSC 8.3 - 600
In-line 6, Diesel Zeus Drives
(Tri-593 hp - 442 kW)

Top speed at WOT	36-37
Gallons per hour at cruise speed (Total)	78 GPH
Propeller	M12 x M11

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

ENGINE OPTION

TWIN INBOARD MAN® DIESELS:

T-IB MAN 1000 CRM V8
(T-955 php - 737 kW)

ELECTRONICS OPTIONS

Raymarine® AIS650 Transceiver
Raymarine P70R Autopilot Head Units (Bridge & Lower) (Optional Inboards Only)
Raymarine gS165 Upgrade (3 Displays)
Raymarine gS165 Upgrade (Auxiliary Upper Display)
Raymarine Fishfinder Module (Interfaced with Chartplotter Display)
Raymarine i50 Depth Sounder
Raymarine Network Interface Cameras (Bilge & Cockpit)
Raymarine Sirius Weather Module
Raymarine T300 Thermal Night Vision Camera

BRIDGE OPTIONS

Awning, Electric Retractable - Covers Bridge Aft Seating (N/A w/Extended Hardtop)
Flooring, Infinity Light or Dark Tones - Bridge
Flooring, Teak
Hardtop, Extended w/Lighting, Polycarbonate Canvas Enclosure, Air Conditioning
Hardtop, Extended w/Lighting, Sunroof, Polycarbonate Canvas Enclosure, Air Conditioning
Refrigerator, 120V
Sunpad Filler Cushions - Aft Seating
Sunpad Filler Cushions - Fwd Seating
Table, High-Gloss Teak w/ Cover - Aft Seating Area - In Lieu of Standard Fiberglass Table
Table, High-Gloss Teak w/ Cover - Forward Seating Area (In-lieu-of Standard Fiberglass Table)
Table, Natural Teak w/ Cover - Aft Seating Area - In Lieu of Standard Fiberglass Table
Table, Natural Teak w/ Cover - Forward Seating Area (In-lieu-of Standard Fiberglass Table)

INDIVIDUAL OPTIONS

Anchor, Stainless Steel (In Lieu of Standard Galvanized)
 Audio System, Bow Seating
 Bidet/Toilet Combination - Master Stateroom Head
 Bow Rail, Split/Open Style
 Bow Thruster, 24V
 Canvas, Cockpit Iserglass Enclosure
 Carpet Runners, Interior (Sunbrella®)
 China Place Settings, Glasses & Flatware Set w/Custom Dedicated Storage -
 Includes: 8 Accent Plates, 8 Dinner Plates, 8 Dessert Plates, 8 Coffee Mugs, 8
 Rice Bowls, 8 Rocks Glasses, 8 Wine Glasses, 8 Piece Highball Glasses & 45 Piece
 Flatware Set
 Colored Hull, Painted
 Crews Quarters (Only Available w/IB Engine Option)
 Desalinator (400 Gallons Per Day)
 Dishwasher
 DSS - KVH® TracVision® HD7 TRUE HD - All Staterooms
 DSS - Spare HD7 Dome
 Flooring, Infinity Light or Dark Tones - Cockpit
 Flooring, Teak - Cockpit & Bridge Steps
 Flooring, Teak - Deck Catwalks
 Flooring, Teak - Foredeck Seating Area
 Flooring, Teak - Swim Platform
 Generator Upgrade - 29 kW (Required w/Cyro and/or Inverter Opt)
 Grill - Cockpit
 Interior Treatment: Wood Cabinetry Finishes - Dark Cherry, High Gloss
 Interior Treatment: Windows: Walnut Wood Blinds or Roman Shades
 Inverter, 120V/60 Cycle (Requires Generator Upgrade)
 Joystick Docking Control for Inboards (Coupled w/Bow & Stern Thrusters) - Electric
 Joystick Docking Control for Inboards (Coupled w/Bow & Stern Thrusters) - Hydraulic
 Multi Station Docking - Cockpit Controls
 Oil Changer System - Engines, Transmissions & Generator
 Passerelle - Transom (Envelope Style)
 Portlights, Opening, Forward & Mid Staterooms
 Spare Propeller Holder
 Refrigerator - Cockpit
 Refrigerator - Master Stateroom
 Safe - Master Stateroom
 Salon Sofa w/ Pullout Bed
 SAT Telephone / Data System
 Seakeeper® Gyroscopic Stabilizer (Requires Generator Upgrade)
 Sun Shade, Bow Seating
 Table, High-Gloss Teak w/ Cover - Cockpit
 Table, High-Gloss Teak w/ Cover - Bow Seating
 Table, Natural Teak - Bow Seating
 Table, Natural Teak w/Vinyl Cover - Cockpit
 Table, Salon w/Movable Top & Storage
 Transformer, Shore Power Isolation Boost - 240V/50 Amp
 Upgraded Carpet - Cabin
 Upgraded Seating Fabric - Cabin
 Washer/Dryer, Stackable (In Lieu of Std)
 Windlass Capstan Style (In Lieu of Std)
 Windlass System - Stern (1 port, 1 stbd)
 Wine Cooler/Chiller

CE Option

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Zeus Inboard	Triple Cummins® QSC 8.3 - 600 Twin MAN 1000 CRM V8		Tri-593	Zeus 3800	M12 x M11	1.95:1	36-37	3000-3100
			T-986	ZF500-1A	32x37 (5 Blade)	1.964:1	35-36.2	2300


Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



Exterior/Deck



Upper Cabin/Sunroom
Layout



Lower Cabin Layout
w/Optional Crews Quarters

SPECIFICATIONS

Overall length w/extended swim platform.....	65'1" (19.84 m)
Beam	17'2" (5.23 m)
Draft (Inboards)	61" (155 cm)
Dry weight (Inboards)	73,500 lbs (33,339 kg)
Fuel capacity.....	1,030 gal (3,899 L)
Water capacity	280 gal (1,060 L)
Holding tank.....	100 gal (379 L)
Deadrise	16°

HEIGHT DIMENSIONS

Waterline to top of fixed mast light on arch	20'3.75" (6.19 m)
Keel to top of fixed arch	17'6" (5.33 m)
Overall height from lowest point on underwater gear to fixed mast light	25'1.5" (7.65 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
Bow Rail, 316 Stainless Steel w/Welded Stanchions,
Intermediate Rails & Life Lines
Cleats, Thru-Bolted - Stainless Steel (10)
Deck Fill Plates, Stainless Steel
Deck Rails, 316 Stainless Steel
Gel Coat, Arctic White
Graphics, Striping
Handrails, 316 Stainless Steel
Hardtop, Fiberglass w/Retractable Glass Sunroof and Sunshade
Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover
Hull Windows, Smoked Acrylic
Lights, Navigation
Lighting, Exterior Indirect LED (Switchable White or Blue)
Lighting, Underwater, Blue (Std) or White - Transom
Portlights (Opening)
Resin, High-Performance Vinylester
Rub Rail, PVC w/Stainless Steel Insert
Seating, Recessed w/Sunpad - Foredeck
Storage for Fenders, Canvas & Optional Shade System - Foredeck
Storage, Transom Wall (For Lines & Gear)
Swim Platform, Hydraulic Marine Lift with Remote & Manual Pump (1200 LB Capacity), Concealed Swim Ladder w/Integral Grab Handle
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Room
Windshield, Tempered/Tinted Glass w/Electric Opening Window (Starboard)
Windshield Wipers (3)
Yacht Flag & Flagpole

CANVAS (SUNBRELLA®)

Cockpit Seating Covers
Foredeck Seating Cover
Windshield Shades

CERTIFICATIONS:

CE, Category A
Meets Applicable USCG & ABYC Standards
NMMA Certification

MOORING SYSTEM:

Anchor, Galvanized
Anchor Chute, Stainless Steel
Anchor Chain Storage w/Gas-Assisted Hatches
Anchor Washdown Spigot w/Hose
Windlass, Chain w/Foot Switches

COCKPIT FEATURES

Awning, Electric Retractable - Cockpit
Beverage Holders
Door, Opacmare® Stainless Steel Cabin Entry, Frameless 4-Pane, Sliding & Lockable w/Flush Threshold
Door, Transom Gate (Stbd Cockpit Entry)
Door, Lazarette/Crew Quarters Entry, Pantagraph

Floor Liner, Self-Bailing Fiberglass
 Grill, Electric
 Gates, Side Boarding - Port & Stbd
 Handrails, 316 Stainless Steel
 Hatch, Engine Service - Gas-Assisted
 Lighting, LED
 Outlet, 120V GFI Protected
 Seating w/Storage
 Steps, Boarding (Molded-In)
 Wet Bar w/Sink, Faucet, Solid-Surface Countertop, Stainless Steel Handrail & Trash Receptacle

DAY HEAD (LAZARETTE):

Air Conditioning/Heating (6,000 BTU)
 Handrail, Stainless Steel
 Head, VacuFlush®
 Mirror
 Portlight, Opening
 Power Vent, 24V
 Sink w/Faucet
 Shower
 Storage, Cabinet
 Towel Ring

CABIN FEATURES

Carbon Monoxide Monitors
 Carpet, 55-Ounce 100% Stainmaster®
 Blinds, Custom
 Doors, Solid Wood
 Handrails, Stainless Steel
 Lighting, LED
 Outlets, 12V Accessory
 Outlets, 120V GFI Protected
 Outlet & Switch Plates - Polished Chrome Finish
 Pillows, Accent
 Storage, In-Floor
 Vacuum, Dyson Cordless Upright
 Washer & Dryer, Full Size - Individual

INTERIOR FINISHES & TREATMENTS:

Wood Cabinetry: Quarter Walnut
 Window Treatment: Silver Alloy Blinds

SALON SUNROOM:

Area Rug
 Bar Stools (2)
 Entertainment Center:
 - Bose® Soundbar
 - TV, 50" LED Flatscreen & Blu-ray™ Player
 - Stream Surfer Tablet A/V Control
 Flooring, Wood
 Handrail, Stainless Steel
 Outlets, 120V GFI Protected
 Ottomans (2) Movable with Dual Purpose Tops
 (Cushions or Cocktail Tables) & Storage Below
 Seating, Sofa - Opposing w/Storage
 Storage Cabinets
 Table, End w/Solid Surface Top

DINETTE:

Flooring, Wood
Seating, Curved w/Storage Below
Storage, Cabinets with Slide-Out Drawers & Glass Racks
Table, Dinette with High-Gloss Wood Surface; Drawer w/Storage Cabinet Below

GALLEY:

Countertop, Silestone® Natural Quartz Surface w/Sink, Single-Lever Faucet & Sink Cover
Flooring, Wood
Freezer w/Icemaker, Under Counter - 120V
Handrail, Stainless Steel
Microwave/Convection Oven - 120V
Power Vent, 24V
Refrigerator, Under Counter - 120V
Storage, Cabinets
Storage, Cabinets - Electrically Actuated, Pop-Up
Storage, Drawers w/Cutlery Insert
Storage, Designated Plate & Glass
Stove, Three-Burner - 240V
Trash Receptacle

MASTER STATEROOM (FULL BEAM - AFT):

Bed, Queen Size w/Innerspring Mattress, Pillows, Sheets, Coordinated Spreads & Drawer Storage Below
Closet System, Cedar Lined w/Lights
Door, Privacy w/Full Length Mirror
Dresser, Port & Stbd Storage
Entertainment Center:
- Bose® Soundbar
- TV, 40" LED Flatscreen & Blu-ray™ Player
Flooring, Carpet
Night Stands with Drawer Storage Below
Portlight, Opening
USB Port - Powered
Vanity, Pull Out w/Removable Seat

MASTER STATEROOM HEAD/SHOWER:

Door, Privacy w/Access from Master Stateroom, Mirrored
Flooring, Tile
Handrails, Stainless Steel
Head, VacuFlush®
Portlight, Opening
Power Vent, 24V
Robe Hook
Shower w/Seat, Adjustable Shower Wand, Rain Shower & Acrylic Door
Storage, Medicine Cabinet - Mirrored
Towel Bar & Ring
Towels - Sea Ray
Vanity w/Silestone® Natural Quartz Surface Countertop, His & Her Vessel Sinks, Faucets, Storage & Trash Receptacle

FORWARD STATEROOM:

Bed, Queen-Size with Innerspring Mattress, Pillows, Sheets, Coordinated Spreads & Storage
 Door, Privacy
 Door, Privacy w/Access to Dedicated Head/Shower
 Entertainment Center:
 - Bose® Soundbar
 - TV, 32" LED Flatscreen & Blu-ray™ Player
 Flooring, Carpet
 Hanging Locker, Cedar Lined w/Light
 Mirror
 Portlight, Opening
 Skylight
 Storage, Drawers
 USB Port - Powered

FORWARD STATEROOM HEAD/SHOWER (PORT):

Door, Privacy, Mirrored
 Flooring, Tile
 Handrail, Stainless Steel
 Head, VacuFlush®
 Portlight, Opening
 Power Vent, 24V
 Robe Hook
 Shower w/Seat, Adjustable Shower Wand & Acrylic Door
 Storage, Medicine Cabinet - Mirrored
 Towel Bar & Ring
 Towels - Sea Ray
 Vanity w/Solid Surface Countertop, Vessel Sink, Faucet, Storage & Trash Receptacle

MID STATEROOM (3RD STATEROOM - STARBOARD):

Beds (2), Twin w/Pillows, Sheets, Coordinated Spreads & Storage (Converts to form Queen Size Bed)
 Door, Privacy w/Full Length Mirror
 Flooring, Carpet
 Hanging Locker, Cedar Lined w/Light
 Portlight, Opening
 Storage, Cabinet
 Storage, Shelf
 TV, 24" LED, w/Remote Blu-ray™ Player

GUEST HEAD/SHOWER (STARBOARD):

Door, Common, Mirrored
 Flooring, Tile
 Handrail, Stainless Steel
 Head, VacuFlush®
 Portlight, Opening
 Power Vent, 24V
 Robe Hook
 Shower w/Seat, Adjustable Shower Wand & Acrylic Door
 Storage, Medicine Cabinet - Mirrored
 Towel Bar & Ring
 Towels - Sea Ray
 Vanity w/Solid Surface Countertop, Vessel Sink, Faucet, Storage & Trash Receptacle

MID STATEROOM (4TH STATEROOM - PORT):

Beds (2), Twin w/Pillows, Sheets, Coordinated Spreads & Storage
Door, Privacy
Flooring, Carpet
Hanging Locker, Cedar Lined w/Light & Mirror
Storage, Cabinet
Storage, Shelf
TV, 24" LED, w/Remote Blu-ray™ Player

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Zone-Controlled Reverse-Cycle System, 240V (90,000 BTU)
Custom Integral Vent System
Directional A/C Vents - Interior

CONTROL STATION:

A/C Vents
Alarms, High Water - Bilge & Cabin
Battery Parallel Start System - Engines
Bow & Stern Thruster Controls, 24V
Compass
Defroster, Windshield
Horn, Air - 24V
Instrument Panel
Instrumentation:
- 6.3" LCD Display w/Auto Dimming & Enhanced Contrast in Daylight (Includes:
Engine & Gear Box Data, Graphic Presentation of Analogue Instruments, Display
of Alarm Status &
Fuel Flow) (2)
- Fuel Gauges (2)
Seating, Dual Stidd Helm Seats each with Armrest, Reclining Backrest, Stainless
Steel Fold-Down Footrest & Heavy-Duty Pedestal with Slide, Swivel & Vertical
Adjustment
Shift & Throttle Controls, Electronic
Spotlight w/Dual Halogen Bulbs - Remote Controlled
Steering, Power w/Tilt Wheel
Switch Panel, Backlit
Switches, Illuminated Weatherproof Rockers & Electronic Dimmer Control
Systems Monitor, Digital LCD - For Pump Monitoring
USB Port - Powered
Wiper Controls

ELECTRICAL SYSTEMS:

Batteries, Odyssey AGM Sealed
Battery Charger/Converter, 240V/50 Amp/24V
Battery Charger Over-Current Protection
Battery Equalizer, 60 Amp (2)
Battery Solenoid Switches, 12V (2), 24V (2)
Cable Television System with Inlet, TV Shore Cord, Coax Outlets, Gain Control &
Antenna
Panel, Circuit Breaker - Remote
Panel, AC Main Breaker
Panel, Main Distribution - DC
Shore Power, Cablemaster™ (Glendinning) 240V/50 Amp w/85' Cord & Wireless
Remote (Cablemaster N/A w/220V/50 Cycle Shore Power)
Transformer, Shore Power Isolation - 240V/50 Amp
Wiring, Color-Coded w/Chafe Protection

ELECTRONICS (CONTROL STATION):

Autopilot, Raymarine® (Interfaced Through Chartplotter)
Electronics Circuit, 12V/50 Amp
Hailer Horn, Raymarine 220
Raymarine eS12 Widescreen, 12.1" Color LCD Radar/GPS/Chartplotter with
Integrated 4-kW HD Open Array Scanner - Primary Display
Raymarine eS12 Widescreen, 12.1" Color LCD GPS/Chartplotter Auxiliary Display
VHF Radio w/Remote Speaker & 8' Fiberglass Antenna

ENGINE ROOM:

Bilge Pumps, 24V Automatic
Bilge Pumps, 24V Automatic High-Water (1 Bilge, 1 Cabin)
Fan, Oscillating - 120V
Fire Extinguishers
Fire Suppression System - Automatic w/Diesel Shutdown, Override & Manual Pull
Flooring, Fiberglass
Freshwater Cooling
Gel-Coated Engine Room
Insulation, Engine Room - 2" w/Loaded Vinyl Barrier
Ladder, Stainless Steel - Removable/Swing-Away
Lighting, 24V
Storage Rack

FUEL SYSTEM:

Diesel Fuel System - Electric w/Transfer Pump
Fuel Filters, (3) Racor® - (2) 75-1000MAX (Dual) for Engines (1) 500MA for Generator
Fuel Lines, USCG - Type A-1
Fuel Tanks, Aluminum w/Manual Shut-Off Valves & Ultrasonic Sending Units

GENERATOR:

29.0 kW Onan® Diesel (240V/60 Cycle) w/Sound Shield, Remote Start, Muffler,
Closed Cooling, Fuel Filter, Seacock & Seawater Strainer

UNDERWATER GEAR:

Bonding System w/Zinc Hull Plate
Propeller Shafts (2)
Propellers (2)
Rudders (2)
Seacocks on All Underwater Fittings
Seawater Strainers
Shaft Logs, Dripless w/Extra Seal Carrier Kit
Struts
Thrusters, Bow & Stern (24V)
Trim Tabs, Hydraulic

WASTE SYSTEM:

Common Drain System
Head System (VacuFlush®)
Holding Tank Level Indicator - MDP
Holding Tank w/Dockside Pump-Out (100 Gallon)
Macerator w/Seacock Interlock System
Sump Box w/Automatic Pump & Hinged Service Lid

WATER SYSTEM:

Freshwater Washdown Spigots w/Hoses - Transom, Engine Room & Anchor Locker
Manifold System w/Shutoff Valves
Pressure Water System w/24V Pump & Charcoal Filtration System
Shower, Cockpit - Hot & Cold w/Door
Water Heater, 240V (20 Gallon)
Water Inlet, Dockside
Water Purifier System - Galley & Ice makers

STANDARD PROPULSION

TWIN DIESEL INBOARDS:

Twin Caterpillar® C18A
In-line 6, 4-Stroke Diesel Engines
(T-1,150 hp - 847 kW)

Top speed at WOT 35-36.2
Gallons per hour at cruise speed (Both engines) 94 GPH
Propeller 34x37 (5 Blade)

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

ELECTRONICS OPTIONS

Caterpillar gplink® Satellite Remote Tracking/Monitoring System
Raymarine® AIS650 Transceiver
Raymarine P70R Autopilot Head Unit
Raymarine gS165 Upgrade (Primary & Auxiliary Displays)
Raymarine Fishfinder Module (Interfaced with
GPS/Chartplotter Display)
Raymarine i50 Depth Sounder
Raymarine Network Interface Cameras
(Bilge & Cockpit)
Raymarine Sirius Weather Module
Raymarine T300 Thermal Night Vision Camera

GENERATOR OPTIONS

9.0 kW Auxiliary Generator
(Generator Manufacturer & Size May Vary Due to Product Availability)

INDIVIDUAL OPTIONS

Air Conditioning Upgrade - Salon (8,000 BTU)
Additional Fuel Capacity - 1,150 gallons total
Anchor, Stainless Steel (In Lieu of Standard Galvanized)
Audio System, Bow Seating
Bidet - Master Stateroom Head
Bow Rail, Split/Open Style
Canvas, Cockpit Isenglass Enclosure
Carpet Runners, Interior
China Place Settings, Glasses & Flatware Set w/Custom Dedicated Storage -
Includes: 8 Accent Plates, 8 Dinner Plates, 8 Dessert Plates, 8 Coffee Mugs, 8
Rice Bowls, 8 Rocks Glasses, 8 Wine Glasses, 8 Piece Highball Glasses & 45 Piece
Flatware Set
Colored Hull, Painted
Crew Quarters: Bunks (2); Lighting, 24V; Outlet, 120V GFI Protected; Portlight,
Stainless Steel (Opening); Hanging Locker; Shower
Dinette, Master Stateroom
Desalinator (400 Gallons Per Day)
Dishwasher

Door, Pantograph - Control Station - Access to Deck Catwalk
 DSS - KVH TracVision HD7 TRUE HD - All Staterooms
 DSS - Spare HD7 Dome Shell
 Flooring, Teak - Cockpit
 Flooring, Infinity Light or Dark Tones - Cockpit
 Interior Treatment: Wood Cabinetry Finishes - Dark Cherry, High Gloss
 Interior Treatment: Windows: Walnut Wood Blinds or Roman Shades
 Joystick Docking Control for Inboards (Coupled w/Bow & Stern Thrusters) - Electric
 Joystick Docking Control for Inboards (Coupled w/Bow & Stern Thrusters) - Hydraulic
 Inverter, 120V/60 Cycle
 Lounger, Master Stateroom
 Multi Station Docking, Cockpit Controls (Only Available with, and Interfaced with,
 Optional Joystick Controls)
 Oil Changer System - Engines, Transmissions & Generator
 Passerelle - Telescoping Envelope Style
 Port Stateroom Bunk Conversion
 Propellers, Spare Set w/Holders
 Refrigerator - Cockpit
 Refrigerator - Master Stateroom
 Safe - Master Stateroom
 Salon Sofa w/ Pullout Bed
 Seakeeper® Gyroscopic Stabilizers (2)
 Sun Shade, Bow Seating w/Storage
 Table, High-Gloss Teak w/ Cover - Cockpit
 Table, High-Gloss Teak w/ Cover - Bow Seating
 Table, Natural Teak w/ Cover- Bow Seating
 Table, Natural Teak w/ Cover - Cockpit
 Thrusters, Hydraulic (Bow & Stern)
 Transformers, Shore Power Isolation Boost - 240V/50 Amp - Dual
 Upgraded Carpet - Cabin
 Upgraded Seating Fabric - Cabin
 Windlass Capstan Style (In Lieu of Standard)
 Windlass System - Stern (1 port, 1 stbd)
 Wine Cooler/Chiller

CE Option

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Inboard	Twin Caterpillar C18A In-Line 6		T-1,136	ZF 510-1A	34x37 (5 Blade)	2:1	35-36.2	2300

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).

L650

FLY

Sea Ray *FLY*
2017



Bridge Layout



Upper Cabin/Cockpit
Layout



Lower Cabin Layout

SPECIFICATIONS

Overall length w/extended swim platform.....	65'1" (19.84 m)
Beam.....	17'2" (5.23 m)
Draft (Inboards).....	61" (155 cm)
Dry weight (Inboards).....	80,500 lbs (36,514 kg)
Fuel capacity.....	1,030 gal (3,899 L)
Water capacity.....	280 gal (1,060 L)
Holding tank.....	100 gal (379 L)
Deadrise.....	16°

HEIGHT DIMENSIONS

Waterline to top of fixed mast light.....	24'5.25" (7.45 m)
Keel to top of radar arch.....	21'11.25" (6.68 m)
Overall height from lowest point on underwater gear to fixed mast light.....	29'7.25" (9.02 m)
Keel to top of bridge cap surface.....	17'1.5" (5.21 m)

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bottom Paint
Bow Rail, 316 Stainless Steel w/Welded Stanchions,
Intermediate Rails & Life Lines
Cleats, Thru-Bolted - Stainless Steel (10)
Deck Fill Plates, Stainless Steel
Deck Rails, 316 Stainless Steel
Gel Coat, Arctic White
Graphics, Striping
Handrails, 316 Stainless Steel
Hatch, Deck Vent - Translucent w/Locks & Sky Screen Cover
Hull Windows, Smoked Acrylic
Lights, Navigation
Lighting, Exterior Indirect LED (Switchable White or Blue)
Lighting, Underwater, Blue (Std) or White - Transom
Portlights (Opening)
Resin, High-Performance Vinylester
Rub Rail, PVC w/Stainless Steel Insert
Seating, Recessed w/Sunpad - Foredeck
Storage for Fenders, Canvas & Optional Shade System - Foredeck
Swim Platform, Hydraulic Marine Lift with Remote & Manual Pump (1200 LB
Capacity), Concealed Swim Ladder w/Integral Grab Handle
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Room
Windshield, Bridge Venturi
Windshield, Tempered/Tinted Glass w/Electric Opening Window (Starboard)
Windshield Wipers (3)
Yacht Flag & Flagpole

CANVAS (SUNBRELLA®)

Bridge Seating & Console Covers
Cockpit Seating Covers
Foredeck Seating Cover
Windshield Shades

CERTIFICATIONS:

CE, Category B
Meets Applicable USCG & ABYC Standards
NMMA Certification

MOORING SYSTEM:

Anchor, Galvanized
Anchor Chute, Stainless Steel
Anchor Chain Storage w/Gas-Assisted Hatches
Anchor Washdown Spigot w/Hose
Windlass, Chain w/Foot Switches

BRIDGE FEATURES

Beverage Holders
Control Station
Glove Box
Grill
Handrails, 316 Stainless Steel
Hardtop, Fiberglass with Electric Opening Canvas Skylight
Hatch, Sliding Bridge Access
Icemaker, 120V
Lighting, Indirect LED
Outlet, 12V Accessory
Outlet, 120V GFI Protected
Refrigerator, 120V

L650

FLY

Sea Ray
2017

Seating, Single Helm Seat & Pedestal with Slide & Swivel Adjustment
Seating, Fwd Opposing w/Storage
Seating, Aft U-Shape w/Storage
Sunpad w/Fwd-Facing Loungers - Port & Starboard
Ship's Bell
Stereo, 12V AM/FM with Bluetooth® Connectivity, SiriusXM® Satellite Receiver with Antenna, iPod® interface, MP3 Port, Amplifier, Subwoofer, Speakers (4 Bridge, 2 Cockpit) & Digital Bridge Remote Control
Table, Fiberglass, Electrically Actuated - Aft
Table, Fiberglass - Fwd
Wet Bar w/Sink, Faucet, Solid-Surface Countertop, Stainless Steel Handrail & Trash Receptacle

COCKPIT FEATURES

Beverage Holders
Door, Opacmare® Stainless Steel Cabin Entry, Frameless 4-Pane, Sliding & Lockable w/Flush Threshold
Door, Lazarette/Crew Quarters Entry, Pantagraph
Doors, Transom Gates (Port & Starboard Cockpit Entry)
Floor Liner, Self-Bailing Fiberglass
Gates, Side Boarding - Port & Stbd
Handrails, 316 Stainless Steel
Hatch, Engine Service - Gas-Assisted
Lighting, LED
Outlet, 120V GFI Protected
Seating w/Storage
Steps, Boarding (Molded-In)
Steps, Molded Exterior Bridge Access w/Stainless Steel Handrail & Storage Below
Vacuum, Exterior, Wet/Dry
Wet Bar w/Sink, Faucet, Silestone® Natural Quartz Surface Countertop, Stainless Steel Handrail & Trash Receptacle

DAY HEAD (LAZARETTE):

Air Conditioning/Heating (6,000 BTU)
Handrail, Stainless Steel
Head, VacuFlush®
Mirror
Portlight, Opening
Power Vent, 24V
Sink w/Faucet
Shower
Storage, Cabinet
Towel Ring

CABIN FEATURES

Carbon Monoxide Monitors
Carpet, 55-Ounce 100% Stainmaster®
Blinds, Custom
Doors, Solid Wood
Handrails, Stainless Steel
Lighting, LED
Outlets, 12V Accessory
Outlets, 120V GFI Protected
Outlet & Switch Plates - Polished Chrome Finish
Pillows, Accent
Storage, In-Floor
Vacuum, Dyson Cordless Upright
Washer & Dryer, Combo

INTERIOR FINISHES & TREATMENTS:

Wood Cabinetry: Quarter Walnut
Window Treatment: Silver Alloy Blinds

SALON:

Area Rug
Bar Stools (2)
Entertainment Center:
- Bose® Soundbar
- TV, 50" LED Flatscreen & Blu-ray™ Player
- Stream Surfer Tablet A/V Control
Flooring, Wood
Handrail, Stainless Steel
Outlet, 120V
Ottomans (2) Movable with Dual Purpose Tops
(Cushions or Cocktail Tables) & Storage Below
Seating, Sofa - Opposing w/Storage
Storage Cabinets
Table, End w/Solid-Surface Top

DINETTE:

Flooring, Wood
Seating, Curved w/Storage Below
Storage, Cabinets with Slide-Out Drawers
& Glass Racks
Table, Dinette with High-Gloss Wood Surface; Drawer w/Storage Cabinet Below

GALLEY:

Countertop, Silestone® Natural Quartz Surface w/Sink, Single-Lever Faucet & Sink
Cover
Flooring, Wood
Freezer w/Icemaker, Under Counter - 120V
Handrail, Stainless Steel
Microwave/Convection Oven - 120V
Power Vent, 24V
Refrigerator, Under Counter - 120V
Storage, Cabinets
Storage, Cabinets - Electrically Actuated, Pop-Up
Storage, Drawers w/Cutlery Insert
Storage, Designated Plate & Glass
Stove, Three-Burner - 240V
Trash Receptacle

MASTER STATEROOM (FULL BEAM - AFT):

Bed, Queen Size w/Innerspring Mattress, Pillows, Sheets, Coordinated Spreads &
Drawer Storage Below
Closet System, Cedar Lined w/Lights
Door, Privacy w/Full Length Mirror
Dresser, Port & Stbd Storage
Entertainment Center:
- Bose® Soundbar
- TV, 40" LED Flatscreen & Blu-ray™ Player
Flooring, Carpet
Night Stands with Drawer Storage Below
Portlight, Opening
USB Port - Powered
Vanity, Pull Out w/Removable Seat

MASTER STATEROOM HEAD/SHOWER:

Door, Privacy w/Access from Master Stateroom, Mirrored
Flooring, Tile
Handrails, Stainless Steel
Head, VacuFlush®
Portlight, Opening
Power Vent, 24V
Robe Hook
Shower w/Seat, Adjustable Shower Wand, Rain Shower & Acrylic Door
Storage, Medicine Cabinet - Mirrored
Towel Bar & Ring
Towels - Sea Ray
Vanity w/Silestone® Natural Quartz Surface Countertop, His & Her Vessel Sinks,
Faucets, Storage & Trash Receptacle

FORWARD STATEROOM:

Bed, Queen-Size with Innerspring Mattress, Pillows, Sheets, Coordinated Spreads & Storage
Door, Privacy
Door, Privacy w/Access to Dedicated Head/Shower
Entertainment Center:
- Bose® Soundbar
- TV, 32" LED Flatscreen & Blu-ray™ Player
Flooring, Carpet
Hanging Locker, Cedar Lined w/Light
Mirror
Portlight, Opening
Skylight
Storage, Drawers
USB Port - Powered

FORWARD STATEROOM HEAD/SHOWER (PORT):

Door, Privacy - Mirrored
Flooring, Tile
Handrail, Stainless Steel
Head, VacuFlush®
Portlight, Opening
Power Vent, 24V
Robe Hook
Shower w/Seat, Adjustable Shower Wand & Acrylic Door
Storage, Medicine Cabinet - Mirrored
Towel Bar & Ring
Towels - Sea Ray
Vanity w/Silestone® Natural Quartz Surface Countertop, Vessel Sink, Faucet,
Storage & Trash Receptacle

MID STATEROOM (3RD STATEROOM - STBD):

Beds (2), Twin w/Pillows, Sheets, Coordinated Spreads & Storage (Converts to form Queen Size Bed)
Door, Privacy w/Full Length Mirror
Flooring, Carpet
Hanging Locker, Cedar Lined w/Light
Portlight, Opening
Storage, Cabinet
Storage, Shelf
TV, 24" LED Flatscreen w/Remote Blu-ray™ Player

GUEST HEAD/SHOWER (STARBOARD):

Door, Common, Mirrored
Flooring, Tile
Handrail, Stainless Steel
Head, VacuFlush®
Portlight, Opening
Power Vent, 24V
Robe Hook
Shower w/Seat, Adjustable Shower Wand & Acrylic Door
Storage, Medicine Cabinet - Mirrored
Towel Bar & Ring
Towels - Sea Ray
Vanity w/Silestone® Natural Quartz Surface Countertop, Vessel Sink, Faucet,
Storage & Trash Receptacle

MID STATEROOM (4TH STATEROOM - PORT):

Beds (2), Twin w/Pillows, Sheets, Coordinated Spreads & Storage
Door, Privacy w/Full Length Mirror
Flooring, Carpet
Hanging Locker, Cedar Lined w/Light
Storage, Cabinet
Storage, Shelf
TV, 24" LED Flatscreen w/Remote Blu-ray™ Player

TECHNICAL FEATURES

AIR CONDITIONING/HEATING:

Zone-Controlled Reverse-Cycle System, 240V (90,000 BTU)
Custom Integral Vent System
Directional A/C Vents - Interior

BRIDGE CONTROL STATION:

Alarms, High Water - Bilge & Cabin
Battery Parallel Start System - Engines
Compass
Horn, Air - 24V
Instrument Panel
Instrumentation:
- 6.3" LCD Display w/Auto Dimming & Enhanced Contrast in Daylight (Includes: Engine & Gear Box Data, Graphic Presentation of Analogue Instruments, Display of Alarm Status & Fuel Flow) (2)
- Fuel Gauges (2)
Shift & Throttle Controls, Electronic
Spotlight w/Dual Halogen Bulbs - Remote Controlled
Steering, Power w/Tilt Wheel
Switch Panel, Backlit
Switches, Illuminated Weatherproof Rockers & Electronic Dimmer Control
Systems Monitor, Digital LCD - For Pump Monitoring
USB Port - Powered

LOWER CONTROL STATION:

A/C Vents
Alarms, High Water - Bilge & Cabin
Battery Parallel Start System - Engines
Bow & Stern Thruster Controls, 24V
Compass
Defroster, Windshield
Horn, Air - 24V
Instrument Panel
Instrumentation:
- 6.3" LCD Display w/Auto Dimming & Enhanced Contrast in Daylight (Includes: Engine & Gear Box Data, Graphic Presentation of Analogue Instruments, Display of Alarm Status & Fuel Flow) (2)
- Fuel Gauges (2)
Seating, Dual Stidd Helm Seats each with Armrest, Reclining Backrest, Stainless Steel Fold-Down Footrest & Heavy-Duty Pedestal with Slide, Swivel & Vertical Adjustment
Shift & Throttle Controls, Electronic
Spotlight w/Dual Halogen Bulbs - Remote Controlled
Steering, Power w/Tilt Wheel
Switch Panel, Backlit
Switches, Illuminated Weatherproof Rockers & Electronic Dimmer Control
Systems Monitor, Digital LCD - For Pump Monitoring
USB Port - Powered
Wiper Controls

ELECTRICAL SYSTEMS:

Batteries, Odyssey AGM Sealed
Battery Charger/Converter, 240V/50 Amp/24V
Battery Charger Over-Current Protection
Battery Equalizer, 60 Amp (2)
Battery Solenoid Switches, 12V (2), 24V (2)
Cable Television System with Inlet, TV Shore Cord, Coax Outlets, Gain Control & Antenna
Panel, Circuit Breaker - Remote
Panel, AC Main Breaker
Panel, Main Distribution - DC
Shore Power, Cablemaster™ (Glendinning) 240V/50 Amp w/85' Cord & Wireless Remote (Cablemaster N/A w/220V/50 Cycle Shore Power)
Transformer, Shore Power Isolation - 240V/50 Amp
Wiring, Color-Coded w/Chafe Protection

ELECTRONICS (BRIDGE CONTROL STATION):

Autopilot, Raymarine® (Interfaced through Chartplotter)
Electronics Circuit, 12V/50 Amp
Hailer Horn, Raymarine 220
Raymarine eS12 Widescreen, 12.1" Color LCD
GPS/Chartplotter - Auxiliary Display
VHF Radio w/Remote Speaker & 8' Fiberglass Antenna

ELECTRONICS (LOWER CONTROL STATION):

Autopilot, Raymarine (Interfaced through Chartplotter)
Electronics Circuit, 12V/50 Amp
Hailer Horn, Raymarine 220
Raymarine eS12 Widescreen, 12.1" Color LCD Radar/GPS/Chartplotter with
Integrated 4-kW HD Open Array Scanner - Primary Display
Raymarine eS12 Widescreen, 12.1" Color LCD GPS/Chartplotter Auxiliary Display
VHF Radio w/Remote Speaker & 8' Fiberglass Antenna

ENGINE ROOM:

Bilge Pumps, 24V Automatic
Bilge Pumps, 24V Automatic High-Water (1 Bilge, 1 Cabin)
Fan, Oscillating - 120V
Fire Extinguishers
Fire Suppression System - Automatic w/Diesel Shutdown, Override & Manual Pull
Flooring, Fiberglass
Freshwater Cooling
Gel-Coated Engine Room
Insulation, Engine Room - 2" w/Loaded Vinyl Barrier
Ladder, Stainless Steel - Removable/Swing-Away
Lighting, 24V
Storage Rack

FUEL SYSTEM:

Diesel Fuel System - Electric w/Transfer Pump
Fuel Filters, (3) Racor® - (2) 75-1000MAX (Dual)
for Engines (1) 500MA for Generator
Fuel Lines, USCG - Type A-1
Fuel Tanks, Aluminum w/Manual Shut-Off Valves
& Ultrasonic Sending Units

GENERATOR:

29kW Onan Diesel (120V/240V/60 Cycle) w/Sound Shield, Remote Start, Muffler,
Closed Cooling, Fuel Filter, Seacock & Seawater Strainer

UNDERWATER GEAR:

Bonding System w/Zinc Hull Plate
Propeller Shafts (2)
Propellers (2)
Rudders (2)
Seacocks on All Underwater Fittings
Seawater Strainers
Shaft Logs, Dripless w/Extra Seal Carrier Kit
Struts
Thrusters, Bow & Stern (24V)
Trim Tabs, Hydraulic

STABILIZER:

Seakeeper® Gyroscopic Stabilizers (2)

WASTE SYSTEM:

Common Drain System
Head System (VacuFlush®)
Holding Tank Level Indicator - MDP
Holding Tank w/Dockside Pump-Out (100 Gallon)
Macerator w/Seacock Interlock System
Sump Box w/Automatic Pump & Hinged Service Lid

WATER SYSTEM:

Freshwater Washdown Spigots w/Hoses - Transom, Engine Room & Anchor Locker
Manifold System w/Shutoff Valves
Pressure Water System w/24V Pump & Charcoal Filtration System
Shower, Cockpit - Hot & Cold w/Door
Water Heater, 240V (20 Gallon)
Water Inlet, Dockside
Water Purifier System - Galley & Ice makers

STANDARD PROPULSION

TWIN DIESEL INBOARDS:

Twin Caterpillar® C18A
In-line 6, 4-Stroke Diesel Engines
(T-1,150 hp - 847 kW)

Top speed at WOT 34-36
Gallons per hour at cruise speed (Both engines) 93 GPH
Propeller 34x37 (5 Blade)

This information is intended only as a comparison guide. A specific boat's performance will be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller

OPTIONS & ACCESSORIES

ELECTRONICS OPTIONS

Caterpillar gplink® Satellite Remote Tracking/Monitoring System
Raymarine® AIS650 Transceiver
Raymarine P70R Autopilot Head Units (Bridge & Lower)
Raymarine gS165 Upgrade (Primary & Auxiliary Lower Displays and Auxiliary Upper Display)
Raymarine eS12 Widescreen GPS/Chartplotter - Secondary Auxiliary Display (Bridge)
Raymarine gS165, Color LCD - GPS/Chartplotter - Secondary Auxiliary Display (Bridge)
Raymarine Fishfinder Module (Interfaced with GPS/Chartplotter Display)
Raymarine i50 Depth Sounder
Raymarine Network Interface Cameras (Bilge & Cockpit)
Raymarine Sirius Weather Module
Raymarine T300 Thermal Night Vision Camera

GENERATOR OPTIONS

9.0 KVA Auxiliary Generator
(Generator Manufacturer & Size May Vary Due to Product Availability)

BRIDGE OPTIONS

Awning, Electric Retractable - Covers Bridge Aft Seating (N/A w/Extended Hardtop)
Canvas, Bridge Cover
Flooring, Infinity Light or Dark Tones - Bridge
Flooring, Teak
Hardtop, Extended w/Lighting, Polycarbonate Canvas Enclosure, Air Conditioning
Hardtop, Extended w/Lighting, Sunroof, Polycarbonate Canvas Enclosure, Air Conditioning
Refrigerator, 120V
Sunpad Filler Cushions - Aft Seating
Sunpad Filler Cushions - Fwd Seating

Table, High-Gloss Teak w/Vinyl Cover - Aft Seating Area, (In Lieu of Standard Fiberglass Table)
 Table, Natural Teak - Fwd
 Table, Natural Teak w/Vinyl Cover - Aft Seating Area, (In Lieu of Standard Fiberglass Table)
 Table, High-Gloss Teak - Fwd

INDIVIDUAL OPTIONS

Air Conditioning Upgrade - Salon (8,000 BTU)
 Additional Fuel Capacity - 1,150 gallons total
 Anchor, Stainless Steel (In Lieu of Standard Galvanized)
 Audio System - Bow Seating
 Bidet - Master Stateroom Head
 Bow Rail, Split/Open Style
 Canvas, Cockpit Isenglass Enclosure
 Carpet Runners, Interior
 China Place Settings, Glasses & Flatware Set w/Custom Dedicated Storage -
 Includes: 8 Accent Plates, 8 Dinner Plates, 8 Dessert Plates, 8 Coffee Mugs, 8 Rice Bowls, 8 Rocks Glasses, 8 Wine Glasses, 8 Piece Highball Glasses & 45 Piece Flatware Set
 Colored Hull, Painted
 Crew Quarters: Bunks (two); Lighting, 24V; Outlet, 120V GFI Protected; Portlight, Stainless Steel (Opening); Hanging Locker; Shower
 Dinette - Master Stateroom
 Desalinator (400 Gallons Per Day)
 Dishwasher
 Door, Pantograph - Lower Helm - Access to Deck Catwalk
 DSS - KVH® TracVision HD7 TRUE HD - All Staterooms
 DSS-Spare HD7 Dome Shell
 Flooring, Infinity Light or Dark Tones - Cockpit
 Flooring, Teak - Cockpit & Bridge Steps
 Interior Treatment: Wood Cabinetry Finishes - Dark Cherry, High Gloss
 Interior Treatment: Windows: Walnut Wood Blinds or Roman Shades
 Joystick Docking Control for Inboards (Coupled w/Bow & Stern Thrusters) - Electric
 Joystick Docking Control for Inboards (Coupled w/Bow & Stern Thrusters) - Hydraulic
 Inverter, 120V/60 Cycle
 Lounger - Master Stateroom
 Multi Station Docking, Cockpit Controls (Only Available with, and Interfaced with, Optional Joystick Controls)
 Oil Changer System - Engines, Transmissions & Generator
 Passerelle - Telescoping Envelope Style
 Port Stateroom Bunk Conversion
 Propellers, Spare Set w/Holders
 Refrigerator - Cockpit
 Refrigerator - Master Stateroom
 Safe - Master Stateroom
 Salon Sofa w/ Pullout Bed
 Sun Shade - Bow Seating w/Storage
 Table, High-Gloss Teak w/ Cover - Cockpit
 Table, High-Gloss Teak w/ Cover - Bow Seating
 Table, Natural Teak w/ Cover - Bow Seating
 Table, Natural Teak w/ Cover - Cockpit
 Thrusters, Hydraulic (Bow & Stern)
 Transformers, Shore Power Isolation Boost - 240V/50 Amp - Dual
 TV, Drop-Down - Cockpit
 Upgraded Carpet - Cabin
 Upgraded Seating Fabric - Cabin
 Windlass Capstan Style, in lieu of Standard
 Windlass System - Stern (1 port, 1 stbd)
 Wine Cooler/Chiller

CE Option

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Inboard	Twin Caterpillar C18A In-Line 6		T-1,136	ZF 510-1A	34x37 (5 Blade)	2:1	34-36	2300

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).

General Information

Engine Specifications

Engine Fuel Usage

2017 Limited Warranty

GASOLINE STERNDRIVES (MERCURISER®)

Model	4.5L MPI	4.5L MPI
Horsepower, Propshaft Rated	200	250
Kilowatt, Propshaft Rated	149	186
Displacement (Liter/CID)	4.5/275	4.5/275
Cylinders	V-6	V-6
Compression Ratio	9.40:1	9.40:1
Bore and Stroke (inches)	4.0 x 3.6	4.0 x 3.6
Full Throttle Operating Range (RPM)	4400-4800	4400-4800
Drive	Alpha 1/Bravo 3	Bravo 3
Gear Ratio	1.62:1/2.20:1	2.20:1
Propeller	Stainless	Stainless
Weight (lbs)	761	761
Fuel System	MPI	MPI
ECT (US Only)	Catalyst	Catalyst

Engine Specifications

GASOLINE STERNDRIVES (MERCURISER®) (CONT'D)

Model	6.2L MPI	6.2L MPI	8.2 MAG	8.2 MAG HO
Horsepower, Propshaft Rated	300	350	380	430
Kilowatt, Propshaft Rated	224	261	283	321
Displacement (Liter/CID)	6.2/377	6.2/377	8.2/502	8.2/502
Cylinders	V-8	V-8	V-8	V-8
Compression Ratio			8.75:1	8.75:1
Bore and Stroke (inches)	4.0 x 3.75	4.0 x 3.75	4.47 x 4.00	4.47 x 4.00
Full Throttle Operating Range (RPM)	5000-5400	5000-5400	4400-4800	4600-5000
Drive	BR3	BR3	BR3x	BR3x
Gear Ratio	2.00:1	2.00:1	2.00:1	2.00:1
Propeller	Stainless	Stainless	Stainless	Stainless
Weight (lbs)	862	862	1228	1228
Fuel System	MPI	MPI	MPI	MPI
ECT (US Only)	Catalyst	Catalyst	Catalyst	Catalyst

GASOLINE OUTBOARDS (MERCURY®)

Engine Specifications				
Model	115 Pro XS	150 EFI FourStroke	Verado 175	Verado 200
Horsepower, Propshaft Rated	115	150	175	200
Kilowatt, Propshaft Rated	86	110	130	149
Displacement (liter/cu in)	2.1	3.0	1.7/105.7	1.7/105.7
Cylinders	Inline 4	Inline 4	Inline 4	Inline 4, 16-Valve DOHC
Fuel Induction System	EFI	EFI	EFI	Supercharged
Full Throttle Operating Range (RPM)	5300-6300	5000-5800	5800-6400	5800-6400
Shaft Length	25" (635 mm)	25" (635 mm)	25" (635 mm)	25" (635 mm)
Gearcase Ratio	2.38:1	1.92:1	2.08:1	2.08:1
Propeller	Stainless	Stainless	Stainless	Stainless
Dry Weight	363 / 165	455 lbs / 206 kg	510 lbs / 231 kg	510 lbs / 231 kg
Alternator Amp / Watt	35 amp / 441 watt	60 amp / 756 watt (Belt)	70 amp / 882 watt (Belt)	70 amp / 882 watt (Belt)

Engine Specifications

GASOLINE OUTBOARDS (MERCURY®)

Model	Verado 250	Verado 300	Verado 350
Horsepower, Propshaft Rated	250	300	350
Kilowatt, Propshaft Rated	186	224	261
Displacement (Liter/cu in)	2.6/158.5	2.6/158.5	2.6
Cylinders	Inline 6, 24-Valve, DOHC	Inline 6 - 24 Valve DOHC	Inline 6
Air Induction System	Supercharged	Supercharged	Supercharged
Fuel Induction System	Sequential Multi-Port EFI	Sequential Multi-Port EFI	Sequential Multi-Port EFI
Full Throttle Operating Range (RPM)	5800-6400	5800-6400	5800-6400
Shaft Length	25" (635 mm)	25" (635 mm)	
Gearcase Ratio	1.85:1	1.85:1	1.75:1
Propeller	Stainless	Stainless	Stainless
Dry Weight	647 lbs / 293 kg	647 lbs / 293 kg	668 lbs / 303 kg
Steering	Electro-hydraulic pwr str	Electro-hydraulic pwr str	Electro-hydraulic pwr str
Alternator Amp	70 amp / 882 watt (Belt)	70 amp / 882 watt (Belt)	70 amp / 882 watt (Belt)

Engine Specifications

Model	8.2 Horizon	8.2 HO
Horsepower, Propshaft Rated	375	425
Kilowatt, Propshaft Rated	280	317
Displacement (Liter/CID)	8.2/502	8.2/502
Cylinders	V-8	V-8
Compression Ratio	8.75:1	8.75:1
Bore and Stroke (inches)	4.47 x 4.00	4.47 x 4.00
Full Throttle Operating Range (RPM)	4200-4600	4400-4800
Drive	ZF 63	ZF 63
Weight (lbs)	1080	1080
Fuel System	MPI	MPI
ECT (US Only)	Catalyst	Catalyst

DIESEL INBOARDS (CUMMINS® DIESEL)

Model	QSB 6.7 - 480 HO	QSC 6.7 - 550 HO
Horsepower, Crankshaft Rated	480	550
Horsepower, Propshaft Rated	473	528
Kilowatt, Propshaft Rated	353	405
Displacement (Liter/CID)	6.7/408	6.7/408
Configuration	Inline 6, 4-cycle	Inline 6, 4-cycle
Full Throttle Operating Range (RPM)	3300	3300
Drive	Zeus 3500 / ZF 280 IV	Zeus 3800 / ZF 285 IV
Dry Weight (lbs)	1460	1460

DIESEL INBOARDS (CUMMINS® DIESEL) (CONT'D)

Model	QSC 8.3 - 550 HO	QSC 8.3 - 600 HO	QSM 11 - 715 HO T2
Horsepower, Crankshaft Rated	542	600	715
Horsepower, Propshaft Rated	526	574	684
Kilowatt, Propshaft Rated	392	428	526
Displacement (Liter/CID)	8.3/504	8.3/504	10.8/661
Configuration	Inline 6, 4-cycle	Inline 6, 4-cycle	Inline 6, 4-cycle
Compression Ratio		16.3:1	15.9:1
Full Throttle Operating Range (RPM)	3000	3000	2500
Drive	Zeus 3800/ZF 285 IV	Zeus 3800/ZF 285 IV	ZF 325 A/ZF 325 IV
Weight (lbs)	1975	1975	VD 2907/IB2786

Engine Specifications

DIESEL INBOARDS (CATERPILLAR®)

Model	C-12.9	C-18A
Horsepower	850	1,150
Kilowatt	634	847
Displacement (Liter)	12.9	1106.0 in3
Bore and Stroke	5.31" / 5.91"	5.7" / 7.2"
Configuration	In-Line 6, 4-Stroke	In Line 6, 4-Stroke
Max Torque		
Fuel Injection	Common Rail	Common Rail
Full Throttle Operating Range (RPM)	2300	2300
Drive	ZF 360A	ZF 510-1A
Weight w/drive (lbs/kg)	3,523/1,598	4,000/1,814

DIESEL INBOARDS (MAN® DIESEL)

Model	MAN 1,000
Horsepower, Crankshaft Rated	1,000
Horsepower, Propshaft Rated	955
Kilowatt, Propshaft Rated	737
Displacement (Liter/CID)	16.6
Configuration	8 cylinders in 90° V design
Fuel System	Common Rail direct fuel injection
Full Throttle Operating Range (RPM)	2300
Drive	ZF 500-1A
Weight (lbs)	1,780

Engine Specifications

DIESEL STERNDRIVES (MERCURY® DIESEL TDI)

Model	TDI 3.0L 260	TDI 4.2L 335
Horsepower	260	335
Kilowatt	191	246
Displacement (Liter)	3.0	4.2
Bore and Stroke	83x91mm	83x95mm
Configuration	V-6	V-8
Max Torque	555 [Nm] @ 2000 rpm	655 [Nm] @ 2000 rpm
Full Throttle Operating Range (RPM)	4000	4200
Turbo	Variable Geometry Turbo	Variable Geometry Turbo
Fuel Injection	Common Rail	Common Rail
Cooling	Closed Cooling	Closed Cooling
Drive	Bravo IIX	Bravo IIXr
Weight w/drive (lbs/kg)	932/423	1,093/496

Engine Fuel Usage

The following information is intended as a point of reference between engines. The readings are from actual dynamometer tests, as provided by the engine manufacturer. These readings will be affected by the model and its operating conditions.

ENGINE	MODEL	PROP SHAFT HP	PROP SHAFT RATED KW	CRUISE RPM/GPH	WOT RPM/GPH
MERCURISER® (GASOLINE STERNDRIVES)	4.3L	190	142	3167/5.4	4800/16.7
	4.3L MPI	220	164	3767/9.0	4800/19.5
	4.5L MPI	200	149	3500/8.4	4790/16.8
	4.5L MPI	250	186	4000/10.2	5200/20.3
	6.2L MPI	300	224	4500/16.3	5000/21.8
	6.2L MPI	350	261	4500/15.9	5410/27.2
	8.2 MAC	380	283	4000/20.6	5200/31.0
	8.2 MAC HO	430	321	4000/24.1	5200/39.0
MERCURY® (GASOLINE OUTBOARD)	115 XS Pro	115	86	3000/2.4	6300/12.3
	Verado 175XL	175	130	3500/4.0	6400/17.6
	Verado 200XL	200	149	3500/4.7	6400/18.2
	Verado 250XL	250	186	4000/6.0	6400/19.1
	Verado 300XL	300	224	4000/10.9	6400/30.0
	Verado 350XL	350	224	4000/10.9	6400/30.0
MERCURISER® (GASOLINE INBOARD/ V-DRIVES)	8.2 MAC Horizon	375	280	3500/15.0	4500/31.5
	8.2 HO Horizon	425	317	3000/15.3	4400/33.2
MERCURY® (DIESEL STERNDRIVES)	TDI 3.0L 260	260	191	4000/14.2	4200/42.5
	TDI 4.2L 370	370	272	3500/28.2	

Engine Fuel Usage

The following information is intended as a point of reference between engines. The readings are from actual dynamometer tests, as provided by the engine manufacturer. These readings will be affected by the model and its operating conditions.

ENGINE	MODEL	PROP SHAFT HP	PROP SHAFT RATED KW	CRUISE RPM/GPH	WOT RPM/GPH
CUMMINS (DIESEL INBOARD)	QSB 6.7 - 380 HO	364	272	2800/14.6	3000/19.5
	QSB 6.7 - 425 HO	477	312	2700/15.9	3000/21.7
	QSB 6.7 - 480 HO	473	353	3100/18.8	3400/25.4
	QSB 6.7 - 550 HO	528	405	3000/21.3	3300/29.1
	QSC 8.3 - 550 HO	526	392	2700/21.0	3000/29.8
	QSC 8.3 - 600 HO	574	428	2800/26.8	3000/33.0
	QSM 11 - 715 HO	686	526	2300/29.1	2500/37.7
CATERPILLAR (DIESEL INBOARD)	C12.9	850	634	1800/34.5	2300/43.3
	C18A	1,150	847	1800/41.4	2300/58.6
MAN (DIESEL INBOARD)	1,000 CRM V8	955	737	1800/39.6	2300/50.2
YANMAR (DIESEL INBOARD/V-DRIVE)	6LP-STP	306	228	3600/13.5	3800/16.5

2017 Limited Warranty



One of the primary benefits of a new boat purchase is the total freedom to relax; to put aside the worry and trouble of the daily grind for the well-lived life on the water. Accordingly, Sea Ray is proud to offer a stellar 5-year factory warranty. This program, Sea Ray SURPA5S, provides 5 years of enhanced coverage on every new sport boat in the Sea Ray lineup. The end result? Exceptional peace of mind.

All 2017 gas-powered Sea Ray sport boats (both sterndrive and outboard) feature Sea Ray's 5-year, bow-to-stern factory warranty on the boat and its components from defects in materials and workmanship. The engine is covered for the same 5-year period, using a warranty backed by Mercury and Brunswick Product Protection. In addition to the 5-year bow-to-stern coverage, all sport boats also have a Limited Lifetime Structural Hull Warranty.

Applies only to new 2015, 2016 and 2017 Sea Ray sport boats built in the USA or Mexico. See the Sea Ray Express Limited Warranty for complete details. Alternate engine terms apply to diesel-powered sport boats.

2017 Limited Warranty




One of the primary benefits of a new boat purchase is the freedom to relax, to put aside worry and focus on savoring the well-lived life on the water. Accordingly, Sea Ray is proud to offer a stellar 3-year factory warranty. This program, Sea Ray SENTIN3L, provides 3 years of enhanced coverage on every new cruiser, sport yacht and yacht in the Sea Ray lineup. The end result? Exceptional peace of mind.

All 2017 Sea Ray cruisers, sport yachts and yachts feature Sea Ray's 3-year, bow-to-stern factory warranty on the boat and its components from defects in materials and workmanship. Additionally, gas engines are covered by a 5-year warranty backed by Mercury and Brunswick Product Protection, while diesel engines receive the coverage defined by their manufacturer. Finally, beyond the 3-year bow-to-stern coverage, all sport cruisers, sport yachts and yachts also have a 10-year Structural Hull Limited Warranty.

Applies only to new 2015, 2016 and 2017 Sea Ray cruisers, sport yachts and yachts built in the USA or Mexico. See the Sea Ray Express Limited Warranty for complete details. Alternate engine terms apply to diesel-powered sport cruisers, sport yachts and yachts.

International Boats

Sport 190
SPX® 190
SPX® 190 OUTBOARD
SPX® 210
SLX® 250
Sun Sport® 250
SDX® 270
Sundancer® 265
Sundancer® 355
CE Certification Categories



SPECIFICATIONS

Overall length w/std. extended swim platform	19'8" (5.99 m)
Beam	7'3" (2.21 m)
Draft (sterndrive down)	34" (86 cm)
Draft (sterndrive up)	18" (46 cm)
Dry weight	2,600 lb (1,179 kg)
Fuel capacity	26 gal (98 L)
Max persons/weight	8/1,100 lbs (499 kg)
(MWC) max weight persons/gear	1,200 lbs (544 kg)
Deadrise	19°

HEIGHT DIMENSIONS

Waterline to top of windshield	3'5" (104 cm)
Lowest tip of underwater gear (in up position) to top of windshield	4'10" (147 cm)

**Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Custom Sea Ray® Thru-Bolted - Stainless Steel (6)
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Graphics - Sport
Hardware, Stainless Steel
Light, Stern - Removable
Lights, Navigation - Stainless Steel
Resin, High-Performance Vinylester
Rub Rail, Black PVC w/Stainless-Steel Insert
Ski Tow Eye, Stainless Steel
Swim Platform, Additional Extended w/Stainless-Steel, Three-Step Swim Ladder & Grab Handle
Thru-Hull Fittings, Stainless Steel
Vent System, Engine Compartment - Integral
Windshield, Custom Three-Piece Tempered/Tinted Curved Glass w/Walk-Thru

CERTIFICATIONS:

CE Certification "C"
Meets Applicable USCG & ABYC Standards
NMMA Certification
Meets Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders, Stainless Steel (6)
Dash w/Visor, Custom
Floor, Finished Fiberglass
Glove Box, Lockable
Grab Handles, Stainless Steel
Outlet, 12V Accessory
Stereo, 12V FM Single CD & MP3 Port w/Weatherproof Speakers (4)
Storage, Side Panels
Storage, Ski/Wakeboard w/Matting & Gas-Assisted Fiberglass Lid
Stringer System, Fiberglass
Sun Pad, Port & Starboard Gull- Wing Hatches w/Gas-Assisted Lifts
Vinyl, Marine Grade w/Mildew & UV Protection

SEATING:

Aft Bench w/Fiberglass Base & Storage Tub
Bow Rider w/Molded-In Armrests & Storage Below
Bucket Seats (2), w/Flip-Up Thigh Rise, Swivel & Slider Functions & Sport Logos
Sun Pad w/Integrated Transom Walk-Thru

HELM:

Alarms, Engine - Oil & Water (Audible)
Horn
Instrumentation, Custom Sea Ray Backlit w/Glass Lenses & Low-Glare Night Lighting (Includes: Fuel, Oil Pressure, Speedometer, Tachometer w/LCD Hour Meter, Trim & Water Temperature)
Shift & Throttle Lever (Chrome Accented) w/Trim Switch & Lanyard Stop Switch
Steering, Power-Assisted
Steering, Tilt Wheel, Custom Padded
Switch Panel w/Weatherproof Lighted Chrome Toggle Switches
Tilt & Trim, Power

SPORT 190

ELECTRICAL SYSTEMS:

Battery Tray w/Mount
Fuse Block
Wiring, Color-Coded w/Chafe Protection

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic
Blower, 12V Bilge
Fire Extinguisher Discharge Port
Gel-Coated Engine Compartment
Insulated Engine Compartment

FUEL SYSTEMS:

Fuel Lines, USCG - Type A-1
Fuel System - Evaporative Emissions
Fuel Tank w/Anti-Siphon Valve & Electric Sending Unit

STANDARD PROPULSION

MerCruiser® 3.0L ECT Alpha® I Sterndrive (135 php - 101 kW)
Propeller, Aluminum

OPTIONS & ACCESSORIES

OPTIONAL PROPULSION

MerCruiser 4.5L ECT* MPI Alpha I Sterndrive
(200 php - 149kW)
* Carb Compliant Engine

OPTIONAL PACKAGE

BLACK BEAUTY:

Black Hull & Deck Gel Coat
Special Cockpit Vinyls
Silver Boot Tape

LUXURY PACKAGE:

Canvas, Bimini Top w/Boot & Vertical Storage
Canvas, Cockpit Cover/Tonneau Cover w/Canvas Storage Bag
Depth Finder
Carpet Liner, Snap-in - Cockpit

INDIVIDUAL OPTIONS


Canvas, Mooring Cover (Black Only)
Gel Coat, Two-Tone Hull (Black, Ocean Blue or Mojave Tan) at No Extra Cost
Tower, Water Sports - Black, Forward Facing & Folding, Tubular Aluminum w/
Integrated Bimini Top & Anchor Light
Swiss Specs - Oil Drip Pan Under Engine

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature, and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP/KW	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Stemdrive	MerCruiser 3.0L ECT*		135/101	Alpha 1	14.5 x 19 Alumna Black Max	2.00:1	38-42	4400-4800
Stemdrive	MerCruiser 4.5L ECT*		200/149	Alpha 1				
* Carb Compliant Engine								

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment.



SPECIFICATIONS

Overall length w/integral swim platform	19'6" (5.94 m)
Beam	8'4" (2.54 m)
Draft (sterndrive down)	34" (86 cm)
Draft (sterndrive up)	18" (46 cm)
Dry weight	2,728 lb (1,237 kg)
Fuel capacity	30 gal (113 L)
Max persons/weight	8/1,550 lbs (703 kg)
(MWC) max weight persons/gear	1,650 lbs (748 kg)
Deadrise	19°

HEIGHT DIMENSIONS

Waterline to top of windshield	3'8" (1.05 m)
Lowest tip of underwater gear (in up position) to top of windshield	5'2" (1.57 m)

Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Thru-Bolted - Stainless Steel (6)
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Light, Stern - Removable
Lights, Navigation
Resin, High-Performance Vinylester
Rub Rail, Black PVC w/Stainless Steel Insert
Ski Tow Eye, Stainless Steel
Stringer System, Fiberglass
Swim Platform, Integral w/Stainless-Steel, Four-Step Swim Ladder
Thru-Hull Fittings
Vent System, Engine Compartment - Integral
Windshield, Custom Five-Piece Tempered/Tinted Glass w/Walk-Thru

CERTIFICATIONS:

CE Certification "C"
Meets Applicable USCG & ABYC Standards
NMMA Certification
Meets Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders
Cockpit Vinyl Color: (White/Edge Black)
Dash, Fiberglass
Floor, Finished Fiberglass
Glove Box, Lockable
Grab Handles, Stainless Steel
Outlet, 12V Accessory
Stereo, 12V AM/FM w/Remote Control & Weatherproof
Speakers (2)
Storage, Ski/Wakeboard w/Matting & Gas-Assisted Fiberglass Lid
Sun Pad w/Port Transom Walkthrough
Vinyl, Marine Grade w/Mildew & UV Protection

SEATING:

Bow: Seats w/Cushions & Storage Below, Port & Stbd Bolsters & Center Section Facing Aft
Cockpit: Aft Bench Seat w/Insulated Cooler & Sunpad
Companion Seat: Bench Seat w/Stowable Forward Seat Cushion & Removable Aft Bolster
Helm: Bucket w/Flip-Up Thigh Rise Bolster, Swivel and Slider

HELM:

Alarms, Engine - Oil & Water (Audible)
Depth Finder
Horn
Instrumentation, Custom Sea Ray Backlit w/Glass Lenses & Low-Glare Night Lighting (Includes: Fuel, Oil Pressure, Speedometer, Tachometer w/LCD Hour Meter, Trim & Water Temperature)
Shift & Throttle Lever w/Trim Switch & Lanyard Stop Switch
Steering, Power-Assisted
Steering, Tilt Wheel, Custom Padded
Switch Panel w/Weatherproof Lighted Chrome Toggle Switches
Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery Tray w/Mount
Battery On/Off Switch
Fuse Block
Wiring, Color-Coded w/Chafe Protection

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic
Blower, 12V Bilge
Fire Extinguisher Discharge Port
Fire Suppression System, Automatic
Gel-Coated Engine Compartment
Insulated Engine Compartment

FUEL SYSTEMS:

Evaporative Emissions Fuel System
Fuel Lines, USCG - Type A-1
Fuel Tank w/Anti-Siphon Valve & Electric Sending Unit

STANDARD PROPULSION

MerCruiser® 3.0L ECT Alpha® I Sterndrive
(135 hp - 101 kW)
Propeller, Aluminum

OPTIONS & ACCESSORIES**OPTIONAL PROPULSION**

MerCruiser 3.0L ECT* Alpha® I Sterndrive
(135 hp - 101 kW)
MerCruiser 4.5L ECT* MPI Alpha I Sterndrive
(200 php - 149kW)
* Carb Compliant Engine

OPTIONAL PACKAGES**BLACK BEAUTY PACKAGE:**

Black Hull & Deck Gel Coat
Special Cockpit Vinyls
Silver Boot Tape

CAPTAIN'S PACKAGE:

Bow Filler Cushion
Canvas Bimini Top w/Boot w/Stainless-Steel Ball & Socket Hardware
Canvas Cockpit and Tonneau Covers
Cockpit Table
Snap-In Carpet - Cockpit
Sunpad Walk-Thru Cushion

ELEVATION PACKAGE:

Ski Mirror
Tower, Watersports w/Bimini, Black
Tower Racks

SELECT PACKAGE:

Helm Upgrade: Vinyl Panels
LED Lighting Package, Blue - Cockpit

INDIVIDUAL OPTIONS


Canvas Mooring Cover (Black Only)
Gel Coat, Two-Tone Hull (Black, Ocean Blue or Mojave Tan)
Gel Coat, Hull Bottom Color (Black, White or Matching with Two-Tone Hull Color)
Graphics, Sport - Grey or Red
Raymarine® Chartplotter
Seadek® Swim Platform Matting (Gray or Mocha)
Swiss Specs - Oil Drip Pan Under Engine
Upholstery - Viper Swan w/Viper Flint Accents
Upholstery - Bella Grana Off White & Praline (Only Available with Select or Black Beauty Package)

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature, and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP/KW	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Stemdrive	MerCruiser 3.0L ECT*		135/101	Alpha 1		2.00:1		4400-4800
Stemdrive	MerCruiser 4.5L ECT*		200/149	Alpha 1			39-41	
* Carb Compliant Engine								

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/integral swim platform	19'6" (5.94 m)
Beam	8'4" (2.54 m)
Draft (outboard down)	31" (79 cm)
Draft (outboard up)	18" (46 cm)
Dry weight	2,494 lb (1,131 kg)
Fuel capacity	30 gal (113 L)
Max persons/weight	8/2,006 lbs (910 kg)
(MWC) max weight persons/gear	2,339 lbs (1,016 kg)
Deadrise	19°

HEIGHT DIMENSIONS

Waterline to top of windshield	3'8" (1.11 m)
Lowest tip of underwater gear (in up position) to top of windshield	5'6" (1.67 m)

Dimensions and weights are approximate.

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Thru-Bolted - Stainless Steel (6)
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Light, Stern - Removable
Lights, Navigation
Resin, High-Performance Vinylester
Rub Rail, Black PVC w/Stainless Steel Insert
Ski Tow, Drop-In
Stringer System, Fiberglass
Swim Platform, Integral w/Stainless-Steel, Four-Step Swim Ladder
Thru-Hull Fittings
Windshield, Custom Five-Piece Tempered/Tinted Glass w/Walk-Thru

CERTIFICATIONS:

CE Certification "C"
Meets Applicable USCG & ABYC Standards
NMMA Certification
Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders
Cockpit Vinyl Color: (White/Edge Black)
Dash, Fiberglass
Floor, Finished Fiberglass
Glove Box, Lockable
Grab Handles, Stainless Steel
Outlet, 12V Accessory
Stereo, 12V AM/FM w/Remote Control & Weatherproof
Speakers (2)
Storage, Ski/Wakeboard w/Matting & Gas-Assisted Fiberglass Lid
Sun Pad w/Port Transom Walkthrough
Vinyl, Marine Grade w/Mildew & UV Protection

SEATING:

Bow: Seats w/Cushions & Storage Below, Port & Stbd Bolsters & Center Section Facing Aft
Cockpit: Aft Bench Seat w/Insulated Cooler & Sunpad
Companion Seat: Bench Seat w/Stowable Forward Seat Cushion & Removable Aft Bolster
Helm: Bucket w/Swivel and Slider

HELM:

Alarms, Engine - Oil & Water (Audible)
Horn
Instrumentation, Custom Sea Ray Backlit w/Glass Lenses & Low-Glare Night Lighting (Includes: Fuel, Oil Pressure, Speedometer, Tachometer w/LCD Hour Meter, Trim & Water Temperature)
Shift & Throttle Lever w/Trim Switch & Lanyard Stop Switch
Steering, Power-Assisted
Steering, Tilt Wheel, Custom Padded
Switch Panel w/Weatherproof Lighted Chrome Toggle Switches
Tilt & Trim, Power

BILGE:

Bilge Pump, 12V Automatic
Gel-Coated Compartment

ELECTRICAL SYSTEMS:

Battery Tray w/Mount
Fuse Block
Wiring, Color-Coded w/Chafe Protection

FUEL SYSTEMS:

Evaporative Emissions Fuel System
Fuel Lines, USCG - Type A-1
Fuel Tank w/Anti-Siphon Valve & Electric Sending Unit

STANDARD PROPULSION

Mercury® 150 EFI FourStroke Inline 4 Outboard Engine
(150 hp - 110 kW)
Propeller, Aluminum

OPTIONS & ACCESSORIES**BLACK BEAUTY PACKAGE:**

Black Hull & Deck Gel Coat
Special Cockpit Vinyls
Silver Boot Tape

CAPTAIN'S PACKAGE:

Bow Filler Cushion
Canvas Bimini Top w/Boot w/Stainless-Steel Ball & Socket Hardware
Canvas Cockpit and Tonneau Covers
Cockpit Table
Snap-In Carpet - Cockpit
Sunpad Walk-Thru Cushion

ELEVATION PACKAGE:

Ski Mirror
Tower, Watersports w/Bimini, Black
Tower Racks

SELECT PACKAGE:

Helm Upgrade: Vinyl Panels
LED Lighting Package, Blue - Cockpit

INDIVIDUAL OPTIONS

Canvas Mooring Cover (Black Only)
Gel Coat, Two-Tone Hull (Black, Ocean Blue or Mojave Tan)
Gel Coat, Hull Bottom Color (Black, White or Matching with Two-Tone Hull Color)
Graphics, Sport - Grey or Red
Raymarine® Chartplotter
Seadek® Swim Platform Matting (Gray or Mocha)
Swiss Specs - Oil Drip Pan Under Engine
Upholstery - Viper Swan w/Viper Flint Accents
Upholstery - Bella Grana Off White & Praline (Only Available with Select or Black Beauty Package)

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature, and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Outboard	Mercury 150 EFI		150		13 x 17 Alumn Black Max	1.91:1	45	5000-5800

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/integral swim platform	21'6" (6.55 m)
Beam	8'6" (2.6 m)
Draft (sterdrive down)	34" (86 cm)
Draft (sterndrive up)	18" (46 cm)
Dry weight	3,400 lb (1,542 kg)
Fuel capacity	40 gal (151 L)
Max persons/weight	10/1,803 lbs (818 kg)
(MWC) max weight persons/gear	1,850 lbs (839 kg)
Deadrise	19°

FEATURES & STANDARD EQUIPMENT

HULL & DECK FEATURES

Bow & Stern Eyes, Stainless Steel
Cleats, Thru-Bolted - Stainless Steel (6)
Deck Fuel Fill Plate
Drain Plug, Brass-Threaded - Garboard
Gel Coat, Arctic White
Light, Stern - Removable
Lights, Navigation
Resin, High-Performance Vinylester
Rub Rail, Black PVC w/Vinyl Insert
Ski Tow Eye, Stainless Steel
Stringer System, Fiberglass
Swim Platform, Integral w/Stainless-Steel, Four-Step Swim Ladder
Thru-Hull Fittings
Vent System, Engine Compartment - Integral
Windshield, Custom Five-Piece Tempered/Tinted Glass w/Walk-Thru

CERTIFICATIONS:

CE Certification "C"
Meets Applicable USCG & ABYC Standards
NMMA Certification
Meets Mercury® Installation Quality Certification

COCKPIT FEATURES

Beverage Holders
Cockpit Vinyl Color: (White/Edge Black)
Dash, Fiberglass
Floor, Finished Fiberglass
Glove Box, Lockable
Grab Handles, Stainless Steel
Outlet, 12V Accessory
Stereo, 12V AM/FM w/Remote Control & Weatherproof
Speakers (4)
Storage, Side Panels
Storage, Ski/Wakeboard w/Matting & Gas-Assisted Fiberglass Lid
Sun Pad w/Port Transom Walkthrough
Vinyl, Marine Grade w/Mildew & UV Protection

SEATING:

Bow: Seats w/Cushions & Storage Below, Port & Stbd Bolsters & Center Section Facing Aft
Cockpit: Stbd/Aft L-Shaped Bench Seat w/Insulated Cooler & Storage Tub Below, Sunpad/Convertible Transom Seat
Companion Seat: Bench Seat w/Stowable Forward Seat Cushion & Removable Aft Bolster
Helm: Bucket w/Swivel and Slider

TECHNICAL FEATURES

HELM:

Alarms, Engine - Oil & Water (Audible)
Horn
Instrumentation, Custom Sea Ray Backlit w/Glass Lenses & Low-Glare Night Lighting (Includes: Fuel, Oil Pressure, Speedometer, Tachometer w/LCD Hour Meter, Trim & Water Temperature)
Shift & Throttle Lever w/Trim Switch & Lanyard Stop Switch
Steering, Power-Assisted
Steering, Tilt Wheel, Custom Padded
Switch Panel w/Weatherproof Lighted Chrome Toggle Switches
Tilt & Trim, Power

ELECTRICAL SYSTEMS:

Battery Tray w/Mount
Fuse Block
Wiring, Color-Coded w/Chafe Protection

ENGINE COMPARTMENT:

Bilge Pump, 12V Automatic
Blower, 12V Bilge
Fire Extinguisher Discharge Port
Gel-Coated Engine Compartment
Insulated Engine Compartment

FUEL SYSTEMS:

Evaporative Emissions Fuel System
Fuel Lines, USCG - Type A-1
Fuel Tank w/Anti-Siphon Valve & Electric Sending Unit

STANDARD PROPULSION

MerCruiser® 4.5L ECT* Alpha® I Sterndrive
(200 hp - 149 kW) w/Aluminum Propeller
* Carb Compliant Engine

OPTIONS & ACCESSORIES**OPTIONAL PROPULSION**

MerCruiser 4.5L ECT* MPI Alpha I Sterndrive
(250 hp - 188 kW)
* Carb Compliant Engine

TRIM PACKAGES**BLACK BEAUTY PACKAGE:**

Black Hull & Deck Gel Coat
Special Cockpit Vinyls
Silver Boot Tape

CAPTAIN'S PACKAGE:

Bow Filler Cushion
Canvas Bimini Top w/Boot w/Stainless-Steel Ball & Socket Hardware
Canvas Cockpit and Tonneau Covers
Cockpit Table
Snap-In Carpet - Cockpit
Sunpad Walk-Thru Cushion

ELEVATION PACKAGE:

Ski Mirror
Tower, Watersports w/Bimini, Black
Tower Racks

SELECT PACKAGE:

Helm Upgrade: Vinyl Panels
LED Lighting Package, Blue - Cockpit

INDIVIDUAL OPTIONS

Canvas Mooring Cover (Black Only)
Gel Coat, Two-Tone Hull (Black, Ocean Blue or Mojave Tan)
Gel Coat, Hull Bottom Color (Black, White or Matching with Two-Tone Hull Color)
Graphics, Sport - Grey or Red
Raymarine Chartplotter
Seadek® Swim Platform Matting (Gray or Mocha)
Swiss Specs - Oil Drip Pan Under Engine
Upholstery - Viper Swan w/Viper Flint Accents
Upholstery - Bella Grana Off White & Praline (Only Available with Select or Black Beauty Package)

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature, and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP/KW	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	MerCruiser 4.5L ECT*		200/149	Alpha 1			44-46	
Sterndrive	MerCruiser 4.5L ECT*		250/188	Alpha 1			47-49	

*Carb Compliant Engine

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



SPECIFICATIONS

Overall length w/std. integral swim platform	25'6" (7.77 m)
Beam	8'6" (2.59 m)
Draft (sterndrive down)	40.25" (101.6 cm)
Draft (sterndrive up)	28.125" (71. cm)
Dry weight	5,800 lbs (2,631 kg)
Fuel capacity	75 gal (283 L)
Water capacity	20 gal (76 L)
Holding tank (optional)	10 gal (37 L)
Max persons/weight	12/2,094 lbs (950 kg)
(MWC) max weight persons/gear	2,400 lbs (1,088 kg)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	4' 8" (1.42 m)
Lowest tip of underwater gear (in up position) to top of windshield	8'1" (2.46 m)

FEATURES & STANDARD EQUIPMENT

MerCruiser® 4.5L MPI ECT Bravo® III Sterndrive (250 hp - 188 kW)

CE Option Group

Smartcraft® diagnostics w/ Depth Finder

Bimini Top w/boot & stainless steel ball & socket hardware

Integrated swim platform w/recessed stainless-steel four step swim ladder

Ski tow eye-transom

Color coordinated vinyls w/Diamond pattern and accent vinyls:

- Sand (Pearl) with Sterling snap-in carpet liner

Cockpit table, fiberglass

Bow lounge seats w/flip-down armrests & storage below

Enclosed head compartment w/fiberglass lockable door and portable head

Helm bench seat w/slider, flip-up thigh-rise bolster & fiberglass base

Transom sun pad with slide out extension

Walk thru windshield

Beverage holders, stainless steel

Stereo, 12V AM/FM, Wireless Bluetooth™ & Weatherproof Speakers

Storage, Side Panel - upper & lower

Battery On/Off Switch - remote battery switch at helm

CE Fire Suppression System - automatic w/manual pull

OPTIONS & ACCESSORIES

MerCruiser 6.2L MPI ECT Bravo III w/DTS* Sterndrive
(300 php - 224 kW)

MerCruiser 6.2L MPI ECT Bravo III w/DTS* Sterndrive
(350 php - 261 kW)

*SmartCraft Digital Throttle & Shift Replaces Std Throttle & Shift

CAPTAIN'S PACKAGE:

Cockpit Cover

Docking Lights

Windshield Wiper - Starboard

Transom pull-out sprayer

ELEVATION PACKAGE:

Watersports Tower w/ Bimini Top

Swivel Wakeboard Racks

Ski Mirror

Air Compressor for Water Toys

CANVAS PACKAGE (FOR BIMINI TOP):

Aft Curtain
Front Curtains
Side Curtains
Canvas Storage Bag

SELECT PACKAGE:

Cockpit Table, Teak
Bow Filler Cushions

INDIVIDUAL OPTIONS:

Battery Charger (220/50 - 12 volt)
Bottom Paint
Bow Ladder w/Hatch
Bow Washdown
Canvas Mooring Cover (Black Only)
Cockpit Color Option: Espresso (Beige) w/Country Beige Carpet
Cockpit Heating (From Engine)
Dynamic Running Surface™
Flooring, SeaDek® Swim Platform Pad (Matches Cockpit Color)
Gel Coat, Full Color Hull (Arctic White, Black,
 Sea Ray Blue, Ocean Blue, Gray, Rally Red or Mojave Tan)
Gel Coat, Two-Tone (Arctic White, Black,
 Sea Ray Blue, Ocean Blue, Gray, Rally Red or Mojave Tan)
Gel Coat, Three-Tone (Arctic White, Black,
 Sea Ray Blue, Ocean Blue, Gray, Rally Red or Mojave Tan)
Hydraulic Trim Tabs
Lighting, LED Blue or White - Cockpit
Lighting, LED Thru Hull - Underwater
Macerator (Std w/Both Head Options)
Pump-Out Head
Real Teak Upgrade to Cockpit (Replaces Carpet)
Real Teak on Swim Platform
Refrigerator in Cockpit
Swim Platform, Submersible, Manual
Swiss Specs - Oil Drip Pan Under Engine
Windlass - Electric w/ Galvanized Anchor & Chain
Windlass - Electric w/Chain & Stainless Steel Anchor

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray' models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	MerCruiser 6.2L MPI ECT		300	Bravo 3	15.75 x 22.5 14.25 x 22.5	2.20:1	45-47	5000-5400
Sterndrive	MerCruiser 6.2L MPI ECT		350	Bravo 3	15.5x24 14x24	2.20:1	49-51	5000-5400

Due to changes in Mercury' propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).

SUN SPORT 250

Sea Ray *A*
2017



SPECIFICATIONS

Overall length w/std. extended swim platform	25'5" (7.75 m)
Beam	8'4" (2.55 m)
Draft (sterndrive down)	35" (0.89 m)
Draft (sterndrive up)	20" (0.51 m)
Dry weight	4,155 lbs (1,900 kg)
Fuel capacity	57 gal (216 L)
Max persons/weight	8/1,422 lbs (645 kg)
(MWC) max weight persons/gear	1,800 lbs (816,5 kg)
Deadrise	19°

HEIGHT DIMENSIONS

Waterline to top of windshield	4'6" (1.40 m)
Keel to top of windshield	5'9" (1.79 m)

FEATURES & STANDARD EQUIPMENT

MerCruiser® 4.5L MPI ECT Bravo® III Sterndrive (250 hp - 188 kW)
CE Option Group
Smartcraft® diagnostics w/ Depth Finder
Bimini Top w/boot & stainless steel ball & socket hardware
Large berth in cabin with portable toilet
Integrated swim platform w/recessed stainless-steel four step swim ladder
Ski tow eye-transom
Color coordinated vinyls w/Diamond pattern and accent vinyls:
- Sand (Pearl) with Sterling snap-in carpet liner
Cockpit table, fiberglass
Door, cabin entry (sliding & lockable) - fiberglass w/integral steps
Bench seat w/slider, flip-up thigh-rise bolster & fiberglass base
Transom sun pad with slide-out extension
Walk thru windshield
Beverage holders, stainless steel
Stereo, 12V AM/FM, Wireless Bluetooth™ & Weatherproof Speakers
Storage, Side Panel - upper & lower
Battery On/Off Switch - remote battery switch at helm
CE Fire Suppression System - automatic w/manual pull

OPTIONS & ACCESSORIES

MerCruiser 6.2L MPI ECT Bravo III w/DTS* Sterndrive
(300 php - 224 kW)
MerCruiser 6.2L MPI ECT Bravo III w/DTS* Sterndrive
(350 php - 261 kW)
*SmartCraft Digital Throttle & Shift Replaces Std Throttle & Shift

CAPTAIN'S PACKAGE:

Aft Filler Cushion
Cockpit Cover
Cockpit Table, Teak w/ Filler Cushions
Docking Lights
Transom shower w/ pull-out sprayer
Windshield Wiper - Starboard

ELEVATION PACKAGE:

Watersports Tower w/ Bimini Top
Swivel Wakeboard Racks
Ski Mirror
Air Compressor for Water Toys

SELECT PACKAGE:

Cockpit Table, Teak
Bow Filler Cushions

INDIVIDUAL OPTIONS:

Battery Charger (220/50 - 12 volt)
Bottom Paint
Bow Ladder with Hatch (Not available with windlass option)
Bow Thruster
Canvas Mooring Cover (Black Only)
Canvas Package: Aft Curtain; Front Curtains; Side Curtains & Canvas Storage Bag
Cockpit Color Option: Espresso (Beige) w/Country Beige Carpet
Cockpit Heating (From Engine)
Dynamic Running Surface™
Dynamic Display™ w/12.3" Medallion Touch Screen Display providing Connectivity and Control of Multiple Systems (Navigation, Audio, Engine, Lighting, etc)
Flooring, SeaDek® Swim Platform Pad (Matches Cockpit Color)
Gel Coat, Full Color Hull (Arctic White, Black, Sea Ray Blue, Ocean Blue, Gray, Rally Red or Mojave Tan)
Gel Coat, Two-Tone (Arctic White, Black, Sea Ray Blue, Ocean Blue, Gray, Rally Red or Mojave Tan)
Gel Coat, Three-Tone (Arctic White, Black, Sea Ray Blue, Ocean Blue, Gray, Rally Red or Mojave Tan)
High Bow Rail w/Open Front
Hydraulic Trim Tabs
Lighting, LED Blue or White - Cockpit
Lighting, LED Thru Hull - Underwater
Macerator (Std w/Both Head Options)
Pump-Out Head
Real Teak Upgrade to Cockpit (Replaces Carpet)
Real Teak on Swim Platform
Refrigerator in Cockpit
Swim Platform, Submersible, Manual
Swiss Specs - Oil Drip Pan Under Engine
Windlass - Electric w/ Galvanized Anchor & Chain
Windlass - Electric w/Chain & Stainless Steel Anchor


PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature, and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP/KW	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive Sterndrive	MerCruiser 4.5L ECT*	MerCruiser 6.2L ECT*	250/188 300/224	Bravo 3 Bravo 3				

* Carb Compliant Engine

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment.



SPECIFICATIONS

Overall length w/std. integral swim platform	27'2" (8.3 m)
Beam	8'6" (2.59 m)
Draft (sterndrive down)	38" (96 cm)
Draft (sterndrive up)	26" (66 cm)
Dry weight	5,659 lbs (2,567 kg)
Fuel capacity	65 gal (246 L)
Water capacity	20 gal (76 L)
Holding tank (optional)	10 gal (37 L)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	4'9" (1.39 m)
Keel to top of windshield	6'6" (1.98 m)
Waterline to top of light on tower	8'11" (2.71 m)
Keel to top of light on tower	10'9" (3.27 m)

FEATURES & STANDARD EQUIPMENT

MerCruiser® 6.2L MPI ECT Bravo® III w/DTS Sterndrive
(300 hp - 224 kW)
CE Option Group
Smartcraft® diagnostics w/ Depth Finder
Bimini Top w/boot
Canvas Cockpit Cover w/Tonneau Cover
Integrated swim platform w/recessed stainless-steel four step swim ladder
Windshield Wiper - Starboard
Ski tow eye-transom - flush mount
Color Coordinated Vinyls w/Diamond Pattern and Accent Vinyls: Sand (Pearl) with Sterling snap-in carpet liner
Cockpit table, fiberglass
Bow lounge seats w/hinged cushions & flip-down armrests
Helm bench seat w/convertible backrest & sliding base
Aft facing transom lounge
Walk thru windshield
76 litre capacity pressure water system
Enclosed head compartment with portable toilet
Beverage holders, stainless steel
Stereo, 12V AM/FM, Wireless Bluetooth™, weatherproof speakers (4) & digital cockpit remote control
Storage, Side Panel - upper & lower
CE Fire Suppression System - automatic w/manual pull

OPTIONS & ACCESSORIES

MerCruiser 6.2L MPI ECT Bravo III w/DTS Sterndrive
(350 php - 261 kW)
MerCruiser 8.2 MAG ECT Bravo III w/DTS Sterndrive
(380 php - 261 kW)

**CANVAS PACKAGE (FOR STANDARD BIMINI TOP OR OPTIONAL
WATERSPORTS TOWER):**

Aft Curtain
Front Curtains
Side Curtains
Canvas Storage Bag

INDIVIDUAL OPTIONS:


Air Compressor for Water Toys
Battery Charger (220/50 - 12 volt)
Bottom Paint
Canvas Mooring Cover (Black Only)
Chartplotter, Raymarine®
Cockpit Color Option: Espresso (Beige) w/Country Beige Carpet
Cockpit Heating (From Engine)
Digital Dash: Includes Raymarine® Chartplotter & Audio Control via
Upgraded Fusion 750 Series Stereo Head Unit
Docking Lights
Filler Cushions - Bow
Gel Coat, Full Color Hull (Arctic White, Black, Sea Ray Blue, Ocean Blue,
Gray, Rally Red or Mojave Tan)
Gel Coat, Two-Tone (Arctic White, Black, Sea Ray Blue, Ocean Blue, Gray,
Rally Red or Mojave Tan)
Gel Coat, Three-Tone (Arctic White, Black, Sea Ray Blue, Ocean Blue, Gray,
Rally Red or Mojave Tan)
Graphics, Optional; Sapphire Blue or Brushed Chrome - Taped
Head, Pump-Out
Head System, VacuFlush w/37 Litre Holding Tank
Hot Water System Upgrade
Lighting, Indirect Blue or White LED - Bow & Cockpit
Lighting, Thru Hull Underwater, LED
Premium Ski Mirror
Real Teak Upgrade to Cockpit (Replaces Carpet)
Real Teak on Swim Platform
Refrigerator in Cockpit
SeaDek® Swim Platform Matting - Faux Teak
Swim Platform, Submersible, Manual
Swiss Specs - Oil Drip Pan Under Engine
Table, Bow w/Designated Storage
Tower, Watersports, White Aluminum w/Tilting Bimini Storage System
Trim Tabs, Hydraulic
Wakeboard Racks, Swivel
Wet Bar w/Integral Sink & Faucet
Windlass - Electric w/ Galvanized Anchor & Chain
Windlass - Electric w/Chain & Stainless Steel Anchor

PROPELLER & SPEED CHARTS


Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Sterndrive	MerCruiser 6.2L MPI ECT		300	Bravo 3	14.25x22.5 15.75x22.5	2.20:1	44-46	5000-5400
Sterndrive	MerCruiser 6.2L MPI ECT		350	Bravo 3	14x24 15.5x24	2.20:1	50-52	5000-5400
Sterndrive	MerCruiser 8.2 MAG ECT		380	Bravo 3x	14 x 24 15.5 x 24	2.00:1	52-54	4400-4800

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment. Gear ratios are for low altitude applications. Prop sizes listed are for US applications (Canada & Int'l diameters/pitches may be different).



Cockpit Layout



Cabin Layout

SPECIFICATIONS

Overall length w/integral swim platform	26'6" (8.07 m)
Hull length	23'10" (7.23 m)
Beam	8'5" (2.56 m)
Draft (sterndrive down)	40" (102 cm)
Draft (sterndrive up)	25" (61 cm)
Dry weight	6,393 lbs (2,900 kg)
Fuel capacity	69 gal (261 L)
Water capacity	20 gal (76 L)
Holding tank (optional)	18 gal (68 L)
Deadrise	21°

HEIGHT DIMENSIONS

Waterline to top of windshield	6'4" (2.0 m)
Keel to top of windshield	8'3" (2.5 m)

FEATURES & STANDARD EQUIPMENT

MerCruiser® 4.5L MPI ECT Bravo® III Sterndrive (250 hp - 188 kW)
Smartcraft® gauges and diagnostics
Docking lights
Storage, anchor w/Fiberglass hatch Storage, aft Seat Base
Swim Platform, Extended w/ Stainless Steel Swim ladder
Cockpit Upholstery: Viper Swan w/Viper Flint Accents
Fold-down transom seat that converts to sun pad
Seating, Lounger - Port
Table, Cockpit - Teak
Windshield Wiper - Starboard
Bimini Top w/Boot & Vertical Storage
Canvas Package: Aft Curtain, Front Curtains, Side Curtains & Canvas Storage Bag
Cockpit Cover w/Canvas Storage Bag
Carpet liner, Snap-In
Door, cabin Entry (Sliding & lockable) Fiberglass w/Integral Steps
Gelcoated Dash, nickel
Luxury Real Wood Walnut, Matt Finish Wood Interior and Accents.
Shoji Door with Solid Wood Walnut frames
Cabin Galley w/Sink, Single Burner cooker & Refrigerator 12V
V-Berth with table converts into double bed
Mid cabin for 2 persons
Bathroom with vanity
Shower
Toilet, Manual Flush
Outlet, 12V accessory
Outlet, 220V/50 cycle
Stereo, Sony® 12V FM Single cD with MP3 / uSB Port, iPod® Connection, 4 Weatherproof Speakers & Digital Cockpit Remote
Dual battery switch
Shore Power, 16 amp/220V/50hz w/15 Meter Cord & Adapter
Trim Tabs, Electric

OPTIONS & ACCESSORIES

GASOLINE STERNDRIVES:

Mer cruiser 4.5L ECT MPI Bravo III w/DTS* Sterndrive
(250 hp - 188 kW)

Mer cruiser 6.2L ECT MPI Bravo III w/DTS* Sterndrive
(300 hp - 224 kW)

*SmartCraft Digital Throttle & Shift Replaces Std Throttle & Shift

DIESEL STERNDRIVE:

Mercury® Diesel TDI® 3.0L 265 DTS Bravo IIIx Sterndrive
(265 hp - 198 kW)

CAMPER CANVAS PACKAGE (FOR BIMINI TOP):

Camper Aft Curtain

Camper Top w/Boot

Canvas Storage Bag

Front & Side Curtains

INDIVIDUAL OPTIONS:

Bottom Paint

Bow Thruster

Chartplotter/GPS, Raymarine® Color LCD

Cockpit Heating (From Engine)

Cockpit Upholstery: Silverguard® Cream & Beige

Cockpit Upholstery: Bella Grana Praline & White

Colored Hull Two-Tone (Black, Ocean Blue or Mojave Tan)

Fiberglass Sport Spoiler w/Integral Bimini Top

Foredeck Sunpad w/Deck Runners

Head, VacuFlush® System w/18-Gallon (68L) Holding Tank

Microwave, 220V

Refrigerator in Cockpit, 12V

Swiss Specs - Oil Drip Pan Under Engine

Teak Flooring in Cockpit (Replaces Standard Snap-In Carpet)

Teak on Swim Platform

Windlass, Chain w/Foot Switch


Webasto Cabin and Cockpit Heating (Diesel))

PROPELLER & SPEED CHARTS


Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for Internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP	GEAR/ DRIVE	PROP	RATIO	WOT SPEED	WOT RPM (RANGE)
Gasoline Sterndrive	MerCruiser 4.5L ECT		250	Bravo 3		2.20:1		5000
Gasoline Sterndrive	MerCruiser 6.2L ECT		300	Bravo 3		2.20:1		
Diesel Sterndrive	Mercury® Diesel TDI® 3.0L		260	Bravo IliX	23 Pitch	2.00:1	33 Knots	4000-4050

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment.



Cockpit Layout



Cabin Layout

SPECIFICATIONS

Overall length w/std. extended swim platform	36'8" (11.20 m)
Beam	11'5" (3.48 m)
Draft (sterndrives down)	43" (1.09 m)
Draft (sterndrives up)	30" (76 cm)
Dry weight	15,212 lbs (6,900 kg)
Fuel capacity	200 gal (560 L)
Water capacity	40 gal (150 L)
Holding tank	28 gal (106 L)
Deadrise	21°

HEIGHT DIMENSIONS

Keel to top of arch on hardtop	11'9" (3.64 m)
--------------------------------	----------------

FEATURES & STANDARD EQUIPMENT

Twin Mercruiser® 4.5L MPI ECT Bravo® III Sterndrive (250 hp - 188 kW)
Smartcraft® DTS (Digital Throttle & Shift) controls
Smartcraft® gauges and diagnostics
Compass
Raymarine VHF Radio w/ 8' Fiberglass antenna
Anchor chute, Stainless Steel
Bow Rail, Stainless Steel w/Welded Stanchions and split front
Bow Pulpit with Teak Step and Sea Ray logo.
Docking lights
Swim Platform, Extended w/concealed Stainless Steel Swim ladder
Windshield Wipers with fresh water flush
Trim Tabs, Electric
Standard fiberglass arch w/Bimini & enclosures
Cockpit Upholstery: Viper Swan w/Viper Flint Accents
Cockpit Galley with Refrigerator & Stove w/Corian® Countertop, Teak
Freshwater Washdown Spigot
Teak Table w/Sun Pad Filler cushions
Luxury real wood Walnut, matt finish, wood interior and accents
Shoji Doors with Solid Wood Walnut frames
Enclosed Forward cabin with large bed
Enclosed Mid cabin with double bed
Stereo, Sony® 12V FM Single CD with MP3 / USB Port, iPod® connection,
Weatherproof Speakers & Digital cockpit Remote
Enclosed Shower w/Door
Macerator w/Seacock Interlock System
Standing height in cabin
Battery charger/converter, 220V/60 cycle
Battery Switch, Dual
Shore Power, 30 amp/ 220V/50 cycle w/15 meter cord
Shower, cockpit-cabin hot & cold
Water heater, 220V (22 liter) w/Exchanger

OPTIONS & ACCESSORIES

TWIN GASOLINE STERNDRIVES:

Twin Mercruiser 6.2L ECT MPI Bravo III w/DTS Sterndrive
(300 hp - 224 kW)

TWIN DIESEL STERNDRIVES:

Twin Mercury® Diesel TDI® 3.0L 260 HO Bravo IIIx
(260 php - 198 kW)

GENERATOR OPTIONS:

Gas 220V/50 cycle 4.0 kW, Kohler®
Diesel 220V/50 cycle 4.0 kW, Kohler

ELECTRONICS OPTIONS:

Chartplotter / GPS / Fishfinder, Raymarine e9

INDIVIDUAL OPTIONS:

Air Conditioning/Heating Reverse Cycle System (12,000 BTU)
Bottom Paint
Bow Thruster
Cabin Galley w/Corian Countertop, Sink & Refrigerator
Canvas, Camper Package for Std Arch or Open
Canvas, Camper Package for Opt Hardtop
Canvas, Cockpit Cover
Carpet Liner, Snap-In - Cockpit
Cockpit Heating (From Engine)
Cockpit Upholstery: Bella Grana Praline & White
Cockpit Upholstery: Silverguard® Cream & Beige
Colored Hull, Two-Tone (Black, Ocean Blue or Mojave Tan)
Hardtop, Fiberglass w/Aft Canvas & Cockpit Heating (From Engine)
Head, VacuFlush® w/Holding Tank
Microwave, 220V/50 - Cabin
Stove, 220V/50 - Cabin
Sunpad w/Folding Backrest - Forward Deck
Swiss Specs - Oil Drip Pan Under Engine
Teak Cockpit Floor
Teak on Swim Platform
TV, Flatscreen & DVD Player in Forward Stateroom
TV, Flatscreen & DVD Player in Salon
Underwater Swim Platform Lighting
Webasto Cabin and Cockpit Heating (Diesel)
Windlass, Electric w/ Anchor, Chain & Foot Switches

PROPELLER & SPEED CHARTS

Listed below is performance data on Sea Ray® models with power options. Speeds and prop selection have been arrived at after testing on boats with two people, a half tank of fuel, and clean bottom conditions. These estimated speeds will change with variances in altitude, temperature and load conditions. This document is for internal Sea Ray use only and should not be disseminated outside the company. Under no circumstances should this information be quoted or distributed to existing or potential Sea Ray boat owners.

DRIVE CONFIGURATION	ENGINE STD	ENGINE OPT	HP/KW	GEAR/ DRIVE	PROP	RATIO	WOT SPEED (MPH)	WOT RPM (RANGE)
Gasoline Sterndrive	T-MerCruiser 4.5L MPI ECT		T-250/188	Bravo 3		2.20:1		4800-5200
Gasoline Sterndrive	T-MerCruiser 6.2L MPI ECT		T-300/224	Bravo 3		2.20:1		4800-5200
Gasoline Sterndrive	T-MerCruiser 4.5L ECT		T-250/188	Bravo 3		2.20:1		4800-5200
Gasoline Sterndrive	T-MerCruiser 6.2L ECT		T-300/224	Bravo 3		2.20:1		4800-5200
Diesel Sterndrive	T-Mercury Diesel 3.0L TDI 260 HO		T-260/198	Bravo 3x		1.81:1		

Due to changes in Mercury® propellers, the propeller sizing may be less than accurate. Please verify wide open throttle (WOT) RPM when using this chart. WOT RPM should be at the top of the recommended RPM range with the boat in a light load condition. Light load can be considered 1/2 fuel, 2 people, and Coast Guard equipment.

CE Certification Categories

Models Produced in Europe

Model	CE Design Category	Hull Length (in meters)	Hull Beam (in meters)	Max Load Disp (in kg)	Max Rating (in kw)	Max Recom. Persons	Max Load (in kg)	Certificate Number
Sport 190	C	5.31	2.21	1.901	180	7	545	BSER113
SPX 190	C	5.94	2.52	2.349	180	8	695	BSER159
SPX 190 OB	n/a	5.94	2.48	2.177	123	8	910	BSER162
SPX 210	C	6.54	2.54	2.643	202	10	818	BSER163
SLX 250	C	7.89	2.56	3.974	349	12	968	BSER178.
Sun Sport 250	C	7.89	2.56	3.692	349	8	645	BSER179.
SDX 270	C	7.56	2.55	4.164	307	12	950	BSER180.
265 Sundancer	C	7.23	2.56	4.205	260	8	820	BSER149
355 Sundancer	B	9.95	3.45	8.879	448	8	1.360	BSER146

Note: This data is for CE Certification only! Actual total overall length, width, and person capacity may be different for other certifications

CE Certification Categories

Sport Boat Models Produced in U.S.

Model	CE Design Category	Hull Length (in meters)	Hull Beam (in meters)	Max Load Disp (in kg)	Max Rating (in kw)	Max Recom. Persons	Max Load (in kg)	Certificate Number
SPX190	C	5.94	2.52	2.349	180	8	695	BSER159
SLX 230	C	6.98	2.56	2.846	243	9	726	BSER145
SLX 250	C	8.08	2.59	3.608	349	8	820	BSER117
SLX 350	C	10.48	3.16	8.194	623	18	1.441	BSER156
SDX 220	C	6.08	2.53	2.974	243	9	726	BSER130
SDX 220 OB	C	6.05	2.51	2.789	205	9	1.175	BSER151
SDX 240	C	6.65	2.56	3.235	246	10	872	BSER152
SDX 240 OB	C	6.65	2.56	3.063	246	10	1.328	BSER154

Note: This data is for CE Certification only! Actual total overall length, width, and person capacity may be different for other certifications

CE Certification Categories

Sport Cruiser, Sport Yacht; Yacht; L-Class Models Produced in U.S.

Model	CE Design Category	Hull Length (in meters)	Hull Beam (in meters)	Max Load Disp (in kg)	Max Rating (in kw)	Max Recom. Persons	Max Load (in kg)	Certificate Number
Sundancer 260	C	7.23	2.56	4,205	260	8	820	BSER149
Sundancer 280	C	8.70	2.66	5,190	308	10	950	BSER131
Sundancer 310	B	9.45	3.05	7,469	491	12	1,360	BSER138
Sundancer 330 IB	B	10.13	3.13	8,696	526	12	1,360	BSER120
Sundancer 350	B	10.63	3.39	9,660	622	12	1,360	BSER153
Sundancer 370 IB	B	11.40	3.66	10,648	825	12	1,350	BSER126
Sundancer 510	B	14.27	4.45	22,447	972	16	2,270	BSER148
Fly 510	B	14.20	4.60	25,524	1,173	16	2,270	BSER157
540 Sundancer	B	15.30	4.70	27,270	942	16	2,270	BSER137
650 FLY	A	18.14	5.12	45,691	1,715	16	2,270	BSER158

Note: This data is for CE Certification only! Actual total overall length, width, and person capacity may be different for other certifications